

Bescheinigung

Die angehefteten
Unterlagen stimmen mit der
als ursprünglich eingereicht
geltenden Fassung der auf
dem nächsten Blatt
bezeichneten europäischen
Patentanmeldung überein.

Certificate

The attached documents are
exact copies of the text in
which the European patent
application described on the
following page is deemed to
have been filed.

Attestation

Les documents joints à la
présente attestation sont
conformes au texte,
considéré comme
initialement déposé, de la
demande de brevet
européen qui est spécifiée à
la page suivante.

Patentanmeldung Nr.

Patent application No.

Demande de brevet n°


02079408.7 / EP02079408

The organization code and number of your priority application, to be used for filing abroad under the Paris Convention, is EP02079408.

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.



R.C. van Dijk

Anmeldung Nr.:
Application no.: 02079408.7
Demande no.:

Anmeldetag:
Date of filing: 18.10.02
Date de dépôt:

Anmelder / Applicant(s) / Demandeur(s):

CropDesign N.V.
Technologiepark 3
9052 Zwijnaarde-Gent/BE

Bezeichnung der Erfindung / Title of the invention / Titre de l'invention:
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.
If no title is shown please refer to the description.
Si aucun titre n'est indiqué se référer à la description.)

Identification of novel E2F target genes and use thereof

In Anspruch genommene Priorität(en) / Priority(Priorities) claimed / Priorité(s) revendiquée(s)
Staat/Tag/Aktenzeichen / State/Date/File no. / Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation / International Patent Classification / Classification internationale de brevets:

C12N15/00

Am Anmeldetag benannte Vertragsstaaten / Contracting States designated at date of filing / Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LI LU MC NL PT SE SK TR

IDENTIFICATION OF NOVEL E2F TARGET GENES AND USE THEREOF

The present invention concerns modifying plant characteristics. More particularly, the present invention relates to identification of genes and proteins involved in E2Fa/Dpa-mediated processes and further relates to use of such genes and proteins for modifying characteristics in plants.

Growth, development and differentiation of higher organisms are controlled by a highly ordered set of events called the cell cycle (Morgan, 1997). Cell division and cell growth are operated by the cell cycle, which ensures correct timing and high fidelity of the different transition events involved. Cell cycle regulation at both G1→S and G2→M phase transitions depends on the formation of appropriate protein complexes and both transitions are believed to be the major control points in the cell cycle. The cell's decision to proliferate and synthesize DNA and ultimately to divide is made at the G1→S restriction point in late G1. Overcoming this point of no return requires the cell's competence to initiate DNA synthesis as well as the expression of S-phase genes. Transcription of S-phase-specific genes requires binding to the DNA of an E2F transcription factor. Dimerisation of E2F with DP is a prerequisite for high affinity binding to the E2F consensus DNA binding site (TTT(C/G)(C/G)CGC), that can be found in the promoters of genes involved in DNA replication, repair, checkpoint control and differentiation (Ren et al., 2002; Weinmann et al., 2001; Kel et al., 2001). Variants of this consensus sequence as well as other locations of this consensus sequences are also found. The heterodimeric E2F/dimerization partner (DP) transcription factor also regulates the promoter activity of multiple genes, which are essential for DNA replication and cell cycle control (Helin, 1998; Müller and Helin, 2000). E2F transcription factors are critical effectors of the decision to pass the restriction point and to allow the cell to proceed in S-phase.

In the Arabidopsis genome, 3 E2F (E2Fa, E2Fb, and E2Fc) and 2 DP genes (DPa and DPb) are present (Vandepoele et al., 2002). The phenotypic analysis of plants overexpressing the E2Fa/Dpa genes was described recently (De Veylder et al., 2002). Microscopic analysis revealed that E2Fa/Dpa overproducing cells underwent ectopic cell division or endoreduplication, depending on the cell type. Whereas extra cell divisions resulted in cells being smaller than those seen in the same tissues of control plants, extra endoreduplication caused formation of giant nuclei. By RT-PCR it was demonstrated that expression levels of genes involved in DNA replication (CDC6, ORC1, MCM, DNA pol α) were strongly upregulated in plants overexpressing E2Fa and Dpa (De Veylder et al., 2002).

047-E2F-PROV

The aim of the present invention is to identify genes having altered expression levels in plants overexpressing E2Fa and Dpa relative to expression levels in corresponding wild type plants. Furthermore, it is the aim of the present invention to provide means to modulate expression of these genes, which in turn allows for modulation of the biological processes that they control. It is the aim of the present invention to mimic E2F/DP activity by manipulating downstream factors involved in E2F/DP pathways. This strategy allows a fine-tuning of the effects of E2Fa/DPa. Whereas overexpression of E2Fa or DP or both can be pleiotropic, it is the aim of the invention to provide methods to alter plant characteristics in a more controlled and targeted way. Modulation of particular biological processes can give rise to plants having altered characteristics, which can have particularly useful applications in agriculture and horticulture.

The present invention concerns a method for modifying plant characteristics, such as plant growth, plant yield, development, biochemistry, physiology, architecture or stress tolerance by modulation of the genes according to the present invention and/or by modulation of the proteins encoded by these genes. The present invention also concerns genetic constructs for performing the methods of the invention and to plants or plant parts obtainable by the methods of the present invention, which plants have altered characteristics compared to their otherwise isogenic counterparts. The invention also extends to recombinant nucleic acids and the use thereof in the methods according to the invention.

The inventors designed a microarray experiment, comparing transcript levels of more than 4579 genes of wild type and transgenic Arabidopsis lines overexpressing E2Fa/DPa. Surprisingly, the inventors found that a wide variety of classes of genes are up or down regulated in E2Fa-Dpa overexpressing plants. These sequences are represented with their (Munich information center for protein sequences (MIPS) accession number in tables 4 and 5. Further classification of these genes according to their function is provided in Tables 1 and 2. Sequences which were at least 2-fold upregulated or 2-fold downregulated are shown in Tables 1 and 2, respectively. Promoter analysis of these genes allowed for the identification of genes under the direct control of E2Fa and/or DPa proteins and genes that are indirectly controlled by the E2Fa/DPa complex. Examples of mechanisms for such indirect control include, (i) recognition by E2F/DP of other sequence elements that diverge from the consensus recognition site; (ii) possible association of E2F/DP with other DNA binding proteins capable of recognizing other DNA elements; and (iii) sequential transcription activation of a first gene capable of regulating transcription of a second gene. It is to be understood that having an E2F target sequence is not a prerequisite to be regulated by E2F.

The gene that corresponds to the sequence deposited under the database accession number At1g57680 (accession number of the MIPS MATDB database, <http://mips.gsf.de/proj/thal/db/index.html>) is an example of a gene which is likely to be under the indirect control of the E2Fa/Dpa complex. This gene is of unknown function. It was surprising to find this unknown gene and the other genes of Tables 1, 2, 4 and 5 to be involved in E2Fa/Dpa controlled processes.

Therefore, according to the present invention, there is provided a method to alter plant characteristics, comprising modifying expression of one or more nucleic acids and/or modifying the activity of one or more proteins, which nucleic acids or proteins are essentially similar to any one of SEQ ID NO 1 to 104 and/or to a nucleic acid sequence or protein sequence deposited under accession number At1g57680 and/or deposited under any of the accession numbers presented in Tables 1, 2, 4 and 5.

The term "modifying the expression" relates to increasing or decreasing or altering in time or place the expression of a nucleic acid. According to the invention, the "nucleic acid" or the "gene" may be the wild type, i.e. native or endogenous or heterologous, i.e. derived from another individual plant or plant species. The gene (transgene) may be substantially modified from its native form in composition and/or genomic environment through deliberate human manipulation. This transgene can be introduced into a host cell by transformation techniques. Also expression of the native genes can be modified by introduction in the plant of regulatory sequences capable of altering expression of the native gene. The term "modifying the activity" relates to enhancing, or decreasing or altering in time or place the activity of a protein or polypeptide. According to the invention, the "protein" or the "polypeptide" may be the wild type protein, i.e. native or endogenous, or alternatively, the protein may be heterologous, i.e. derived from another individual or species.

The term "essentially similar to" a protein or a gene of the present invention as used herein includes homologues, derivatives and functional fragment thereof. The term "essentially similar to" also includes at least a part of the protein or gene in question; a complement of the protein or gene; RNA, DNA, a cDNA or a genomic DNA corresponding to the protein or gene; a variant of the gene or protein due to the degeneracy of the genetic code; a family member of the gene or protein; an allelic variant of the gene or protein; and different splice variant of the gene or protein and variants that are interrupted by one or more intervening sequences. Advantageously, nucleic acids or proteins essentially similar to the proteins and nucleic acids according to the invention may be used in the methods of the present invention.

"Homologues" of the proteins of the present invention encompass peptides, oligopeptides, polypeptides, proteins and enzymes having amino acid substitutions, deletions and/or additions relative to the protein in question and having similar biological and functional activity as an unmodified protein from which they are derived. To produce such homologues, amino acids of the protein may be replaced by other amino acids having similar properties (such as similar hydrophobicity, hydrophilicity, antigenicity, propensity to form or break α -helical structures or β -sheet structures). Conservative substitution tables are well known in the art (see for example Creighton (1984) Proteins. W.H. Freeman and Company). The homologues useful in the method according to the invention may have at least 50% sequence identity or similarity (functional identity) to the unmodified protein, alternatively at least 60% sequence identity or similarity to an unmodified protein, or alternatively at least 70% sequence identity or similarity to an unmodified protein. Typically, the homologues have at least 80% sequence identity or similarity to an unmodified protein, preferably at least 85% sequence identity or similarity, further preferably at least 90% sequence identity or similarity to an unmodified protein, most preferably at least 95% sequence identity or similarity to an unmodified protein. This % identity can be calculated using the Gap program in the WISCONSIN PACKAGE version 10.0-UNIX from Genetics Computer Group, Inc based on the method of Needleman and Wunsch (J. Mol. Biol. 48:443-453 (1970)) using the set of default parameters for pairwise comparison (for amino acid sequence comparison: Gap Creation Penalty = 8, Gap Extension Penalty = 2; for nucleotide sequence comparison: Gap Creation Penalty = 50; Gap Extension Penalty = 3)

Methods for the search and identification of other homologues of the proteins of the present invention, or for nucleic acid sequences encoding homologues of proteins of the present invention would be well known to person skilled in the art. Methods for the alignment of sequences for comparison are well known in the art, such methods include GAP, BESTFIT, BLAST, FASTA and TFASTA. The BLAST algorithm calculates percent sequence identity and performs a statistical analysis of the similarity between the two sequences. The software for performing BLAST analysis is publicly available through the National Center for Biotechnology Information.

Two special forms of homology, orthologous and paralogous, are evolutionary concepts used to describe ancestral relationships of genes. The term "paralogous" relates to gene-duplications within the genome of a species leading to paralogous genes. The term "orthologous" relates to homologous genes in different organisms due to ancestral relationship.

The term "homologues" as used herein also encompasses paralogues and orthologues of the proteins used in the methods according to the invention.

5 "Substitutional variants" of a protein are those in which at least one residue in an amino acid sequence has been removed and a different residue inserted in its place. Amino acid substitutions are typically of single residues, but may be clustered depending upon functional constraints placed upon the polypeptide; insertions will usually be of the order of about 1-10 amino acid residues, and deletions will range from about 1-20 residues.

10 "Insertional variants" of a protein are those in which one or more amino acid residues are introduced into a predetermined site in the protein. Insertions can comprise amino-terminal and/or carboxy-terminal fusions as well as intra-sequence insertions of single or multiple amino acids. Generally, insertions within the amino acid sequence will be smaller than amino- or carboxy-terminal fusions, of the order of about 1 to 10 residues. Examples of amino- or
15 carboxy-terminal fusion proteins or peptides include the binding domain or activation domain of a transcriptional activator as used in the yeast two-hybrid system, phage coat proteins, (histidine)₆-tag, glutathione S-transferase-tag, protein A, maltose-binding protein, dihydrofolate reductase, Tag[®]100 epitope, c-myc epitope, FLAG[®]-epitope, lacZ, CMP (calmodulin-binding peptide), HA epitope, protein C epitope and VSV epitope.

20 "Deletion variants" of a protein are characterized by the removal of one or more amino acids from the protein. Amino acid variants of a protein may readily be made using peptide synthetic techniques well known in the art, such as solid phase peptide synthesis and the like, or by recombinant DNA manipulations. The manipulation of DNA sequences to produce
25 substitution, insertion or deletion variants of a protein are well known in the art. For example, techniques for making substitution mutations at predetermined sites in DNA are well known to those skilled in the art and include M13 mutagenesis, T7-Gen *in vitro* mutagenesis (USB, Cleveland, OH), QuickChange Site Directed mutagenesis (Stratagene, San Diego, CA), PCR-mediated site-directed mutagenesis or other site-directed mutagenesis protocols.

30 The term "derivatives" of a protein according to the present invention are those peptides, oligopeptides, polypeptides, proteins and enzymes which may comprise substitutions, or deletions or additions of naturally and non-naturally occurring amino acid residues compared to the amino acid sequence of a naturally-occurring form of the protein as deposited under the
35 accession numbers presented in table 1, 2, 4 and 5. "Derivatives" of a protein of the present invention encompass peptides, oligopeptides, polypeptides, proteins and enzymes which may

comprise naturally occurring altered, glycosylated, acylated or non-naturally occurring amino acid residues compared to the amino acid sequence of a naturally-occurring form of the polypeptide. A derivative may also comprise one or more non-amino acid substituents compared to the amino acid sequence from which it is derived, for example a reporter molecule or other ligand, covalently or non-covalently bound to the amino acid sequence such as, for example, a reporter molecule which is bound to facilitate its detection, and non-naturally occurring amino acid residues relative to the amino acid sequence of a naturally-occurring protein of the present invention.

10 The expression "functional fragment" of a protein or a nucleic acid refers to a fragment that has at least some contiguous amino acid residues of said protein or at least some contiguous nucleic acid residues, and that has retained the biological activity of said naturally-occurring protein or said nucleic acid.

15 Advantageously, the method according to the present invention may also be practiced using fragments of DNA or of a nucleic acid sequence. The term "DNA fragment or DNA segment" refers to a piece of DNA derived or prepared from an original (larger) DNA molecule. The term is not restrictive to the content of the DNA fragment or segment, which can be any DNA, with any functionality. For example, the DNA fragment or segments can comprise many genes, with or without additional control elements or may contain just spacer sequences etc.

The present invention also encompasses nucleic acid sequences capable of hybridising with a nucleic acid sequence of the present invention or a nucleic acid encoding a protein according to the present invention. The term "hybridisation" as defined herein is the process wherein substantially homologous complementary nucleotide sequences anneal to each other. The hybridisation process can occur entirely in solution, i.e. both complementary nucleic acids are in solution. Tools in molecular biology relying on such a process include the polymerase chain reaction (PCR; and all methods based thereon), subtractive hybridisation, random primer extension, nuclease S1 mapping, primer extension, reverse transcription, cDNA synthesis, differential display of RNAs, and DNA sequence determination. The hybridisation process can also occur with one of the complementary nucleic acids immobilised to a matrix such as magnetic beads, Sepharose beads or any other resin. Tools in molecular biology relying on such a process include the isolation of poly (A+) mRNA. The hybridisation process can furthermore occur with one of the complementary nucleic acids immobilised to a solid support such as a nitro-cellulose or nylon membrane or immobilised by e.g. photolithography to e.g. a siliceous glass support (the latter known as nucleic acid arrays or microarrays or as nucleic

acid chips). Tools in molecular biology relying on such a process include RNA and DNA gel blot analysis, colony hybridisation, plaque hybridisation, *in situ* hybridisation and microarray hybridisation. In order to allow hybridisation to occur, the nucleic acid molecules are generally thermally or chemically denatured to melt a double strand into two single strands and/or to remove hairpins or other secondary structures from single stranded nucleic acids. The stringency of hybridisation is influenced by conditions such as temperature, salt concentration and hybridisation buffer composition. High stringency conditions for hybridisation include high temperature and/or low salt concentration (salts include NaCl and Na₃-citrate) and/or the inclusion of formamide in the hybridisation buffer and/or lowering the concentration of compounds such as SDS (detergent) in the hybridisation buffer and/or exclusion of compounds such as dextran sulphate or polyethylene glycol (promoting molecular crowding) from the hybridisation buffer. Conventional hybridisation conditions are described in, for example, Sambrook (2001) Molecular Cloning: a laboratory manual, 3rd Edition Cold Spring Harbor Laboratory Press, CSH, New York, but the skilled craftsman will appreciate that numerous different hybridisation conditions can be designed in function of the known or the expected homology and/or length of the nucleic acid sequence. With specifically hybridising is meant hybridising under stringent conditions. Specific conditions for "specifically hybridising" are for example: hybridising under stringent conditions such as a temperature of 60°C followed by washes in 2XSSC, 0.1XSDS, and 1X SSC, 0.1X SDS. Sufficiently low stringency hybridisation conditions are particularly preferred to isolate nucleic acids heterologous to the DNA sequences of the invention defined supra. Elements contributing to heterology include allelism, degeneration of the genetic code and differences in preferred codon usage.

Another method for altering growth characteristics resides in use of a nucleic acid sequence which is an alternative splice variant of a gene of the present invention (deposited in the MIPS database under the accession numbers as presented in Tables 1, 2, 4 or 5). The term "alternative splice variant" as used herein encompasses variants in which introns and selected exons have been excised (for example, such that the mRNA has seed-preferred expression), optionally in response to specific signals. Such variants will be ones in which the biological activity of the proteins of the present invention remains unaffected, which can be achieved by selectively retaining functional segments of the proteins. Methods for making such splice variants are well known in the art.

The term "plant characteristic" means any characteristic of the plant and is also used in the meaning of "growth characteristics". These terms refer to a change in one or more cellular

processes involved in growth and development. These processes encompass, but are not limited to, cell cycle progression, cell division and plant developmental processes, such as pattern formation, differentiation, cell fate etc. A change in one or more of these cellular processes may be manifested by a change in characteristics, such as yield, biomass production, growth rate, plant architecture, number of organs, size of organs, early vigour, survival rate, stress tolerance, senescence, time of flowering, time to flower and more. These characteristics are also encompassed by the term "growth characteristics". The term plant characteristic or growth characteristic further encompasses a change in metabolism, biochemistry and physiology of a plant and more.

10

"Growth" refers to the capacity of the plant or of plant parts to grow and increase in biomass while "yield" refers to the harvestable biomass of plants or plant parts, particularly those parts of commercial value. Field-grown plants almost always will experience some form of stress, albeit mild, and therefore the terms growth, or yield or biomass production or biomass, do not distinguish the performance of the plants under non-stressed or under stress conditions. As certain beneficial effects of the invention on growth and yield are expected to occur under both severe and mild stress conditions, they are thus described as increasing growth and/or yield under stressed and non-stressed conditions.

20 "Plant development" means any cellular process of a plant that is involved in determining the developmental fate of a plant cell, in particular the specific tissue or organ type into which a progenitor cell will develop. Cellular processes relevant to plant development will be known to those skilled in the art. Such processes include, for example, morphogenesis, photomorphogenesis, shoot development, root development, vegetative development, reproductive development, stem elongation, flowering, and regulatory mechanisms involved in determining cell fate, in particular a process or regulatory process involving the cell cycle.

30 "Plant architecture", as used herein refers to the external appearance of a plant, including any one or more structural features or a combination of structural features thereof. Such structural features include the shape, size, number, position, colour, texture, arrangement, and patterning of any cell, tissue or organ or groups of cells, tissues or organs of a plant, including the root, stem, leaf, shoot, petiole, trichome, flower, petal, stigma, style, stamen, pollen, ovule, seed, embryo, endosperm, seed coat, aleurone, fibre, fruit, cambium, wood, heartwood, parenchyma, aerenchyma, sieve element, phloem or vascular tissue, amongst others.

35

047-E2F-PROV

"Plant biochemistry" is to be understood by those skilled in the art to refer to the metabolic. "Metabolism" as used in the present invention is interchangeable with biochemistry. Metabolism and/or biochemistry encompass catalytic or assimilation or other metabolic processes of a plant, including primary and secondary metabolism and the products thereof, including any element, small molecules, macromolecules or chemical compounds, such as but not limited to starches, sugars, proteins, peptides, enzymes, hormones, growth factors, nucleic acid molecules, celluloses, hemicelluloses, calloses, lectins, fibres, pigments such as anthocyanins, vitamins, minerals, micronutrients, or macronutrients, that are produced by plants.

"Plant physiology" encompasses the functional processes of a plant, including developmental processes such as growth, expansion and differentiation, sexual development, sexual reproduction, seed set, seed development, grain filling, asexual reproduction, cell division, dormancy, germination, light adaptation, photosynthesis, leaf expansion, fiber production, secondary growth or wood production, amongst others; responses of a plant to externally-applied factors such as metals, chemicals, hormones, growth factors, environment and environmental stress factors (e.g. anoxia, hypoxia, high temperature, low temperature, dehydration, light, day length, flooding, salt, heavy metals, amongst others), including adaptive responses of plants to said externally-applied factors.

The term "stress tolerance" is understood as the capability of better survival and/or better performing in stress conditions such as environmental stress, which can be biotic or abiotic. Salinity, drought, heat, chilling and freezing are all described as examples of conditions which induce osmotic stress. The term "environmental stress" as used in the present invention refers to any adverse effect on metabolism, growth or viability of the cell, tissue, seed, organ or whole plant which is produced by a non-living or non-biological environmental stressor. More particularly, it also encompasses environmental factors such as water stress (flooding, water logging, drought, dehydration), anaerobic (low level of oxygen, CO₂ etc.), aerobic stress, osmotic stress, salt stress, temperature stress (hot/heat, cold, freezing, frost) or nutrients deprivation, pollutants stress (heavy metals, toxic chemicals), ozone, high light, pathogen (including viruses, bacteria, fungi, insects and nematodes) and combinations of these. Biotic stress is stress as a result of the impact of a living organism on the plant. Examples are stress caused by pathogens (virus, bacteria, nematodes insects etc.). Another example is stress caused by an organism, which is not necessarily harmful to the plant, such as the stress caused by a symbiotic or an epiphyte.

047-E2F-PROV

As shown in Tables 1 and 2, several of the E2Fa-DPa target genes identified have an E2F recognition sequence in their promoter and most of these genes are involved in DNA replication. The secondary induced genes, which are the genes not having the E2F target consensus sequence in their promoter region, encode proteins involved in cell wall biosynthesis, transcription, signal transduction, or have an unknown function. Surprisingly, a large number of metabolic genes were modified as well, mainly genes involved in nitrate assimilation or metabolism and carbon metabolism.

Therefore, according to the invention, there is provided a method as described above, wherein said modified growth characteristic is selected from any one or more of the following: altered development, increased yield and/or biomass, altered plant architecture, altered plant biochemistry, altered plant physiology, altered metabolism, enhanced survival capacity and/or enhanced stress tolerance, each relative to corresponding wild type plants.

The putative direct E2Fa-DPa target genes as identified by the presence of an E2F-DP-binding site, mainly belong to the group of genes involved in DNA synthesis, whereas the secondary induced genes are mainly linked to nitrogen assimilation and carbohydrate metabolism. Therefore, it is elucidated by the present invention that enhanced levels of E2Fa-Dpa in plants have an impact on expression levels of genes involved in nitrogen assimilation. The experimental data suggest that in E2Fa/Dpa overexpressing plants there is a drain of nitrogen to the nucleotide synthesis pathway causing a decreased synthesis of other nitrogen compounds such as amino acids and storage proteins. Corresponding to these findings, the inventors found that the level of endoreduplication of E2Fa-DPa transgenic plants depends on the amount of nitrogen available in the medium.

As purine and pyrimidine bases are nitrogen-rich, the induction of nitrogen assimilation genes in the E2Fa-DPa transgenic plants is a mechanism to supply enough nitrogen for nucleotide biosynthesis. Most likely this drain of nitrogen from essential biosynthetic pathways to the nucleotide biosynthesis pathway has its effects on many aspects of plant metabolism, as can be seen from the reduction of expression of vegetative storage protein genes and genes involved in amino-acid biosynthesis.

The elucidation of genes that are able to shift the nitrogen assimilation from one biological process to another biological process is important for many applications.

047-E2F-PROV

Therefore a particular aspect of the invention is the use of genes involved in carbon and/or nitrogen metabolism or allocation, for altering nitrogen and carbon metabolism and/ or to alter the balance between carbon and nitrogen or to reallocate carbon and/or nitrogen or to alter the composition of components containing carbon and nitrogen. These genes can now be used to

5 alter the nitrogen composition of nitrogen-containing compounds in a cell, such as nicotinamide-containing molecules, amino acid, nucleic acid, chlorophyll or any other metabolites. Also within the scope of the present inventions are these altered components obtainable by the methods of the present invention, with altered balance between carbon and nitrogen. Also envisaged by the present invention is the use of the genes of the present

10 invention, or the proteins as pharmaceutical compounds. Also the genes, proteins and methods as described herein can be used to develop pharmaceutical compounds or to improve known pharmaceutical compounds.

Therefore, according to the present invention, there is provided a method as described above,

15 wherein said altered metabolism comprises altered nitrogen and/or carbon metabolism.

In a particular embodiment, said carbon metabolism comprises the processes of carbon fixation, photosynthesis and photorespiration. In another embodiment, said nitrogen metabolism comprises nitrogen fixation or the reallocation of nitrogen residues from the pool of

20 amino acids into the pool of nucleic acids or vice versa.

Also, a particular embodiment of the present invention is a method as described above to influence DNA synthesis and DNA replication.

25 Microarray analysis of E2Fa-DPA overexpressing lines identified a cross-talking matrix between DNA replication, nitrogen assimilation and photosynthesis. It has been described previously that there is a link between carbon:nitrogen availability and growth, storage lipid mobilization and photosynthesis (Martin T. (2002)). Therefore according to the present invention there is provided, a method as described above, wherein said altered growth

30 characteristic comprises altered storage lipid mobilization and/or photosynthesis.

The microarray studies elucidated for the first time genes that are upregulated and the genes that are downregulated in a plant cell overexpressing E2Fa/DPA. Accordingly, the present invention provides a recombinant nucleic acid comprising:

35 (a) one or more nucleic acid sequences essentially similar to a nucleic acid sequence deposited under accession number At1g57680 and/or deposited under any of the

047-E2F-PROV

accessions numbers presented in Tables 1, 2, 4 or 5, or the complement thereof; and optionally operably linked to

(b) a regulatory sequence.

- 5 In a particular embodiment of the present invention said regulatory sequence is a plant-expressible promoter. In a further embodiment of the invention the promoter is a constitutive promoter, such as the GOS2 promoter, the ubiquitin promoter, the actin promoter. In another embodiment of the invention the promoter is a promoter active in the meristem or in dividing cells, such as, but not limited to the cdc2 promoter, RNR promoter, MCM3 promoter.
- 10 Alternatively, the regulatory element as mentioned above can be a translational enhancer, or a transcriptional enhancer that is used to enhance the expression of a gene according to the present invention.

- The term "Regulatory sequence" refers to control DNA sequences, which are necessary to affect the expression of coding sequences to which they are operably linked. The nature of such control sequences differs depending upon the host organism. In prokaryotes, control sequences generally include promoters, ribosomal binding sites, and terminators. In eukaryotes generally control sequences include promoters, terminators and enhancers or silencers. The term "control sequence" is intended to include, at a minimum, all components
- 20 the presence of which are necessary for expression, and may also include additional advantageous components and which determines when, how much and where a specific gene is expressed. Reference herein to a "promoter" is to be taken in its broadest context and includes the transcriptional regulatory sequences derived from a classical eukaryotic genomic gene, including the TATA box which is required for accurate transcription initiation, with or without a CCAAT box sequence and additional regulatory elements (i.e. upstream activating sequences, enhancers and silencers) which alter gene expression in response to developmental and/or external stimuli, or in a tissue-specific manner. The term "promoter" also includes the transcriptional regulatory sequences of a classical prokaryotic gene, in which case it may include a -35 box sequence and/or a -10 box transcriptional regulatory sequences.

- 30 The term "promoter" is also used to describe a synthetic or fusion molecule or derivative, which confers, activates or enhances expression of a nucleic acid molecule in a cell, tissue or organ. "Promoter" is a DNA sequence generally described as the 5'-region of a gene, located proximal to the start codon. The transcription of an adjacent DNA segment is initiated at the promoter region. In the context of the present invention, the promoter preferably is a plant-expressible promoter sequence. Promoters, however, that also function or solely function in non-plant cells
- 35

such as bacteria, yeast cells, insect cells and animal cells are not excluded from the invention. By "plant-expressible" is meant that the promoter sequence, including any additional regulatory elements added thereto or contained therein, is at least capable of inducing, conferring, activating or enhancing expression in a plant cell, tissue or organ, preferably a monocotyledonous or dicotyledonous plant cell, tissue, or organ.

The methods of the present invention are particularly relevant for applications in agriculture and horticulture, and serve to develop plants that have altered growth characteristics. Accordingly, another embodiment of the invention is a method for making a transgenic plant comprising the introduction of a recombinant nucleic acid as mentioned above into a plant.

A further embodiment relates to a method as described above, comprising stably integrating into the genome of a plant a recombinant nucleic acid as mentioned above.

Alternatively, the recombinant nucleic acids comprising the nucleic acids of the present invention are transiently introduced into a plant or plant cell.

The term 'gene(s)' or 'nucleic acid', 'nucleotide sequence', as used herein refers to a polymeric form of a deoxyribonucleotides or ribonucleotide polymer of any length, either double- or single-stranded, or analogs thereof, that have the essential characteristics of a natural ribonucleotide in that they can hybridize to nucleic acids in a manner similar to naturally occurring polynucleotides. A great variety of modifications have been made to DNA and RNA that serve many useful purposes known to those skilled in the art. For example, methylation, 'caps' and substitution of one or more of the naturally occurring nucleotides with an analog. Said terms also include peptide nucleic acids. The term polynucleotide as used herein includes such chemically, enzymatically or metabolically modified forms of polynucleotides. With "recombinant nucleic acid" is meant a nucleic acid produced by joining pieces of DNA from different sources through deliberate human manipulation.

The inventors identified genes that are upregulated in plants overexpressing E2Fa/DPa. These genes can be used to simulate E2Fa/DPa related effect in a plant.

Therefore, according to the invention, there is provided a method to alter characteristics of a plant, comprising overexpression of one or more nucleic acids essentially similar to a nucleic acid deposited under the accession number At1g57680 and/or deposited under any of the accession numbers presented in Tables 4 or 5, or wherein the method comprises enhancing

047-E2F-PROV

the activity of one or more proteins essentially similar to a protein sequence deposited under the accession number At1g57680 and/or deposited under any of the accession numbers presented in Tables 1, 2, 4 or 5.

- 5 Also Identified were genes that are downregulated in plants overexpressing E2Fa/Dpa. These genes can be used to simulate E2Fa/Dpa related effect in a plant. Therefore, according to the invention, there is provided a method to alter plant growth characteristics, comprising downregulation of the expression of one or more nucleic acids essentially similar to a nucleic acid deposited under the accession number At1g57680 and/or deposited under any of the
- 10 accession numbers presented in Tables 1, 2, 4 or 5, or wherein the method comprises decreasing the activity of one or more proteins essentially similar to the protein sequence deposited under the accession number At1g57680 and/or deposited under any of the accession numbers presented in Tables 1, 2, 4 or 5.
- 15 In the context of the present invention the term "modifying expression" and modifying activity encompasses "enhancing or decreasing". Methods for obtaining enhanced or increased expression of genes or gene products are well documented in the art and are for example overexpression driven by a strong promoter, the use of transcription enhancers or translation enhancers. The term "overexpression" of a gene refers to expression patterns and/or
- 20 expression levels of said gene normally not occurring under natural conditions. Ectopic expression can be achieved in a number of ways including operably linking of a coding sequence encoding said protein to an isolated homologous or heterologous promoter in order to create a chimeric gene.
- 25 Examples of decreasing expression of a gene are also well documented in the art and include for example: downregulation of expression by anti-sense techniques, gene silencing, cosuppression, ribozymes etc.
- 30 Modifying the expression of the gene also encompasses altered transcript level of the gene. Altered transcript levels of a gene can be sufficient to induce certain phenotypic effects, for example via the mechanism of cosuppression. Here the overall effect of overexpression of a transgene is that there is less activity in the cell of the protein, which is encoded by the native gene showing homology to the introduced transgene.
- 35 Modifying, e.g. increasing or decreasing, the expression of a gene can be achieved for example by respectively inhibiting or stimulating the control elements that drive the expression

of the native gene or of the transgene or recombinant nucleic acid. Also modifying the activity of the protein, the polypeptide or protein, can furthermore be achieved by administering or exposing cells, tissues, organs or organisms to a sample of the protein or to an interacting protein or an inhibitor or activator of the protein. In the context of the present invention, such inhibitors or activators can also affect their activity against the protein of the present invention or to these proteins in the complex with other proteins. In particular, the invention also envisages the modulation of the activity of these proteins by the generation and use of antibodies directed against these proteins.

Further embodiments of the invention relate to a transgenic plant obtainable by any of the methods described above and to a transgenic plant comprising a recombinant nucleic acid sequence essentially similar to a nucleic acid sequence deposited under accession number At1g57680 or deposited under any of the accession numbers presented in Tables 1, 2, 4 or 5, or the complement thereof. Also, another embodiment of the invention relates to an ancestor, progeny, or any plant part, particularly a harvestable part of a transgenic plant as described above.

Detailed analysis of the promoters of the genes identified in the present invention (see Tables 1 or 2) allowed the identification of novel E2Fa/Dpa target genes that are under the direct control of E2Fa/Dpa and that are mainly involved in DNA replication. For all the genes identified in the present invention, reference is made to the MIPS database MATDB accession number. This unique identification number refers to the deposit of information related to the gene in question, e.g. the unspliced sequence, the spliced sequence, the protein sequence, the domains of the protein etc. An example of the information deposited under the accession number At1g57680 is shown in figure 4. Based on this unique accession number, a person skilled in the art would know how to locate the gene in its genomic environment and from this information easily identify and isolate the upstream control elements of these genes. Especially interesting are the promoters of these genes as control elements for driving or regulating transcription of heterologous genes. Therefore, according to the invention is provided an isolated nucleic acid comprising one or more of the regulatory elements upstream of the startcodon of the nucleic acids deposited under accession number At1g57680 or deposited under any of the accession numbers presented in Tables 1, 2, 4 or 5. Furthermore, the invention provides an isolated nucleic acid as mentioned above, wherein said regulatory element is the natural promoter of said genes.

047-E2F-PROV

Further the invention also relates to the use of a nucleic acid sequence encoding a protein essentially similar to the protein sequence deposited under accession number At1g57680 and/or deposited under any of the accession numbers presented in Tables 4 or 5, or a homologue, a derivative or functional fragment thereof, for altering plant characteristics.

5

Another method for altering plant characteristics and/or growth characteristics of a plant resides in the use of allelic variants of the genes of the present invention (deposited in the MIPS database under the accession numbers as presented in Tables 1, 2, 4 or 5). Allelic variants exist in nature and encompassed within the methods of the present invention is the use of these natural alleles. Alternatively, in particular conventional breeding programs, such as for example marker assisted breeding, it is sometimes practical to introduce allelic variation in the plants by mutagenic treatment of a plant. One suitable mutagenic method is EMS mutagenesis. Identification of allelic variants then takes place by, for example, PCR. This is followed by a selection step for selection of superior allelic variants of the sequence in question and which give rise to altered growth characteristics. Selection is typically carried out by monitoring growth performance of plants containing different allelic variants of the sequence in question (for example any of the sequences deposited in the database under the accession numbers presented in Tables 1, 2 4 or 5). Monitoring growth performance can be done in a greenhouse or in the field. Further optional steps include crossing plants in which the superior allelic variant was identified with another plant. This could be used, for example, to make a combination of interesting phenotypic features.

According to another aspect of the present invention, advantage may be taken of the nucleic acid sequence encoding a protein of the present invention in breeding programs. In such a program, a DNA marker is identified which is genetically linked to the gene encoding protein of the present invention. This DNA marker is then used in breeding programs to select plants having altered growth characteristics.

Therefore, the present invention also encompass the use of a nucleic acid sequence essentially similar to any one of SEQ ID NO 1 to 52 and/or being essentially similar to the nucleic acid sequence deposited under accession number At1g57680 and/or deposited under any of the accession numbers presented in Tables 1, 2, 4 or 5, or a homologue, a derivative or functional fragment thereof, for marker assisted breeding of plants with altered characteristics.

047-E2F-PROV

Further, the present invention also encompass the use of a nucleic acid sequence essentially similar to any one of SEQ ID NO 1 to 52 and/or being essentially similar to the nucleic acid sequence deposited under accession number At1g57680 and/or deposited under any of the accession numbers presented in Tables 1, 2, 4 or 5, or a homologue, a derivative or functional fragment thereof, for conventional breeding of plants with altered characteristics.

Further the invention also relates to the use of a nucleic acid or a protein essentially similar to any one of SEQ ID NO 1 to 104 or a nucleic acid or protein being essentially similar to the nucleic acid or the protein sequence deposited under the accession number At1g57680 or deposited under any of the accession numbers presented in Tables 1, 2, 4 or 5, or a homologue, a derivative or functional fragment thereof, as a growth regulator.

In a particular embodiment such a growth regulator is a herbicide target or is a growth stimulator.

Also the invention as presented here offer means to alter characteristics of not only plants, but also of other organisms such as mammals. The plant genes of the present invention or their homologues, or the plant proteins or their homologues, can be used as therapeutics or can be used to develop therapeutics for both humans and animals. Accordingly, the present invention relates to a nucleic acid or a protein essentially similar to any one of SEQ ID NO 1 to 104 or a nucleic acid or protein being essentially similar to the nucleic acid or the protein sequence deposited under the accession number At1g57680 or deposited under any of the accession numbers presented in Tables 1, 2, 4 or 5, or a homologue, a derivative or functional fragment thereof, for use as a therapeutic agent.

In a particular embodiment, the use as a therapeutic agents encompasses the use in gene therapy, or the use to develop therapeutic protein samples.

Also, the present invention encompasses the use of a protein essentially similar to the protein sequence deposited under the accession number At1g57680 or deposited under any of the accession numbers presented in tables 4 or 5, or a homologue, a derivative or functional fragment thereof, for altering growth characteristics in a plant.

DESCRIPTION OF THE FIGURES

Figure 1: Volcano plot of significance against effect. Each x represent one of the 4579 genes, with the negative log₁₀ of the P value from the gene model plotted against the difference

047-E2F-PROV

between least-square means for the genotype effect. The horizontal line represents the test-wise threshold of $P=0.05$. The two vertical reference lines indicate a 2-fold cutoff for either repression or induction.

- 5 **Figure 2:** Sources of metabolites in plants, with annotation of up and downregulated genes in the E2Fa-DPa overproducing cells. Upregulated enzymes are underlined with a dashed line and enzymes underlined with a full line are downregulated in the E2Fa-DPa versus wild type plants. Products that are boxed act as precursors for nucleotide biosynthesis.
- 10 **Figure 3:** Endoreduplication levels in wild type and E2Fa/DPa transgenic lines in relation to nitrogen availability. Wild type (A) and transgenic (B) lines were grown on minimal medium in the presence of 0.1, 1, 10, or 50 mM ammonium nitrate. Values are means of three independent measurements.
- 15 **Figure 4:** Represents the information which is deposited in the MatDB under accession number At1g57680
- 20 **Table 1:** Presentation of all Arabidopsis genes that are 2 fold or more upregulated in E2Fa/DPa overexpressing plants. The genes are presented according to the functional category to which they belong. For some of the genes, no function has been described in the public databases and they are named unknown, putative or hypothetical protein. All the genes have each a unique MIPS accession number, which refers to the identification of the sequence in the MIPS database (see Example 4). The MIPS accession number refers to the protein entry code for the MatDB of MIPS. Also, there is an accession number provided as an internal protein code. The genes that have been categorized as having a putative function are given a SEQ ID NO. The fold of induction is also given for each sequence. Furthermore, where an E2F target sequence has been identified in the upstream region of the gene, the sequence of that site is also presented in the table. Finally, other plant homologues which have substantial sequence identity with the Arabidopsis gene are mentioned in this table.
- 30 **Table 2:** Presentation of all Arabidopsis genes that are 2 fold or more repressed in E2Fa/DPa overexpressing plants. Data are presented in a similar way as for Table 1, as explained above.
- 35 **Table 3:** Different E2F target sequences and the frequency of their presence in the upstream regions of the Arabidopsis genes described in the present invention.

Table 4: Selection of the Arabidopsis genes from the microarray that were 1.3 times upregulated in E2Fa/Dpa overexpressing plants, compared to the wild-type plants. The gene name is given, as well as the MIPS database accession number (unique identifier, see Example 4) and a ratio indicating the degree of upregulation of the gene. Furthermore, the E-value indicates if a significant homologue has been found in the public databases.

Table 5: Selection of the Arabidopsis genes from the microarray that were 1.3 times repressed in E2Fa/Dpa overexpressing plants, compared to the wild-type plants. The data are presented as in Table 4. The fold repression is calculated as 1/ratio. In this table only the genes that have a ratio of less than 0.77 are selected.

EXAMPLES

Example 1. Overexpression of E2Fa and DPa in Arabidopsis

Double transgenic CaMV35S-E2Fa-DPa plants were obtained by the crossing of homozygous CaMV35S-E2Fa and CaMV35S-DPa plants (De Veylder et al., 2002). Double transformants were grown under a 16h light/ 8h dark photoperiod at 22°C on germination medium (Valvekens et al., 1988).

Selection of transgenic lines

Arabidopsis thaliana plants were generated that contained either the *E2Fa* or the *DPa* gene under the control of the constitutive cauliflower mosaic virus (*CaMV*) 35S promoter. Out of multiple transgenic lines, two independent *CaMV* 35S *E2Fa* and two *CaMV* 35S *DPa*, containing only one T-DNA locus.

Crossing experiments of overexpressing E2Fa and DPa lines

Plants homozygous for the *CaMV* 35S *E2Fa* gene were crossed with heterozygous *CaMV* 35S *DPa* lines. Polymerase chain reaction (PCR) analysis on individual plants confirmed which plants contained both the *CaMV* 35S-*E2Fa* and *CaMV* 35S-*DPa* constructs.

8 days after sowing, these plants were used to isolate total RNA, from which cDNA was synthesized and subsequently hybridized to a microarray containing 4579 unique Arabidopsis EST's. These experimental steps are described in the following examples.

Example 2: Construction of Microarrays

Construction of Microarrays

047-E2F-PROV

The Arabidopsis thaliana microarray consisted of 4,608 cDNA fragments spotted in duplicate, distant from each other, on Type V silane coated slides (Amersham BioSciences, Buckinghamshire, UK). The clone set included 4,579 Arabidopsis genes composed from the unigen clone collection from Incyte (Arabidopsis Gem I, Incyte, USA). To retrieve the functional annotation of the genes relating to the spotted ESTs, BLASTN against genomic sequences was performed. To make the analysis easier a collection of genomic sequences bearing only one gene was built according to the available annotations. Each of those sequences had its upstream intergenic sequence followed by the exon-intron structure of the gene and the downstream intergenic sequence. Here, intergenic means the whole genomic sequence between start and stop codons from neighboring protein-encoding genes. From the BLASTN output we extracted the best hits and submitted them to a BLASTX search against protein databases. To retrieve even more detailed information concerning the potential function of the genes, protein domains were searched using ProDom. The complete set can be found on the website <http://www.psb.rug.ac.be/E2F>. The cDNA inserts were PCR amplified using M13 primers, purified with MultiScreen-PCR plate (cat: MANU03050, Millipore, Belgium) and arrayed on the slides using a Molecular Dynamics Generation III printer (Amersham BioSciences). Slides were blocked in 3.5%SSC, 0.2%SDS, 1%BSA for 10 minutes at 60°C.

RNA amplification and labeling

Antisense RNA amplification was performed using a modified protocol of in vitro transcription as described earlier in Puskas et al. (2002). For the first strand cDNA synthesis, 5 µg of total RNA was mixed with 2 µg of a HPLC-purified anchored oligo-dT + T7 promoter (5'-GGCCAGTGAATTGTAATACGACTACTATAGGGAGGCGG-T₂₄(A/C/G)-3') (SEQ ID NO 105). (Eurogentec, Belgium), 40 units of RNaseOUT (cat# 10777-019, Invitrogen, Merelbeke, Belgium) and 0.9M D(+) trehalose (cat# T-5251, Sigma Belgium) in a total volume of 11 µl, and heated to 75°C for 5 minutes. To this mixture, 4 µl 5x first strand buffer (Invitrogen, Belgium), 2 l 0.1 M DTT, 1 µl 10 mM dNTP mix, 1 µl 1.7 M D(+)trehalose (cat# T-5251, Sigma Belgium) and 1 µl, 200 Units of SuperScript II (cat#: 18064-014, Invitrogen, Belgium) was added in 20 µl final volume. The sample was incubated in a Biometra-Unoll thermocycler at 37°C for 5 minutes, 45°C for 10 minutes, 10 cycles at 60°C for 2 minutes and at 55°C for 2 minutes. To the first strand reaction mix, 103.8 µl water, 33.4 µl 5x second strand synthesis buffer (Invitrogen, Belgium), 3.4 µl 10 mM dNTP mix, 1 µl of 10U/µl E.coli DNA ligase (cat#: 18052-019, Invitrogen, Belgium), 4 µl 10 U/µl E.coli DNA Polymerase I (cat#: 18010-025, Invitrogen, Belgium) and 1 µl 2U/µl E.coli RNase H (cat#: 18021-071, Invitrogen, Belgium) was added, and incubated at 16°C for 2 hours. The synthesized double-stranded cDNA was purified with Qiaquick (cat#: 28106, Qiagen, Hilden, Germany). Antisense RNA synthesis was done by

AmpliScribe T7 high yield transcription kit (cat#: AS2607; Epicentre Technologies, USA) in total volume of 20 μ l according to the manufacturer's instructions. The RNA was purified with RNeasy purification kit (cat#: 74106; Qiagen, Germany). From this aRNA, 5 μ g was labeled by reverse transcription using random nonamer primers (Genset, Paris, France), 0.1 mM d(G/T/A)TPs, 0.05 mM dCTP (Amersham BioSciences, UK), 0.05 mM Cy3-dCTP or Cy5-dCTP (cat#: PA53023, PA55023; Amersham BioSciences, UK) 1x first strand buffer, 10 mM DTT and 200 Units of SuperScript II (cat#: 18064-014, Invitrogen, Belgium) in 20 μ l total volume. The RNA and primers were denatured at 75°C for 5 minutes and cooled on ice before adding the remaining reaction components. After 2 hours incubation at 42°C, mRNA was hydrolyzed in 250 mM NaOH for 15 minutes at 37°C. The sample was neutralized with 10 μ l of 2 M MOPS and purified with Qiaquick (cat#: 28106, Qiagen, Germany).

Array hybridization and post-hybridization processes

The probes were resuspended in 30 μ l hybridization solution (50 % formamide, 5x SSC, 0.1 % SDS, 100 mg/ml salmon sperm DNA) and prehybridized with 1 μ l poly-dT (1mg/ml) at 42°C for 30 minutes to block hybridization on the polyA/T tails of the cDNA on the arrays. 1 mg/ml mouse COT DNA (cat#: 18440-016, Invitrogen, Belgium) was added to the mixture and placed on the array under a glass coverslip. Slides were incubated for 18 hours at 42°C in a humid hybridization cabinet (cat#: RPK0176; Amersham BioSciences, UK). Post-hybridization washing were performed for 10 minutes at 56°C in 1xSSC, 0.1% SDS, two times for 10 minutes at 56°C in 0.1xSSC, 0.1% SDS and for 2 minutes at 37°C in 0.1xSSC.

Scanning and data analysis

Arrays were scanned at 532 nm and 635 nm using a Generation III scanner (Amersham BioSciences, UK). Image analysis was performed with ArrayVision (Imaging Research Inc, Ontario, Canada). Spot intensities were measured as artifact removed total intensities (ARVol). No background correction was performed. We first addressed within-slide normalization by plotting for each single slide a "MA-plot" (Yang et al., 2002), where $M = \log_2(R/G)$ and $A = \log_2(0.5 \times \sqrt{R \times G})$. The "LOWESS" normalization was applied to correct for dye-intensity differences. Subsequently, in order to normalize between slides and to identify differentially expressed genes between the two genotypes, we applied two sequential analyses of variance (ANOVAs), proposed by Wolfinger et al. (2002), as follows: 1) firstly, we subjected the base-2 logarithm of the "LOWESS"-transformed measurements for all 73,264 spots (y_{gklm}) to a normalization model of the form $y_{iklm} = \mu + A_k + A_k D_i R_m + \varepsilon_{iklm}$, where μ is the sample mean, A_k is the effect of the k th array ($k = 1-4$), $A_k D_i R_m$ is the channel-effect (AD) for the m th replication of the total collection of cDNA fragments ($m = 2$; left or right), and ε_{iklm} is the stochastic error; 2) secondly, we then

subjected the residuals from this model to 4,579 gene-specific models of the form $r_{ijk} = \mu + G_i A_k + G_j D_i + G_j C_j + \gamma_{ijk}$ where $G_i A_k$ is the spot effect, $G_j D_i$ is the gene-specific dye effect, $G_j C_j$ is representing the signal intensity for genes that can specifically be attributed to the genotypes (effect of interest), and γ_{ijk} is the stochastic error. All effects were assumed to be fixed effects, except ϵ_{klm} and γ_{ijk} . We t-tested for differences between the $G_j C_j$ effects, where the t-tests are all based on $n_1 + n_2 - 2$ degrees of freedom corresponding to the n_1 WT hybridisations and n_2 E2Fa-DPa hybridisations. The p-value cutoff was set at 0.01. No further adjustment for multiple testing was performed, as Bonferroni adjustment for 4,579 tests, to assure an experiment-wise false positive rate of 0.05, results in a p-value cutoff of $1e^{-5.0}$, which is certainly too conservative; we therefore choose to set our p-value cutoff arbitrarily at the 0.01 level. Also $G_j D_i$ effects were estimated and t-tested for significance at the 1% level in a same way as described above. Genes with a significant $G_j D_i$ effect were discarded. We used Genstat to perform both the normalization and gene model fits.

15 Example 3: Results of the Microarray analysis and statistical analysis

A micro-array containing in duplo 4579 unique Arabidopsis ESTs, representing about a sixth of the total genome, was used to compare the transcriptome of wild type with that of *E2Fa-DPa* overexpressing plants. cDNA was synthesized from total RNA isolated from wild type and transgenic plants harvested 8 days after sowing. At this stage transgenic plants can be distinguished from control plants by the appearance of curled cotyledons which display ectopic cell divisions and enhanced endoreduplication (De Veylder et al., 2002). In first two hybridizations Cy3 and Cy5 fluorescently labeled probe pairs of control and *E2Fa-DPa* cDNA were used, using independent mRNA extractions of the *E2Fa-DPa* plants. Subsequently, a dye-swap replication was performed for both hybridizations, resulting in a total of four cDNA microarray hybridizations.

Fluorescence levels were analyzed with the aim to establish whether the level of expression of each gene varies according to the overexpression of the *E2Fa-DPa* transcription factor. Two sequential analyses of variance (ANOVAs) were used, as proposed by Wolfinger et al. (2002). The first ANOVA model, called the "normalization" model, accounts for experiment-wise systematic effects, such as array- and channel-effects, that could bias inferences made on the data from the individual genes. The residuals from this model represent normalized values and are the input data for the second ANOVA model, called the "gene" model. The gene models are fit separately to the normalized data from each gene (see M&M). This procedure uses differences in normalized expression levels, rather than ratios, as the unit of analysis of expression differences.

047-E2F-PROV

Prior to the estimation of genotype-specific signal intensities of the genes (G_C effects), which are the effects of interest, gene-specific dye effects (G_D effects) were estimated and t-tested for significance at the 1% level. One hundred thirty one genes showed a significant G_D effect and were discarded from further analysis. For each of the remaining 4,448 genes on the arrays, we t-tested the G_C effects for significant differences ($p < 0.05$). Figure 1 plots the obtained p-values (as the negative \log_{10} of the p-value) against the magnitude of the effect (\log_2 of estimated fold change). This volcano plot illustrates the substantial difference significance testing can make versus cutoffs made strictly on the basis of the fold change. The two vertical reference lines indicate a 2-fold cutoff for either repression or induction, while the horizontal reference line refers to the p-value cutoff at the 0.05 value. These reference lines divide the plot into six meaningful sectors. The 3,535 genes in the lower middle sector have low significance and low fold change, and both methods agree that the corresponding changes are not significant. The 188 genes in the upper left and right sectors have high significance ($p < 0.05$) and high fold change (≥ 2); 84 of these genes show a significant two-or-more-fold induction of expression, where the remaining 104 genes show a significant two-or-more-fold repression of expression in the E2Fa-DPa plant. Finally, the 715 genes in the upper middle sector represent significant ($p < 0.05$) up- or downregulated genes, but with a low (≤ 2) fold change. The full dataset of genes can be viewed at <http://www.psb.rug.ac.be/E2F>.

Example 4: Characterization of the genes identified as being involved in E2F/DP regulated cellular processes

All the sequences that are 1.3 times upregulated (ratio of more than 1.999) in E2Fa/Dpa overexpressing plants are presented in Table 4. All the sequences that are 1.3 times repressed (calculated as $1/\text{ratio}$ of less than 0.775) are presented in Table 5. Particular interesting genes that are more than 2-fold upregulated or 2 fold repressed are selected and separately represented in Tables 1 and 2.

As mentioned in Example 2, the genes from the microarray are characterized by their unique identification number (MIPS accession number e.g. At1g57680). The MIPS accession number is widely accepted in this field as it directly refers to the genomic sequence and the location of the sequence in the Arabidopsis thaliana genome. Accession numbers are allocated by the Munich Information Center for Protein Sequences (MIPS) and are stored in the MIPS Arabidopsis database. Publicly available sequence and annotation data from all other AGI ("Arabidopsis Genome Initiative") groups are included to establish a plant genome database (Schoof H, et al. (2002)). The MIPS Arabidopsis database can be accessed via the internet

047-E2F-PROV

<http://mips.gsf.de/cgi-bin/proj/tha> and the database can be searched with the protein entry code (e.g. At1g57680). An example of the type of sequence information and protein domain information that is provided for a certain sequence in the MIPS database, is shown Figure 4.

- 5 Further, with the gene an additional blast search was performed on public databases also containing sequences of other plant species or other organisms. For some of the genes identified by the microarray, significant levels of homology (low E-values) were found with sequences from other organisms and these were also mentioned in the Tables 1 and 2. The E-values of Tables 1, 2, 4 or 5 give an indication if significant homologues are found or not. For
- 10 the unknown proteins an E-value of 0 means that no functional homologues was found yet.

DNA replication and cell cycle genes

- Genes up or downregulated in the *E2Fa-DPa* transgenics can be classified into clear groups according their function (Tables 1 and 2). Among the genes being 2-fold or more upregulated
- 15 belong 13 to the class of DNA replication and modification, correlating with the observation that *E2Fa-DPa* overexpression plants undergo extensive endoreduplication. Most of these genes have previously be shown to be upregulated by *E2F-DP* overexpression in mammalian systems including a putative thymidine kinase, replication factor c, and histone genes (4 different ones). Other *E2Fa-DPa* induced S phase genes include a linker histone protein, the
- 20 topoisomerase 6 subunit A and two subunits of the histone acetyltransferase HAT B complex, being HAT B and Msi3. The HAT B complex is responsible for the specific diacetylation of newly synthesized histone H4 during nucleosome assembly on newly synthesized DNA (Less et al., 1999). Also a DNA methyltransferase responsible for the methylation of cytosine in cells that progress through S phase can be identified among upregulated genes.

- 25 Besides the overexpressed *E2Fa* gene (being 90-fold more abundant in the transgenic plants, compared to control plants), only one cell cycle gene (*CDKB1;1*) shows a 2-fold or more change in expression level upon *E2Fa-DPa* overexpression. *CDKB1;1* was already predicted before to be a candidate *E2F-DP* target by the presence of a consensus *E2F-DP*-binding site
- 30 in its promoter (de Jager et al., 2001). Whereas *CDKB1;1* activity is maximum at the G2/M transition, its transcript levels start to rise during late S-phase (Porceddu et al., 1996; Menges and Murray, 2002). Upregulation of *CDKB1;1* might therefore be a mechanism to link DNA replication with the following mitosis. The lack of detection of other cell cycle genes being modulated in the *E2Fa-DPa* plants can be explained by the lack of many important *E2F-DP*
- 35 target genes on the microarray and the putative difficulty to detect changes in expression levels of low abundantly expressed genes by the microarray technique.

Cell wall biogenesis genes

Four members of the xyloglucan endotransglucosylase (XET) gene family can be found to be 2-fold or more upregulated in the E2Fa-DPa plants, one of them identical to the Merl-5 gene (Medford et al., 1991). XETs are enzymes that modify cell wall components and play a very likely role in altering the size, shape and physical properties of plant cells. Reversal breakage of the xyloglucan tethers by XETs has been proposed to be a mechanism for allowing cell wall loosening in turgor-driven cell expansion (Campbell and Braam, 1999). However, there are several reasons to believe that E2Fa-DPa induced XETs are not required for cell expansion.

First, cells divide more frequently in the E2Fa-DPa plants, but the overall cell size is smaller in the transgenic than control plants, so no overall increase in expansion-rates is needed. Second, correlated with the absence of increased cell expansion in the transgenic lines no induction can be seen of genes with a known role in this process, such as expansins. Therefore, the hydrolytic activity of the XETs might rather be required to incorporate the newly synthesized cell walls formed during cytokinesis into the existing cell wall structure.

Alternatively, as XET activity has shown to be involved in the postgerminative mobilization of xyloglucan storage reverses in *Nasturtium* cotyledons (Farkas et al., 1992; Fanutti et al., 1993), induction of XETs in E2Fa/DPa plants might relate to polysaccharide breakdown to serve the metabolic and energy needs which are required to synthesize new nucleotides (see below).

Interestingly, two XETs can be identified in the set of 2-fold or more downregulated genes. These XETs are more related to each other than to the induced XET proteins. This differential response of XETs towards the E2Fa/DPa induced phenotypes suggests that plant XETs can be classified in at least 2 different functional classes.

Genes involved in metabolism and biogenesis

Both the group of up and down regulated genes contain a relative large group of genes involved in metabolism and biogenesis. Most remarkable is the induction of genes involved in nitrogen assimilation, such as nitrogen reductase, glutamine synthetase (GS), and glutamate synthetase (GOGAT). Nitrogen reductase catalyses the first step in the nitrogen assimilation pathway, whereas glutamine and glutamate synthetase are involved in both the primary assimilation from nitrogen as reassimilation of free ammonium, supplying all plants nitrogen needed for the biosynthesis of amino-acids and other nitrogen-containing compounds.

Upregulation of nitrogen assimilation genes in the E2Fa-DPa transgenic plants might reflect

047-E2F-PROV

the need for nitrogen for nucleotide biosynthesis, as purine and pyrimidine bases are nitrogen-rich.

There are other indications that the nitrogen metabolism is altered in the *E2Fa-DPa* plants, such as the modification of genes reported to be involved in *Medicago* induced nodulation (MTN3 and a nodulin-like gene); and the downregulation of genes involved in sulfur assimilation (adenylylsulfate reductase (APR; 2 different genes) and a putative adenine phosphosulfate kinase). Genes involved in sulfur assimilation such as APR have been shown before to transcriptionally downregulated during nitrogen deficiency (Koprivova et al., 2000).

Nitrogen assimilation through the GS/GOGAT pathway requires α -ketoglutarate (Lancien et al., 2000). Our micro-array data suggest that in the *E2Fa-DPa* overexpressing plants α -ketoglutarate accumulation is stimulated in different ways. First, α -ketoglutarate production is improved by increased photosynthetic activity, as indicated by the 4.7-fold upregulation of large subunit of ribulose-1,5-bisphosphate carboxylase/oxygenase (Figure 2). This will result in an accumulation of glyceraldehyde-3-phosphate. Glyceraldehyde-3-phosphate can be converted into fructose-1,6-bisphosphate by fructose bisphosphate aldolase. However, a 6-fold downregulation of the fructose bisphosphate aldolase gene rather suggests the conversion of glyceraldehyde-3-phosphate into pyruvate, which can be converted into α -ketoglutarate during glycolysis in the citrate cycle. The preferential conversion of glyceraldehyde-3-phosphate into pyruvate in favour of sugars fit the higher need for amino-acids than for sugars for nucleotide biosynthesis. A shortage for ribose-5-phosphate for nucleotide synthesis is also evident from a downregulation of sucrose-phosphate synthase, resulting in a decreased conversion of fructose-6-phosphate and glucose-6-phosphate into sucrose (Figure 2).

A second source of α -ketoglutarate is provided in the glyoxylate cycle by the 3.1 fold increase in expression of isocitrate lyase, suggesting an increased lipid turnover in the *E2Fa-DPa* plants. Isocitrate lyase activity cleaves isocitrate into glyoxylate and succinate (figure 2). Whereas the formed glyoxylate can be converted into glycine, which is also required for nucleotide biosynthesis, can succinate be converted into α -ketoglutarate in the citrate cycle. A 2.3-fold decrease of the fumarase gene presumably stimulates the conversion of produced α -ketoglutarate into glutamate by causing an accumulation of succinate and fumarate, which is also a side product formed during nucleotide biosynthesis (Figure 2).

Assimilation of nitrogen is energy consuming. When rates of nitrate reduction are high, this pathway becomes the major sink for reductant. About 10% of the electron flux in

047-E2F-PROV

photosynthesizing leaves is used for nitrate reduction. The amount of required reductant, which in leaves originates from electronic photosynthetic electron transport, is therefore expected to be higher in the E2Fa-DPa transgenics. Correspondingly, several components of the chloroplast electron transport chain and associated ATP-synthesizing apparatus, such as

5 cytochrome B6, a PSII subunit and the ATPase epsilon subunit are upregulated in the transgenic plants. Increased expression of the protochlorophyllide reductase precursor suggests that an increase in chlorophyll biosynthesis is stimulated in the E2Fa-DPa plants.

Famine of nitrogen has a putative impact on amino-acid biosynthesis, as three different amino-acid aminotransferases, are downregulated in the E2Fa-DPa plants. Accompanied with a

10 putative decreased aminotransferase activity is the observed reduction in expression of an enzyme involved in pyridoxine biosynthesis. Shortage of nitrogen-rich amino-acids is also evident from reduced expression of the genes encoding vegetative storage proteins (VSP1 and VSP2); and ERD10, a protein with a compositional bias towards glu (Kiyosue et al., 1994). Additional evidence for amino acid shortage comes from the downregulation of a myrosinase-binding protein and the cytochrome P450 monooxygenase CYP83A1. Both proteins are

15 involved in the biosynthesis of glucosinolates, being nitrogen and sulfur containing products derived from amino-acids (Wittstock and Halkier, 2002).

Transcription factors and signal transduction

20 A total of 4 transcription factors were identified among the genes being 2-fold or more upregulated, including two homeobox domain transcription factors. Among them we identified the anthocyaninless2 (ANL2) gene, involved in anthocyanin accumulation in subepidermal leaf cells (Kubo et al., 1999). The lack of an obvious increase in anthocyanin accumulation in the E2Fa-DPa plants suggests a role for the ANL2 protein in plant development different from

25 anthocyanin production. This hypothesis is substantiated by the observation that anl2 mutant plants contain extra cells in the root between the cortical and epidermal layers (Kubo et al., 1999).

The second upregulated homeobox domain transcription factor is Atbh-6. Expression of Atbh-6

30 is restricted to regions of cell division and/or differentiation, and has been shown to be inducible by water stress and ABA (Soderman et al., 1999). Other putative ABA sensitive genes can be recognized among the E2Fa-DPa induced clones as well including the cold regulated protein COR6.6, a seed imbibition-like protein, and a dormancy-associated protein. Here again, changes in the expression level of these genes might be correlated with

35 modifications in carbon metabolism. A link between ABA and sugar signaling is evident from the identification of several loci involved in both sugar and hormonal responses (Finkelstein

and Gibson, 2002). Alternatively, it might be the occurrence of enhanced endoreduplication and/or cell division itself that causes a change in the osmotic potential.

Among the downregulated transcription factors a DOF family member is present. Many DOF transcription factors are participating in the regulation of storage protein genes and genes involved in carbon metabolism (Gualberti et al., 2002). Its downregulation might therefore be linked with the shortage of amino-acids due to the high demand of nitrogen for nucleotide biosynthesis.

Other regulatory genes modified in the E2Fa-DPa plants include protein kinases, several putative receptor kinases, a putative phytochrome A, and WD-40 repeat containing proteins (Tables 1 and 2). Interestingly, a SNF1-like kinase is downregulated 2-fold in the E2Fa-DPa plants. In addition to its proposed role in sugar signaling, the SNF1 kinase also regulates negatively the activity of plant nitrate reductase (Smeekens, 2000).

Endoreduplication levels of E2Fa-DPa plants are nitrogen dependent

The modified expression of a large number of metabolic and regulatory genes directly or indirectly linked to nitrogen metabolism suggests a direct relationship between the high endoreduplication levels found in the E2Fa/DPa transgenic plants and nitrogen availability. To test this hypothesis, wild type and transgenic plants were grown on medium containing different levels of ammoniumnitrate, ranging from 0.1 to 50 mM. Eight days after germination the ploidy levels in these plants were determined by flow cytometry. Increasing ammoniumnitrate levels hardly had an effect on the ploidy distribution pattern in wild type plants (figure 3A). In contrast, in the E2Fa-DPa transgenic plants increasing ammoniumnitrate levels resulted in a reproducible and significant increase in the amount of 32C and 64C nuclei (figure 3B). Comparing the lowest with the highest concentration of ammoniumnitrate an increase of 32C from 2.0 (\pm 0.3) % to 6.5 (\pm 1.5) %, and of 64C from 0.7 (\pm 0.3) % to 2 (\pm 0.5) % can be seen. Increasing ammonium levels did not have any effect on the plant phenotype, as plants remained small with curled leaves on all concentrations of nitrogen tested. These data indicate that the endoreduplication levels in the E2Fa/DPa plants are limited by nitrogen availability, and that an excess of nitrogen is rather incorporated into new DNA than other nitrogen containing compounds.

047-E2F-PROV

Example 5: Promoter analysis of E2Fa-DPa regulated genes**Promoter analysis**

The intergenic sequence corresponding to the promoter area of each gene spotted on the microarray was extracted from genomic sequences. These genomic sequences are easily accessible for example from the MIPS MatDB database (<http://mips.gsf.de/proj/thal/db/>). From those intergenic sequences up to 500bp upstream of the ATG start codon were extracted and subjected to motif searches in order to retrieve potential E2F elements. Both the position and frequency of occurrence were determined using the publicly available executable of MatInspector (version 2.2) using matrices extracted from PlantCARE and matrices made especially for this particular analysis (Lescot et al., 2002). The relevance of each motif was evaluated against a background consisting of all the sequences from the dataset.

Results

To distinguish in our data set the putative direct target genes of E2Fa-DPa from the secondary induced genes, the first 500 bp upstream of the ATG start codon of the genes with 2-fold or more change in expression was scanned for the presence of a E2F-like binding site matching the sequence (A/T)TT(G/C)(G/C)C(G/C)(G/C). Of all different permutations only the TTTCCCGC element was statistically enriched in the set of E2Fa-DPa upregulated genes, suggesting it is the preferred binding site of the E2Fa-DPa complex (Table 3). Moreover, target genes containing this element belong mainly to the group of genes involved in DNA replication and modification, being the main group of target genes in mammalian systems. These data illustrate that the TTTCCCGC sequence is the most likely cis element recognized by E2Fa-DPa. The observation that not all genes having this DNA sequence in their promoter suggests that the presence of the TTTCCCGC motif is not sufficient to make a gene responsive towards E2Fa-DPa, and that E2Fa-DPa co-operates with other factors to activate transcription. In the *Nicotiana benthamiana* PCNA promoter a E2F sequence was identified acting as a negative regulatory element during development (Egelkrout et al., 2001). Also the tobacco ribonucleotide reductase small subunit gene contains a E2F element working as a repressor outside the S-phase (Chaboute et al., 2000). In the set of downregulated genes no particular enrichment of a specific E2F sequence could be seen (Table 3). Therefore we believe that the E2Fa-DPa complex mainly works as a transcriptional activator, and that other E2F-DP complexes are involved in E2F-mediated transcriptional repression.

047-E2F-PROV

Example 6: Individual characterization of some genes identified by the method of the present invention

At1g07000 showing homology to leucine zipper

- 5 At1g07000 is a potential leucine zipper that is not preceded by a basic domain. The leucine zipper consists of repeated leucine residues at every seventh position and mediates protein dimerization as a prerequisite for DNA-binding. The leucines are directed towards one side of an alpha-helix. The leucine side chains of two polypeptides are thought to interdigitate upon dimerization (knobs-into-holes model). The leucine zipper may dictate dimerization specificity. Leucine zippers are DNA binding protein with dimerization properties, having important
- 10 functions in development and stress tolerance in plants.

At1g09070 showing homology to Soybean Cold Regulate gene SRC2

- This genes and its expressed protein is predicted in Arabidopsis, rice, corn, soybean, however, based on a homology search using the BLAST program, no functional homologue
- 15 known, not even a clear animal homologue, so no clear function can be predicted for this gene or protein (Takahashi, R. and Shimosaka, E. (1997)).

At1g21690 showing homology to Replication factor

- Replication factor C (RFC) is a pentameric complex of five distinct subunits that functions as a clamp loader, facilitating the loading of proliferating cell nuclear antigen (PCNA) onto DNA during replication and repair. More recently the large subunit of RFC, RFC (p140), has been
- 20 found to interact with the retinoblastoma (Rb) tumor suppressor and the CCAAT/enhancer-binding protein alpha (C/EBPalpha) transcription factor. It is reported that RFC (p140) associates with histone deacetylase activity and interacts with histone deacetylase 1 (HDAC1)
- 25 (Anderson, L. A. and Perkins, N. D. (2002); Furukawa, T. et al. (2001)) RFC is poorly known in plants, can be important for development for modulating gene expression during cell cycle at S phase, or through chromatin regulation.

At1g23030 showing homology to Armadillo protein

- 30 Members of the armadillo (arm) repeat family of proteins are implicated in tumorigenesis, embryonic development, and maintenance of tissue integrity. ARM proteins participate in linking cytoskeleton to membrane proteins and structures. These proteins share a central domain that is composed of a series of imperfect 45 amino acid repeats. Armadillo family members reveal diverse cellular locations reflecting their diverse functions. A single protein
- 35 exerts several functions through interactions of its armadillo repeat domain with diverse binding partners. The proteins combine structural roles as cell-contact and cytoskeleton-

047-E2F-PROV

associated proteins and signaling functions by generating and transducing signals affecting gene expression. The study of armadillo family members has made it increasingly clear that a distinction between structural proteins on the one hand and signaling molecules on the other is rather artificial. Instead armadillo family members exert both functions by interacting with a number of distinct cellular-binding partners. Proteins of the armadillo family are involved in diverse cellular processes in higher eukaryotes. Some of them, like armadillo, beta-catenin and plakoglobins have dual functions in intercellular junctions and signalling cascades. Others, belonging to the Importin-alpha-subfamily are involved in NLS recognition and nuclear transport, while some members of the armadillo family have as yet unknown functions. (Wang, Y. X. et al. (2001); Hatzfeld, M. (1999). ARM proteins are key protein binding units that are involved at several steps during development. Some are specific of cell cycle, APC degradation complex. These type of genes have been poorly studied in plants, some have been involved in light and gibberellin signaling in potato.

At1g27500 showing homology to Kinesin light chain.

The motor protein kinesin is a heterotetramer composed of two heavy chains of approximately 120 kDa and two light chains of approximately 65 kDa protein. Kinesin motor activity is dependent on the presence of ATP and microtubules. Conventional kinesin is prevented from binding to microtubules (MTs) when not transporting cargo. The function of LC kinesin is to keep kinesin in an inactive ground state by inducing an interaction between the tail and motor domains of HC; activation for cargo transport may be triggered by a small conformational change that releases the inhibition of the motor domain for MT binding. This protein is important to regulate movement controlled by microtubules within the cytoplasm, for example the flux of vesicles between the different cell membrane compartments.

At1g72180 showing homology to Putative receptor protein kinase

Plant receptor-like kinases (RLKs) are transmembrane proteins with putative amino-terminal extracellular domains and carboxyl-terminal intracellular kinase domains, with striking resemblance in domain organization to the animal receptor tyrosine kinases such as epidermal growth factor receptor. The recently sequenced Arabidopsis genome contains more than 600 RLK homologs. Although only a handful of these genes have known functions and fewer still have identified ligands or downstream targets, the studies of several RLKs such as CLAVATA1, Brassinosteroid Insensitive 1, Flagellin Insensitive 2, and S-locus receptor kinase provide much-needed information on the functions mediated by members of this large gene family. RLKs control a wide range of processes, including development, disease resistance,

047-E2F-PROV

tissue-specific, and hormone-regulated expression of the ER-type desaturase gene (FAD3), transgenic plants of *Arabidopsis thaliana* (L.) Heynh. containing the firefly luciferase gene (LUC) fused to the FAD3 promoter (FAD3::LUC) were constructed. The results from this study suggest that the expression of ER-type desaturase is regulated through synergistic and antagonistic hormonal interactions, and that such hormonal regulation and the tissue specificity of the expression of this gene are further modified in accordance with the growth phase in plant development (Wellesen K, et al. (2001); Kachroo P, et al. (2001); Kahn, R. A. et al. (2001); Smith, M. et al. (2000)).

10 **At2g43402 showing homology to Cinnamoyl CoA reductase**

CCR enzyme is involved in lignification. The CCR transcript is expressed in lignified organs, i.e. root and stem tissues, and is localized mainly in young differentiating xylem. Also, monolignols may be precursors of end products other than lignins. CCR catalyses the conversion of cinnamoyl-CoAs into their corresponding cinnamaldehydes, i.e. the first step of the phenylpropanoid pathway specifically dedicated to the monolignol biosynthetic branch. The two genes are differentially expressed during development and in response to infection. AtCCR1 is preferentially expressed in tissues undergoing lignification. In contrast, AtCCR2, which is poorly expressed during development, is strongly and transiently induced during the incompatible interaction with *Xanthomonas campestris* pv. *Campestris* leading to a hypersensitive response. Altogether, these data suggest that AtCCR1 is involved in constitutive lignification whereas AtCCR2 is involved in the biosynthesis of phenolics whose accumulation may lead to resistance (Lauvergeat et al. (2001)). This protein is involved during development, increase in growth diameter, lignification of vascular strands and interfascicular fibers.

At2g47440 showing homology to Tetratricopeptide repeat protein

The tetratricopeptide repeat (TPR) is found in a many proteins performing a wide variety of functions, the TPR domain itself is believed to be a general protein recognition module. Different proteins may contain from 3 to 16 tandem TPR motifs (34 amino acid sequence). It has been shown that some proteins contain a TPR repeat are cell cycle regulated.

At3g23750 showing homology to Receptor like kinase TMK

The kinase domain of NITMK1 contained all of 12 subdomains and invariant amino acid residues found in eukaryotic protein kinases. The extracellular domain contained 11 leucine-rich repeats which have been implicated in protein-protein interactions. The amino acid sequence of NITMK1 exhibited high homology with those of TMK1 of *Arabidopsis* and TMK of

047-E2F-PROV

rice in both kinase and extracellular domains, suggesting that NtTMK1 is a TMK homologue of tobacco. The NtTMK1 transcripts were present in all major plant organs, but its level varied in different developmental stages in anthers and floral organs. NtTMK1 mRNA accumulation in leaves was stimulated by CaCl₂, methyl jasmonate, wounding, fungal elicitors, chitins, and chitosan. The NtTMK1 mRNA level also increased upon infection with tobacco mosaic virus (Cho and Pai (2000)). This protein is involved in different aspects of development and disease resistance.

At3g61460 showing homology to RING H2

- 10 RING-finger proteins contain cysteine-rich, zinc-binding domains and are involved in the formation of macromolecular scaffolds important for transcriptional repression and ubiquitination. RING H2 act as E3 ubiquitin-protein ligases and play critical roles in targeting the destruction of proteins of diverse functions in all eukaryotes, ranging from yeast to mammals. Arabidopsis genome contains a large number of genes encoding RING finger proteins. A small group is constituted by more than 40 RING-H2 finger proteins that are of small size, not more than 200 amino acids, and contain no other recognizable protein-protein interaction domain(s). This type of genes is very important for several aspects of development, regulation of developmental proteins, cell cycle proteins.

At4g00730 showing homology to Homeodomain AHDP (antocyaninless 2)

This is a homeodomain transcription factor; similar to ATML1 and is very conserved and has epidermis specific expression. This sequence shows also homology to Zea mays mRNA for OCL3 protein (Ingram, G. C. et al. (2000)).

At4g13940 showing homology to adenosylhomocysteinase (Glutathione dependent formaldehyde dehydrogenase)

- Glutathione-dependent formaldehyde dehydrogenase was described in Sakamoto, A. et al. (2002). Arabidopsis glutathione-dependent formaldehyde dehydrogenase is an S-nitrosogluthathione reductase. S-Nitrosogluthathione (GSNO), an adduct of nitric oxide (NO) with glutathione, is known as a biological NO reservoir. Heterologous expression in *Escherichia coli* of a cDNA encoding a glutathione-dependent formaldehyde dehydrogenase of Arabidopsis thaliana showed that the recombinant protein reduces GSNO. The identity of the cDNA was further confirmed by functional complementation of the hypersensitivity to GSNO of a yeast mutant with impaired GSNO metabolism. This is the first demonstration of a plant GSNO reductase, suggesting that plants possess the enzymatic pathway that modulates the bioactivity and toxicity of NO.

At4g35050 showing homology to WD40 MSI3

Members of the MSI/RbAp sub-family of WD-repeat proteins are widespread in eukaryotic organisms and form part of multiprotein complexes that are involved in various biological pathways, including chromatin assembly, regulation of gene transcription, and cell division. The *Zea mays* RbAp-like protein (ZmRbAp1) binds acetylated histones H3 and H4 and suppresses mutations that have a negative effect on the Ras/cAMP pathway in yeast. The ZmRbAp genes form a gene family and are expressed in different tissues of *Z. mays* L. plants. Determination of its expression pattern during maize seed development revealed that ZmRbAp transcripts are abundant during the initial stages of endosperm formation. In addition, the transcripts are specifically localized in shoot apical meristem and leaf primordia of the embryo. ZmRbAp genes play a role in early endosperm differentiation and plant development (Rossi et al. (2001)). Also Rb proteins are known to be involved in multi-protein complexes; there are Rb binding protein characterized; and Rb plays a role in chromatin remodeling and cell cycle control and is important in development and growth of organs. The retinoblastoma (RB) protein regulates G1 progression and functions through its association with various cellular proteins. Two closely related mammalian RB binding proteins, RbAp48 and RbAp46, share sequence homology with the Msi1 protein of yeast. MSI1 is a multicopy suppressor of a mutation in the IRA1 gene involved in the Ras-cAMP pathway that regulates cellular growth. Human RbAp48 is present in protein complexes involved in histone acetylation and chromatin assembly. Four plant RbAp48- and Msi1-like proteins have been identified: one from tomato, LeMSI1, and three from Arabidopsis. LeMSI1 can function as a multicopy suppressor of the yeast *ira1* mutant phenotype. The LeMSI1 protein localizes to the nucleus and binds to a 65-kD protein in wild-type as well as ripening inhibitor (*rin*) and Neverripe (*Nr*) tomato fruit. LeMSI1 also binds to the human RB protein and the RB-like RRB1 protein from maize, indicating that this interaction is conserved between plants and animals (Ach et al. (1997))

At4g36670 showing homology to Sugar transporter

The ERD6 clone is expressed after exposition to dehydration stress for 1 h. The ERD6 is related to those of sugar transporters of bacteria, yeasts, plants and mammals. Hydrophathy analysis revealed that ERD6 protein has 12 putative transmembrane domains and a central hydrophilic region. Sequences that are conserved at the ends of the 6th and 12th membrane-spanning domains of sugar transporters are also present in ERD6. ERD6 gene is a member of a multigene family in the Arabidopsis genome. The expression of the ERD6 gene was induced not only by dehydration but also by cold treatment (Kiyosue et al. (1998)).

047-E2F-PROV***At5g01870 showing homology to Lipid transfer protein***

Nonspecific lipid transfer proteins (LTPs) from plants are characterized by their ability to stimulate phospholipid transfer between membranes *in vitro*. However, because these proteins are generally located outside of the plasma membrane, it is unlikely that they have a similar role *in vivo*. The LTP1 promoter was active early in development in protoderm cells of embryos, vascular tissues, lignified tips of cotyledons, shoot meristem, and stipules. In adult plants, the gene was expressed in epidermal cells of young leaves and the stem. In flowers, expression was observed in the epidermis of all developing inflorescence and flower organ primordia, the epidermis of the siliques and the outer ovule wall, the stigma, petal tips, and floral nectaries of mature flowers, and the petal/sepal abscission zone of mature siliques. Consistent with a role for the LTP1 gene product in some aspect of secretion or deposition of lipophilic substances in the cell walls of expanding epidermal cells and certain secretory tissues. The LTP1 promoter region contained sequences homologous to putative regulatory elements of genes in the phenylpropanoid biosynthetic pathway, suggesting that the expression of the LTP1 gene may be regulated by the same or similar mechanisms as genes in the phenylpropanoid pathway (Thoma, S. et al. (1994)). More background knowledge to this type of genes can be found in the following references: Clark, A. M. et al., (1999); Toonen, M. A. et al. (1997); Molina, A. (1997); Thoma, S. et al. (1994).

At5g02820 showing homology to SPO like

Plant steroid hormones, brassinosteroids (BRs), play important roles throughout plant growth and development. Plants defective in BR biosynthesis or perception display cell elongation defects and severe dwarfism. Two dwarf mutants named *bin3* and *bin5* with identical phenotypes to each other display some characteristics of BR mutants and are partially insensitive to exogenously applied BRs. In the dark, *bin3* or *bin5* seedlings are de-etiolated with short hypocotyls and open cotyledons. Light-grown mutant plants are dwarfs with short petioles, epinastic leaves, short inflorescence stems, and reduced apical dominance. We cloned *BIN3* and *BIN5* and show that *BIN5* is one of three putative Arabidopsis *SPO11* homologs (*AtSPO11-3*) that also shares significant homology to archaeobacterial topoisomerase VI (*TOP6*) subunit A, whereas *BIN3* represents a putative eukaryotic homolog of *TOP6B*. The pleiotropic dwarf phenotypes of *bin5* establish that, unlike all of the other *SPO11* homologs that are involved in meiosis, *BIN5/AtSPO11-3* plays a major role during somatic development. Furthermore, microarray analysis of the expression of about 5500 genes in *bin3* or *bin5* mutants indicates that about 321 genes are down-regulated in both of the mutants, including 18 of 30 BR-induced genes. These results suggest that *BIN3* and *BIN5* may constitute an Arabidopsis topoisomerase VI that modulates expression of many genes,

047-E2F-PROV

including those regulated by BRs (Yin Y et al. (2002)). More background information on this type of genes can be found in the following references: Soustelle, C. et al. (2002); Kee, K. and Keeney, S. (2002); Hartung, F. and Puchta, H. (2001); Grelon, M. et al. (2001).

5 ***At5g14420 showing homology to copine I (phospholipid binding protein)***

The copines are a newly identified class of calcium-dependent, phospholipid binding proteins that are present in a wide range of organisms, including *Paramecium*, plants, *Caenorhabditis elegans*, mouse, and human. However, the biological functions of the copines are unknown. It is described that a humidity-sensitive copine mutant was made in *Arabidopsis* and under nonpermissive, low-humidity conditions, the *cpn1-1* mutant displayed aberrant regulation of cell death that included a lesion mimic phenotype and an accelerated hypersensitive response (HR). However, the HR in *cpn1-1* showed no increase in sensitivity to low pathogen titers. Low-humidity-grown *cpn1-1* mutants also exhibited morphological abnormalities, increased resistance to virulent strains of *Pseudomonas syringae* and *Peronospora parasitica*, and constitutive expression of pathogenesis-related (PR) genes. Growth of *cpn1-1* under permissive, high-humidity conditions abolished the increased disease resistance, lesion mimic, and morphological mutant phenotypes but only partially alleviated the accelerated HR and constitutive PR gene expression phenotypes. The disease resistance phenotype of *cpn1-1* suggests that the CPN1 gene regulates defense responses. Alternatively, the primary function of CPN1 may be the regulation of plant responses to low humidity, and the effect of the *cpn1-1* mutation on disease resistance may be indirect (Jambunathan et al. (2001)). *Arabidopsis* growth over a wide range of temperatures requires the BONZAI1 (BON1) gene because *bon1* null mutants make miniature fertile plants at 22 degrees C but have wild-type appearance at 28 degrees C. The expression of BON1 and a BON1-associated protein (BAP1) is modulated by temperature. Thus BON1 and BAP1 may have a direct role in regulating cell expansion and cell division at lower temperatures. BON1 contains a Ca(2+)-dependent phospholipid-binding domain and is associated with the plasma membrane. It belongs to the copine gene family, which is conserved from protozoa to humans. Our data suggest that this gene family may function in the pathway of membrane trafficking in response to external conditions (Hua et al. (2001)). The major calcium-dependent, phospholipid-binding protein obtained from extracts of *Paramecium tetraurelia*, named copine, had a mass of 55 kDa, bound phosphatidylserine but not phosphatidylcholine at micromolar levels of calcium but not magnesium, and promoted lipid vesicle aggregation. Current sequence databases indicate the presence of multiple copine homologs in green plants, nematodes, and humans. The full-length sequences reveal that copines consist of two C2 domains at the N terminus followed by a domain similar to the A domain that mediates interactions between integrins and extracellular ligands. The association

047-E2F-PROV

with secretory vesicles, as well the general ability of copines to bind phospholipid bilayers in a calcium-dependent manner, suggests that these proteins may function in membrane trafficking (Creutz et al. (1998)).

5 ***A15g49160 showing homology to cytosine methyltransferase***

DNMT3L is a regulator of imprint establishment of normally methylated maternal genomic sequences. DNMT3L shows high similarity to the de novo DNA methyltransferases, DNMT3A and DNMT3B, however, the amino acid residues needed for DNA cytosine methyltransferase activity have been lost from the DNMT3L protein sequence. Apart from methyltransferase activity, Dnmt3a and Dnmt3b serve as transcriptional repressors associating with histone deacetylase (HDAC) activity. DNMT3L can also repress transcription by binding directly to HDAC1 protein. PHD-like zinc finger of the ATRX domain is the main repression motif of DNMT3L, through which DNMT3L recruits the HDAC activity needed for transcriptional silencing. DNMT3L as a co-repressor protein and suggest that a transcriptionally repressed chromatin organisation through HDAC activity is needed for establishment of genomic imprints (Aapola et al. (2002)). More background information to this type of genes can be found in Chen, T. et al. (2002); Bartee, L. and Bender, J. (2001); Freitag M. et al. (2002). In Arabidopsis a SWI2/SNF2 chromatin remodeling factor-related protein DDM1 and a cytosine methyltransferase MET1 are required for maintenance of genomic cytosine methylation. Mutations in either gene cause global demethylation. There are also effects of these mutations on the PAI tryptophan biosynthetic gene family, which consists of four densely methylated genes arranged as a tail-to-tail inverted repeat plus two unlinked singlet genes. The methylation mutations caused only partial demethylation of the PAI loci: ddm1 had a strong effect on the singlet genes but a weaker effect on the inverted repeat, whereas met1 had a stronger effect on the inverted repeat than on the singlet genes. The double ddm1 met1 mutant also displayed partial demethylation of the PAI genes, with a pattern similar to the ddm1 single mutant. To determine the relationship between partial methylation and expression for the singlet PAI2 gene we constructed a novel reporter strain of Arabidopsis in which PAI2 silencing could be monitored by a blue fluorescent plant phenotype diagnostic of tryptophan pathway defects. This reporter strain revealed that intermediate levels of methylation correlate with intermediate suppression of the fluorescent phenotype. Other background information can be found in Finnegan, E. J. and Kovac K. A. (2000). Plant DNA methyltransferases. DNA methylation is an important modification of DNA that plays a role in genome management and in regulating gene expression during development. Methylation is carried out by DNA methyltransferases which catalyse the transfer of a methyl group to bases within the DNA helix. Plants have at least three classes of cytosine methyltransferase which differ in protein

structure and function. The MET1 family, homologues of the mouse Dnmt1 methyltransferase, most likely function as maintenance methyltransferases, but may also play a role in de novo methylation. The chromomethylases, which are unique to plants, may preferentially methylate DNA in heterochromatin; the remaining class, with similarity to Dnmt3 methyltransferases of mammals, are putative de novo methyltransferases. The various classes of methyltransferase may show differential activity on cytosines in different sequence contexts. Chromomethylases may preferentially methylate cytosines in CpNpG sequences while the Arabidopsis MET1 methyltransferase shows a preference for cytosines in CpG sequences. Additional proteins, for example DDM1, a member of the SNF2/SWI2 family of chromatin remodelling proteins, are also required for methylation of plant DNA.

At5g54940 showing homology to Translation initiation factor (translational initiation factor eIF1),

Protein synthesis has not been considered to be fundamental in the control of cell proliferation. However, data are emerging on the involvement of this process in cell growth and tumorigenesis. Protein biosynthesis is a central process in all living cells. It is one of the last steps in the transmission of genetic information stored in DNA on the basis of which proteins are produced to maintain the specific biological function of a given cell. Protein synthesis takes place on ribosomal particles where the genetic information transcribed into mRNA is translated into protein. The process of protein synthesis on the ribosome consists of three phases: initiation, elongation and termination. Brassinosteroids (BRs) regulate the expression of numerous genes associated with plant development, and require the activity of a Ser/Thr receptor kinase to realize their effects. In animals, the transforming growth factor-beta (TGF-beta) family of peptides acts via Ser/Thr receptor kinases to have a major impact on several pathways involved in animal development and adult homeostasis. TGF-beta receptor-interacting protein (TRIP-1) was previously shown by others to be an intracellular substrate of the TGF-beta type II receptor kinase which plays an important role in TGF-beta signaling. TRIP-1 is a WD-repeat protein that also has a dual role as an essential subunit of the eukaryotic translation initiation factor eIF3 in animals, yeast and plants, thereby revealing a putative link between a developmental signaling pathway and the control of protein translation. In yeast, expression of a TRIP-1 homolog has also been closely associated with cell proliferation and progression through the cell cycle. We report here the novel observation that transcript levels of TRIP-1 homologs in plants are regulated by BR treatment under a variety of conditions, and that transgenic plants expressing antisense TRIP-1 RNA exhibit a broad range of developmental defects, including some that resemble the phenotype of BR-deficient and -insensitive mutants. This correlative evidence suggests that a WD-domain protein with

047-E2F-PROV

reported dual functions In vertebrates and fungi might mediate some of the molecular mechanisms underlying the regulation of plant growth and development by BRs (Jiang and Clouse (2001)). The Arabidopsis COP9 signalosome is a multisubunit repressor of photomorphogenesis that is conserved among eukaryotes. This complex may have a general

5 role in development. association between components of the COP9 signalosome (CSN1, CSN7, and CSN8) and two subunits of eukaryotic translation initiation factor 3 (eIF3), eIF3e (p48, known also as INT-6) and eIF3c (p105). AtelF3e coimmunoprecipitated with CSN7, and eIF3c coimmunoprecipitated with eIF3e, eIF3b, CSN8, and CSN1. eIF3e directly interacted with CSN7 and eIF3c. eIF3e and eIF3c are probably components of multiple complexes and

10 that eIF3e and eIF3c associate with subunits of the COP9 signalosome, even though they are not components of the COP9 signalosome core complex. This interaction may allow for translational control by the COP9 signalosome (Yahalom et al. (2001)).

At5g56740 showing homology to Histone acetyl transferase HATB

15 Transforming viral proteins such as E1A which force quiescent cells into S phase have two essential cellular target proteins, Rb and CBP/p300. Rb regulates the G1/S transition by controlling the transcription factor E2F. CBP/p300 is a transcriptional co-activator with intrinsic histone acetyl-transferase activity. This activity is regulated in a cell cycle dependent manner and shows a peak at the G1/S transition. CBP/p300 is essential for the activity of E2F, a

20 transcription factor that controls the G1/S transition. In addition, our results suggest that CBP HAT activity is required both for the G1/S transition and for E2F activity. Thus CBP/p300 seems to be a versatile protein involved in opposing cellular processes, which raises the question of how its multiple activities are regulated (Ait-Si-Ali, S. et al (2000)). The BRCA2 is a histone acetyltransferase. Two potential functions of BRCA2 were proposed which includes role

25 in the regulation of transcription and also in DNA repair. Forty-five-amino acid region encoded by exon 3 of BRCA2 was shown to have transcriptional activation function. Recent studies of the several enzymes involved in acetylation and deacetylation of histone residues have revealed a possible relationship between gene transcriptional activation and histone acetylation. Since BRCA2 appear to function as a transcriptional factor, we have tested for

30 Histone acetyl transferase (HAT) activity of BRCA2. Here, we present evidence that BRCA2 has intrinsic HAT activity, which maps to the amino-terminal region of BRCA2. Our results demonstrate that BRCA2 proteins acetylate primarily H3 and H4 of free histones. These observations suggest that HAT activity of BRCA2 may play an important role in the regulation of transcription and tumor suppressor function (Siddique et al. (1998)). These type of genes

35 are very important for regulation of genes involved in development, cell cycle control, chromatin structure.

047-E2F-PROV

contains 26 KH domain proteins. Most of the Arabidopsis RRM-containing proteins can be classified into structural and/or functional groups, based on similarity with either known metazoan or Arabidopsis proteins. Approximately 50% of Arabidopsis RRM-containing proteins do not have obvious homologues in metazoa, and for most of those that are predicted to be orthologues of metazoan proteins, no experimental data exist to confirm this. Additionally, the function of most Arabidopsis RRM proteins and of all KH proteins is unknown. The higher complexity of RNA-binding proteins in Arabidopsis, as evident in groups of SR splicing factors and poly(A)-binding proteins, may account for the observed differences in mRNA maturation between plants and metazoa. The function of this type of genes is largely unknown, but could be related to PUMILIO genes from drosophila. Important for regulation of gene expression at the post-transcriptional level, role in development, stress tolerance.

At3g07800 showing homology to Thymidine kinase

This type of genes is cell cycle regulated, E2F regulated, is responsible for production of thymidine triphosphate. This type of gene plays a role as a precursor for DNA synthesis and is therefore a marker of S phase.

At5g47370 showing homology to Homeobox leucine zipper protein

This type of genes is important for development and growth and also for stress tolerance.

Example 7: Rice transformation with the genes according to the present invention

In a particular example of the present invention, the genes as identified above are cloned into a plant expression vector operably linked to suitable regulatory elements to drive overexpression or downregulation of these genes. These vectors are subsequently transferred to the rice plant according to the following protocol.

Mature dry seeds of the rice japonica cultivar Taipei were dehusked. Sterilization was carried out by incubating for one minute in 70% ethanol, followed by 30 minutes in 0.2%HgCl₂, followed by a 6 times 15 minutes wash with sterile distilled water. The sterile seeds were then germinated on a medium containing 2,4-D (callus induction medium). After incubation in the dark for four weeks, embryogenic, scutellum-derived calli were excised and propagated on the same medium. After two weeks the calli were multiplied or propagated by subculture on the same medium for another 2 weeks. Embryogenic callus pieces were sub-cultured on fresh medium 3 days before co-cultivation (to boost cell division activity). Agrobacterium strain LBA4404 harboring binary T-DNA vectors were used for cocultivation. Agrobacterium was inoculated on AB medium with the appropriate antibiotics and cultured for 3 days at 28°C. The

047-E2F-PROV

bacteria were then collected and suspended in liquid co-cultivation medium to a density (OD600) of about 1. The suspension was then transferred to a petri dish and the calli immersed in the suspension for 15 minutes. The callus tissues were then blotted dry on a filter paper and transferred to solidified, co-cultivation medium and incubated for 3 days in the dark at 25°C. Co-cultivated calli were grown on 2,4-D-containing medium for 4 weeks in the dark at 28°C in the presence of a suitable concentration of the selective agent. During this period, rapidly growing resistant callus islands developed. After transfer of this material to a regeneration medium and incubation in the light, the embryogenic potential was released and shoots developed in the next four to five weeks. Shoots were excised from the calli and incubated for 2 to 3 weeks on an auxin-containing medium from which they were transferred to soil. Hardened shoots were grown under high humidity and short days in a greenhouse. Seeds were then harvested three to five months after transplanting. The method yielded single locus transformants at a rate of over 50 % (Aldemita and Hodges1996, Chan et al. (1993), Hiei et al. (1994)).

047-E2F-PROV

Table 1. Arabidopsis Genes 2-fold or more upregulated in E2Fa/DPa plants

Gene Identification	accession #	MIPS name	SEQ ID NO	SEQ ID NO	Fold induction	E2F site	Plant homologue
Unknown function (14)			cDN A	PRO TEIN			
hypothetical protein	AI998042	At1g57680	1	53	2.66		rice BAB90159.1, maize AY107220.1
putative protein	AI994686	At3g45730	2	54	5.14		
putative protein	AI994734	At5g66580	4	56	3.18		
unknown protein	AI999397	At2g38310	5	57	2.79	TTTGCCG C	rice BAB68102.1
unknown protein	AI995465	At2g47440	7	59	2.50		
unknown protein	AI994871	At1g76970	8	60	2.34		rice BAB78689.1, corn AAB00079.1
hypothetical protein, kinesin	AI998366	At1g27500	9	61	2.21		rice AAL87057.1
putative protein	AI996967	At4g33050	10	62	2.20		rice BAB90008.1
putative protein	AI995917	At3g43690	12	64	2.18		
unknown protein, kh domain protein	AI993084	At2g25970	13	65	2.15		rice BAA92910.1, maize AY106526.1
unknown protein	AI993077	At1g68580	14	66	2.13		rice BAC00723.1, corn AAK11516.1
putative protein, copine	AI993019	At5g14420	15	67	2.05		rice BAB92575.1
hypothetical protein	AI997428	At1g57990	16	68	2.02		rice BAB90042.1
unknown protein	AI997827	At5g53740	17	69	2.01		
DNA replication and modification (14)							
putative thymidine kinase	AI997851	At3g07800			8.44		rice AAC31168.1
DNA methyltransferase	AI994691	At5g49160			5.37	ATTGCCG C	rice AAL77415.1, corn AAC16389.1
Msi3	AW004204	At4g35050			4.89	TTTCCCG C	corn AAL33648.1
putative linker histone protein	AI994590	At3g18035			3.31		
putative replication factor c	AI997934	At1g21690			3.30	TTTCCCG C	
topoisomerase 6 subunit A	AI995290	At5g02820			2.62	TTTCCCG C	
histone H4-like protein	AI999171	At3g46320			2.55	TTTGCGC C	
histone acetylase HAT B	AI998229	At5g56740			2.36	TTTCCCG C	corn AAM28228.1
putative histon H1	AI996137	At1g06760			2.27		
histone H2A-like protein	AI995882	At4g27230			2.23		
putative DNA gyrase subunit A	AI995400	At3g10690			2.20		rice AAD29710.1
histone H2B-like protein	AI999101	At5g59910			2.16		
putative mismatch binding protein	AI993280	At3g24320			2.10		rice CAD41187.1, corn AAF35250.1
adenosylhomocysteinase	AI996953	At4g13940			2.07		corn AAL33588.1
Cell Cycle (2)							
E2Fa	AJ294534	At2g36010			94.88		
CDKB1;1	D10851	At3g54180			2.60	TTTCCCG	

047-E2F-PROV

						C	
Cell wall biogenesis (11)							
xyloglucan endo-1,4-beta-D-glucanase (merl-5)	AI994459	At4g30270			3.74		
putative glycosyl transferase	AI999244	At1g70090			3.38		
alpha galactosyltransferase-like protein	AI998223	At3g62720			3.26		
putative xyloglucan endotransglycosylase	AI999683	At3g23730			2.85		rice CAD41426.1, corn CAB510059.1
xyloglucan endo-1,4-beta-D-glucanase-like protein	AI998301	At4g30280			2.74		
putative xyloglucan endotransglycosylase	AI994477	At1g14720			2.51		
putative glycosyl transferase	AI999770	At1g24170			2.39		
putative UDP-glucose glucosyltransferase	AI997288	At1g22400			2.34	TTTCCCG	
putative glucosyltransferase	AI998872	At2g15480			2.15	C	
peroxidase	AI994622	At2g38380			2.11	TTTCGCC	
beta-1,3-glucanase-like protein	AI994681	At3g55430			2.05	C	rice AAB37697.1, corn CAB96424.1
Chloroplastic genes (7)							
large subunit of ribulose-1,5-bisphosphate carboxylase/oxygenase	N96785	rbcL			4.71		
ribosomal protein L33	AI994194	rpl33			3.54		
PSII I protein	AW004203	psbI			2.81		
ribosomal protein L2	AW004266	rpl2			2.81		
ATP-dependent protease subunit	AI997947	clpP			2.60		
cytochrome B6	AI997102	petB			2.55		
ATPase epsilon subunit	AW004251	atpE			2.17		
Mitochondrial genes (1)							
26S ribosomal RNA protein	AW004275	orf107a			2.87		
Transcription factors (6)							
LOB domain protein 41	AI996685	At3g02550	3	55	4.01		riceBAB92193.1
WRKY transcription factor 21	AI992739	At2g30590			2.78	TTTCCCC	
GATA Zn-finger protein	AI995731	At3g16870	6	58	2.75	C	maize AY072149
Anthocyaninless2	AI993655	At4g00730			2.73	TTTCCCC	
leucine zipper-containing protein	AI995691	At1g07000			2.43	C	
homeodomain transcription factor (Athb-6)	AI999190	At2g22430			2.30		rice CAA65456.2, corn CAB96424.1
Metabolism and biogenesis (11)							
alcohol dehydrogenase	AI998773	At1g77120			5.09		
putative isocitrate lyase	AI999168	At3g21720			3.08		
protochlorophyllide reductase precursor	AI993342	At4g27440			2.39		
sugar transporter like protein	AI997793	At4g36670			2.27		rice AAK13147.1, corn AAF74568.1

047-E2F-PROV

NADH-dependent glutamate synthase (GOGAT)	AI997600	At5g53460			2.25	
nitrate reductase (NIA2)	AI996208	At1g37130			2.15	
pectate lyase - like protein	AJ508995	At3g54920			2.13	
putative sterol dehydrogenase	AI996340	At2g43420			2.10	
glutamine synthetase root isozyme 1 (GS)	161G19T7	At1g66200			2.06	
monosaccharide transporter STP3	AI997045	At5g81520			2.05	rice BAA83554.1, corn AAF74568.1
Signal transduction (6)						
calcium-dependent protein kinase	AI996555	At5g66210			2.96	rice AAF23901.2, corn BAA12715.1
WD-40 repeat protein	AI993055	At5g14530			2.70	rice AD27557.1, corn AAA50446.1
receptor-protein kinase-like protein	AI994727	At5g54380			2.59	rice AAK63934.1, corn AAB09771.1
putative phytochrome A	AI998146	At1g09570			2.45	
putative leucine-rich receptor-like protein kinase	AI999651	At1g72180			2.13	rice BAC06203.1, corn CAC35411.1
putative receptor-like kinase	AI993298	At3g23750			2.06	rice CAA69028.1, corn CAC35412.1
Others (13)						
putative pollen allergen	AI996548	At3g45970			3.22	rice AAG13596.1, corn CAD40849.1
cold-regulated protein COR6.6	AW004198	At5g15970			3.03	
phi-1-like protein	AI994601	At5g64260			2.60	
lipid-transfer protein-like	AI998609	At5g01870			2.33	rice BAB86497.1, corn AAB06443.1
DnaJ homologue	AI994551	At5g06910			2.32	ATTGGCGC
blue copper binding protein	AI996535	At5g20230			2.30	
src-2 like protein	AI998679	At1g09070	11	63	2.19	
RING finger protein	AI999491	At3g61460			2.14	rice BAA85438.1, corn AAL59234.1
putative Tlcc22	AI993361	At3g23710			2.14	
nodulin-like protein	AI996322	At1g80530			2.07	rice AAM01022.1
putative resistance protein	AI997549	At1g61100			2.06	rice AAL83695.1
seed imbibition protein-like	AI993446	At5g20250			2.05	
putative disease resistance protein	AI998978	At1g72900			2.04	rice AAL01163.1, corn AAC83564.1

047-E2F-PROV

Table 2. Arabidopsis Genes 2-fold or more repressed in E2Fa/DPA plants

Gene Identification	accession #	MIPS	SEQ ID NO	SEQ ID NO	Fold repression	E2F site	plant homologue
Unknown function (35)							
unknown protein	AI993767	At1g45200	18	70	3.91		
putative protein	AI993468	At3g56290	19	71	3.38		maize AY106321.1, rice BAB93184.1
hypothetical protein, multidrug efflux protein	AI996374	At1g61890	21	73	2.78		
unknown protein	AI994573	At3g15950	22	74	2.71		
putative protein	AI994726	At3g52360	23	75	2.65		
hypothetical protein	AI997393	At4g02920	24	76	2.60	TTTGCCCC	Y09602. Hordeum vulgare
unknown protein, put protease inhibitor	AJ508997	At5g43580	25	77	2.58		
unknown protein	AI997866	At1g70760	26	78	2.52		
unknown protein	AI997085	At5g43750	27	79	2.51		rice BAB90754.1
putative protein	AI995724	At5g50100	28	80	2.48		rice AL606619.2 OSJN00032 genomic
unknown protein	AI995337	At1g74880	29	81	2.42		maize AY105515.1, rice BAB89011.1
unknown protein	AI998296	At3g19370	30	82	2.40		
unknown protein, ATPase	AI993346	At3g10420	31	83	2.40		
putative protein	AI999485	At3g61080	32	84	2.38		
unknown protein	AI996923	At1g67860	33	85	2.38		
unknown protein	AI994841	At1g52870	34	86	2.35	ATTCCCCC	maize AY108423.1
unknown protein	AI999581	At1g64370	35	87	2.35		
unknown protein	AI997584	At1g05870	36	88	2.25		rice BAB86085.1, maize Y110580.1
putative protein	AI992938	At5g03540	37	89	2.21		
hypothetical protein	AI997712	At2g15020	38	90	2.21		rice BAB64794.1
unknown protein	AI998338	At1g68440	39	91	2.20		
unknown protein	AI996872	At2g21960	40	92	2.19		
putative protein, centrin	AI996295	At4g27280	41	93	2.18		
putative protein	AI995642	At3g48200	42	94	2.16		
unknown protein	AI997470	At2g32870	43	95	2.14		
hypothetical protein	AI998460	At1g69510	44	96	2.11	TTTGCCCC	rice BAB18340.1, maize AY110240.1
putative triacylglycerol lipase	AI993356	At5g22460	45	97	2.10		
putative protein	AI995956	At5g52060	46	98	2.08		
unknown protein	AI996100	At2g35630	47	99	2.06		
hypothetical protein	AI996039	At3g27050	48	100	2.05		
unknown protein	AI996020	At5g51720	49	101	2.04		
putative protein	AW004101	At4g39730	51	103	2.03		
hypothetical protein	AI998372	At2g01280	52	104	2.03		
unknown protein	AI999573	At3g61060			2.00		
unknown protein	AI998562	At2g35760			2.00		

047-E2F-PROV

No hit (2)							
no hit on genome	AI995890				2.54		
no hit on genome	AI999010				2.23		
Cell wall biogenesis (4)							
similar to polygalacturonase-like protein	AI993509	At1g10640	50	102	3.62	maize AY106712.1, rice BAC06884.1	
putative xyloglucan endo- transglycosylase	AI997647	At2g36870			2.51		
pectate lyase 1-like protein	AI994801	At1g67750			2.40		
xyloglucan endo- transglycosylase	AI998832	At3g44990			2.35		
Metabolism and biogenesis (24)							
fructose-biphosphate aldolase-like protein	AI994456	At4g26530			5.99	ATTGGCCC	
sucrose-phosphate synthase-like protein	AI995432	At4g10120			4.84		
putative branched-chain amino acid aminotransferase	AI997263	At3g19710			3.31		
vitamine c-2	AI997404	At4g26850	20	72	3.04	TTTGCCGC	maize AY105327, rice BAB90526.1
nicotianamine synthase	AI993200	At5g04950			2.86		
beta-fructosidase	AI994670	At1g62660			2.66	TTTCCCCC	
neoxanthin cleavage enzyme-like protein	AI997269	At4g19170			2.66		
putative starch synthase	AI997174	At1g32900			2.63		
cytochrome P450 monooxygenase (CYP83A1)	AI994017	At4g13770			2.57		
beta-amylase-like protein	AI999322	At5g18670			2.53		
FR01-like protein; NADPH oxidase-like	AI995987	At5g49740			2.46		
putative hydrolase	AI997149	At3g48420			2.39		
fumate hydratase	AI997067	At5g50950			2.31	TTTGCCGC	
5'-adenylylsulfate reductase	AI992757	At1g62180			2.30	TTTCCCCC	
5'-adenylylsulfate reductase	AI998614	At4g04610			2.30		
UDP rhamnose- anthocyanidin-3-glucoside rhamnosyltransferase - like protein	AI996803	At4g27560			2.24		
cytochrome P450-like protein	AI993171	At5g48000			2.23		
lactoylglutathione lyase- like protein	AI994552	At1g11840			2.20		
putative beta-glucosidase	AI995306	At4g27820			2.20	ATTGGCCC	
adenine phosphoribosyltransferas e-like protein	AI994567	At4g22570			2.18		
catalase	AI995830	At4g35090			2.17	ATTCCCCC	
putative glutathione peroxidase	AW004143	At2g25080			2.15		

047-E2F-PROV

putative adenosine phosphosulfate kinase	AW004219	At2g14750		2.13		
tyrosine transaminase like protein	AI996914	At4g23600		2.13		
Transcription factors (5)						
homeobox-leucine zipper protein ATHB-12	AI994027	At3g61890		4.20		
NAC domain protein NAC2	AI992865	At1g69490		3.68		
myb-related transcription factor	AI995298	At1g71030		2.78		
dof zinc finger protein	AI994875	At1g51700		2.30		
MYB-related transcription factor (CCA1)	AI992931	At2g46830		2.19		
Signal transduction (9)						
serine/threonine protein kinase-like protein	AI995557	At5g10930		3.91		
subtilisin proteinase-like	AI993428	At4g21650		3.19		
putative oligopeptide transporter	AI996160	At4g10770		2.68		
putative lectin	AI998542	At3g16400		2.52		
Ca2+-dependent membrane-binding protein annexin	AI998553	At1g35720		2.45		
putative WD repeat protein	AI997238	At3g15880		2.38		
putative lectin	AI999016	At3g16390		2.35		
putative lectin	AI993358	At3g16530		2.31		
SNF1 related protein kinase (ATSRPK1)	AI993111	At3g23000		2.06		
Others (25)						
putative protease inhibitor Dr4	AI995265	At1g73330		10.30		
major latex protein homolog - like	AI998305	At2g01520		4.27		
pollen allergen-like protein	AI993041	At1g24020		3.56		
putative heat shock protein	AI997846	At1g06460		3.55		
putative fibrillin	AI997199	At4g04020		3.55		
major latex protein homolog - like	AI997255	At1g70890		3.50		
putative nematode-resistance protein	AI993740	At2g40000		2.95		
putative auxin-regulated protein	AJ508998	At2g46690		2.86		
putative myrosinase-binding protein	AI997583	At2g39310		2.61		
ubiquitin-conjugating enzyme-like protein	AI997782	At5g56150		2.41		
ubiquitin-conjugating enzyme E2-17 kD 8	AI994771	At5g41700		2.40		
vegetative storage protein Vsp2	AI999152	At5g24770		2.35		
heat shock protein 70	AI994044	At3g12580		2.24		
chloroplast outer envelope membrane	AI997015	At3g63160		2.20		

047-E2F-PROV

protein								
translation initiation factor-like protein	AI992786	At5g54940			2.15			
pseudogene	AI995323	At2g04110			2.07			
vegetative storage protein Vsp1	AI999546	At5g24780			2.06			
dehydrin ERD10	AI997518	At1g20450			2.06			
MTN3-like protein	AI997159	At3g48740			2.05			
putative chlorophyll A-B binding protein	AI994859	At3g27690			2.05			
photosystem I reaction centre subunit psaN	AI997939	At5g64040			2.03			
AR781, similar to yeast pheromone receptor	AI998194	At2g26530			2.03			
putative lipid transfer protein	AI997024	At2g15050			2.03			
peroxidase ATP3a	AI998372	At5g64100			2.03			
myosin heavy chain-like protein	AI999224	At3g16000			2.01			

- * this sequence is present in the MIPS database version of 25 july 2002
- ** this record has a n updates MIPS accession number At5g50101.

047-E2F-PROV

Table 3. Number of E2F elements in the different datasets

	All genes (4518)	Upregulated genes (88)	Downregulated genes (105)
TTTCCCC	62	2	3
TTTCCCGC	40	6	0
TTTCGCC	15	0	0
TTTCGCC	13	1	0
TTTGCCCC	37	1	1
TTTGCCGC	20	0	1
TTTGGCC	55	0	2
TTTGGCGC	15	1	0
ATTCCCC	10	0	2
ATTCCCGC	6	0	0
ATTCGCC	8	0	0
ATTCGCC	14	0	0
ATTGCCCC	13	0	0
ATTGCCGC	10	1	0
ATTGGCC	44	0	2
ATTGGCGC	9	1	0
Total	371	13	11

047-E2F-PROV

Tab 4: Arabidopsis genes 1.3 fold or more upregulated in E2F _a /Dpa plants			
	Gene name	Accession number	Ratio
1	putative protein	0 At5g51100	1.42
2	endo-1,4-beta-glucanase	9E-27 At1g70710	1.85
3	mitochondrial elongation factor Tu	1E-125 At4g02930	1.39
4	glycine-rich protein (clone AtGRP8)	1E-155 At4g39260	1.33
5	UTP-glucose glucosyltransferase	0 At5g66690	1.59
6	lipid-transfer protein-like	0 At5g01870	2.33
7	putative auxin-regulated protein	6E-68 At4g34760	1.48
8	histone H1, putative	0 At1g06760	2.27
9	APETALA2 protein	0 At4g36920	1.44
10	putative histone H2A	0 At1g08880	1.84
11	monosaccharide transporter STP3	2E-69 At5g61520	2.05
12	receptor-protein kinase-like protein	8E-64 At3g51550	1.33
13	SET-domain protein-like	1E-140 At5g04940	1.38
14	homeodomain transcription factor (ATHB-6)	0 At2g22430	2.30
15	putative protein	0 At4g33700	1.85
16	hypothetical protein	1E-139 At1g05800	1.34
17	unknown protein	0 At1g33410	1.37
18	hypothetical protein	1E-140 At4g17060	1.41
19	putative protein	0 At5g19820	1.44
20	putative protein	1E-16 At3g53670	1.54
21	regulatory subunit of protein kinase CK2	0 At3g60250	1.51
22	delta 9 desaturase, putative	0 At1g06090	1.85
23	putative protein	0 At5g06360	1.48
24	acetyl-CoA carboxylase, putative, 5' partial	0 At1g36170	1.49
25	hypothetical protein	0 At1g56150	1.97
26	seed imbibition protein-like	0 At5g20250	2.05
27	unknown protein	1E-146 At1g76010	1.64
28	homeobox-leucine zipper protein-like	0 At5g47370	2.21
29	kinesin-like protein	0 At5g54670	1.69
30	putative protein	0 At3g48050	1.75
31	putative protein	0 At5g03040	1.34
32	xyloglucan endo-1,4-beta-D-glucanase precursor	0 At4g30270	3.74
33	putative WD-40 repeat protein	0 At2g19540	1.75
34	putative protein	1E-132 At3g54480	1.44
35	hypothetical protein	0 At1g15750	1.70
36	hypothetical protein	0 At1g66200	2.06
37	putative protein	0 At3g50630	1.40
38	unknown protein	0 At2g30930	1.30
39	putative protein	6E-91 At5g37720	1.80
40	unknown protein	1E-146 At5g54310	1.61
41	hypothetical protein	0 At1g48920	1.98
42	hypothetical protein	0 At1g17750	1.38
43	nuclear RNA binding protein A-like protein	0 At4g17520	1.43
44	unknown protein	0.0004 At1g10890	1.38
45	histone H2A-like protein	0 At4g27230	2.23

047-E2F-PROV

46	phytochelatin synthase (gb AAD41794.1)	0	At5g44070	1.39
47	RNA-binding protein cp29 protein	1E-159	At3g53460	1.54
48	putative RNA-binding protein	0	At3g25150	1.48
49	alcohol dehydrogenase	0.2	At5g42250	1.34
50	putative 60S ribosomal protein L6	1E-170	At1g74060	1.37
51	calmodulin-binding protein	1E-114	At5g57580	1.40
52	putative protein	3E-23	At4g20310	2.01
53	putative protein kinase	0	At1g08720	1.33
54	hypothetical protein	0	At3g12200	1.34
55	putative phosphatidylserine decarboxylase	0	At4g25970	1.38
56	unknown protein	0	At2g03120	1.31
57	unknown protein	0	At1g14880	1.48
58	histone H2A.F/Z	0	At3g54560	1.85
59	4-coumarate-CoA ligase - like	0	At4g19010	1.35
60	putative protein	0	At3g45040	1.72
61	unknown protein	0	At3g19540	1.84
62	putative protein	0	At4g34410	1.36
63		0	At1g61260	1.97
64	putative protein	0	At3g61490	1.32
65	lipoxygenase	0	At1g17420	1.34
66	putative SecA-type chloroplast protein transport factor	0	At4g01800	1.38
67	putative DNA-binding protein	0	At4g01260	1.49
68	hypothetical protein	0	At1g20580	1.37
69	hypothetical protein	2E-80	At1g47530	1.39
70	unknown protein	0	At2g37570	1.84
71	bZIP transcription factor-like protein	0	At3g62420	1.32
72	putative protein	1E-154	At3g56720	1.39
73	hypothetical protein	0	At1g76860	1.32
74	6-phosphogluconate dehydrogenase	2E-80	At5g41670	1.48
75	ferritin 1 precursor	0	At5g01600	1.38
76	putative ABC transporter	0	At1g71330	1.71
77	hypothetical protein	0	At1g27300	1.30
78	myrosinase precursor	0.87	At5g26000	2.81
79	unknown protein	0	At1g10270	1.47
80	putative protein	3E-88	At5g18650	1.33
81	hypothetical protein	6E-40	At2g36090	1.32
82	unknown protein	0	At1g43910	1.42
83	hypothetical protein	0	At1g07000	2.43
84	hypothetical protein	0	At1g18260	1.43
85	putative pre-mRNA splicing factor	0	At4g03430	1.49
86	putative protein	0	At5g11810	1.32
87	hypothetical protein	1E-151	At4g30150	1.41
88	S-receptor kinase -like protein	0	At4g32300	1.52
89	disease resistance RPP5 like protein	1E-175	At4g16950	1.64
90	unknown protein	2E-58	At1g76520	1.44
91	putative protein	1E-144	At5g14420	2.05
92	putative glucosyltransferase	4E-78	At1g23480	1.31
93	putative protein	1E-144	At4g28470	1.34

047-E2F-PROV

94	putative protein	0	At4g29830	1.55
95	putative auxin-regulated protein	0	At2g33830	1.41
96	putative protein	7.9	At5g81550	1.38
97	unknown protein	0	At1g44810	1.39
98	protein phosphatase - like protein	1E-59	At5g02760	1.76
99	hypothetical protein	2E-21	At4g17800	1.59
100	hypothetical protein	0	At1g54080	1.58
101	xyloglucan endo-transglycosylase, putative	0	At1g14720	2.51
102	putative protein	0	At3g49320	1.70
103	beta-1,3-glucanase - like protein	0	At3g55430	2.05
104	putative protein	0	At3g45730	5.14
105	ubiquitin-conjugating enzyme E2-21 kD 1 (ubiquitin-protein ligase)	0	At5g41340	1.32
106	putative reticuline oxidase-like protein	0	At1g30720	1.31
107	DNA (cytosine-5)-methyltransferase (DNA methyltransferase) (DNA)	0	At5g49160	5.37
108	putative protein	0	At4g32030	1.38
109	unknown protein	0.000000003	At2g32710	1.46
110	E2F transcription factor-1 E2F1	1E-155	At5g22220	1.52
111	putative protein	0	At5g48820	1.80
112	putative E2F5 family transcription factor	1E-154	At2g36010	94.88
113				1.48
114	protein kinase cdc2 homolog B	0	At3g54180	2.60
115	putative WRKY DNA-binding protein	1E-164	At2g03340	1.43
116	hypothetical protein	0	At4g13670	1.56
117	xyloglucan endo-1,4-beta-D-glucanase-like protein	0	At4g30280	2.74
118	hypothetical protein	1E-121	At1g18630	1.41
119	putative protein	0	At5g35735	1.52
120	putative protein kinase	0	At2g47060	1.32
121	putative protein	0.1	At3g43690	2.18
122	70kD heat shock protein	0	At2g32120	1.57
123	nitrate reductase	0	At1g37130	2.15
124	beta-amylase	0	At5g55700	1.55
125	multicatalytic endopeptidase complex alpha chain	0	At3g51260	1.57
126	putative protein	0.029	At5g36190	2.55
127	putative protein	0	At4g00830	1.39
128	monodehydroascorbate reductase (NADH) - like protein	0	At5g03630	1.33
129	unknown protein	1E-107	At3g04350	1.42
130	hypothetical protein	0	At1g70090	3.38
131	E2 ubiquitin-conjugating-like enzyme Ahus5	0	At3g57870	1.38
132	putative protein	5E-25	At3g63070	1.35
133	hypothetical protein	0	At4g28330	2.23
134	cellulose synthase catalytic subunit, putative	1E-174	At1g55850	2.07
135	putative protein	0	At5g48410	1.54
136	putative polynucleotide phosphorylase	1E-136	At3g03710	1.53
137	hypothetical protein	0	At1g19180	1.32
138	hypothetical protein	0	At3g12270	1.83
139	sugar transporter like protein	0	At4g36670	2.27
140	hypothetical protein	1E-105	At2g39910	1.30

047-E2F-PROV

141	putative phytochrome A	0	At1g09570	2.45
142	hypothetical protein	0	At1g64600	1.49
143	putative protein	0	At5g23610	1.60
144	putative protein	1E-177	At3g56360	1.39
145	cyclophilin-like protein	0	At3g63400	1.33
146	unknown protein	0	At2g37940	1.35
147	zinc finger protein, putative	1E-53	At1g75540	1.46
148	putative protein kinase	1E-19	At2g24360	1.48
149	putative glucosyltransferase	0	At2g15490	2.15
150		0	At1g60140	1.72
151	unknown protein	0	At1g43850	1.45
152	hypothetical protein	0	At3g14120	1.77
153	putative AP2 domain transcription factor	0	At2g41710	1.65
154	transcriptional regulator protein, putative	6E-71	At3g26640	1.51
155	hypothetical protein	0.026	At1g55370	1.35
156	unknown protein	0	At3g28920	1.93
157	hypothetical protein	0	At3g03750	1.43
158	hypothetical protein	2E-12	At4g27610	1.34
159	translation initiation factor eIF-2 beta chain - like protein	2E-11	At5g20920	1.33
160	unknown protein	0	At2g26280	1.53
161	unknown protein; similar to ESTs gb T41672.1, gb A1992710.1, and	0	At1g78420	1.39
162	elongation factor, putative	3E-14	At1g56070	1.99
163	anthranilate N-benzoyltransferase - like protein	1E-120	At5g01210	1.66
164	putative protein	1E-178	At4g39680	1.43
165	unknown protein	0	At3g05380	1.92
166	splicing factor At-SRp40	0	At4g25500	1.52
167	cdc2-like protein kinase	0	At5g10270	1.77
168	calcium-dependent protein kinase	1E-169	At3g57530	1.39
169	phosphoprotein phosphatase, type 1 catalytic subunit	0	At2g29400	1.48
170	putative mitochondrial translation elongation factor G	0	At2g45030	1.65
171	long-chain-fatty-acid--CoA ligase-like protein	0	At5g27600	1.34
172	cytochrome c, putative	4E-26	At3g27240	1.36
173	En/Spm-like transposon protein	0	At2g40070	1.41
174	putative phospho-ser/thr phosphatase	0	At4g03080	1.41
175	chloroplast 50S ribosomal protein L22, putative	6E-77	At1g52370	1.40
176	unknown protein	0	At2g15890	1.34
177	putative protein	0	At4g26750	1.55
178	receptor-protein kinase-like protein	0	At5g54380	2.59
179				1.55
180	phosphoglycerate kinase, putative	1E-155	At3g12780	1.88
181	putative HMG protein	0	At2g17560	1.45
182	hypothetical protein	0	At1g76100	1.36
183	protein kinase cdc2 homolog B	0	At3g54180	2.39
184	T-complex protein 1, beta subunit	0	At5g20890	1.39
185	proline oxidase, mitochondrial precursor (osmotic stress-induced)	0	At3g30775	1.45
186	linker histone protein, putative	1E-126	At1g14900	1.33
187	hypothetical protein	0	At1g27500	2.21

047-E2F-PROV

188	ARF1-binding protein	0	At5g62010	1.58
189	putative protein	0	At5g16270	1.37
190	putative protein	1E-173	At5g13850	1.32
191	unknown protein	0	At1g09070	2.19
192	RAN2 small Ras-like GTP-binding nuclear protein (Ran-2)	0	At5g20020	1.30
193	phosphoprotein phosphatase (PPX-1)	0	At4g26720	1.42
194	nuclear protein-like	0	At5g64270	1.45
195	ornithine carbamoyltransferase precursor	0	At1g75330	1.41
196	unknown protein	0	At2g41850	1.67
197	putative protein	0	At5g17840	1.66
198	hypothetical protein	0	At1g57990	2.02
199	hypothetical protein	0	At4g15760	1.64
200	glycine-rich protein 2 (GRP2)	0	At4g38680	1.72
201	hypothetical protein	1E-113	At2g41780	2.60
202	RNA-binding protein, putative	8E-95	At3g20250	1.46
203	gda-1, putative	2E-15	At3g27090	1.46
204	beta-fructofuranosidase 1	0	At3g13790	1.32
205	26S proteasome subunit 4-like protein	0	At4g29040	1.51
206	putative protein	1E-59	At1g33980	1.42
207	hypothetical protein	0	At1g57880	2.68
208	unknown protein	0	At1g29980	1.98
209	60S ribosomal protein - like	0	At5g02870	1.39
210	REVOLUTA or interfascicular fiberless 1	0	At5g60690	1.34
211	RAC-like GTP-binding protein ARAC4	1E-180	At1g20090	1.78
212	unknown protein	2E-42	At3g07390	1.34
213	unknown protein	0	At5g65660	1.70
214	unknown protein	1E-154	At3g05040	1.52
215	putative DNA gyrase subunit A	1E-153	At3g10690	2.20
216	putative protein	0	At3g49170	1.53
217	eukaryotic cap-binding protein (gb AAC17220.1)	0	At5g18110	1.41
218	phosphoethanolamine N-methyltransferase, putative	0	At1g73600	1.62
219	unknown protein	0	At2g30590	2.78
220	RAN1 small Ras-like GTP-binding nuclear protein (Ran-1)	0	At5g20010	1.46
221	putative protein	1E-104	At4g24280	1.32
222	putative auxin-regulated protein	0	At2g45210	1.33
223	adenylosuccinate synthetase	0	At3g57610	1.39
224	putative protein	0	At5g14530	2.70
225	putative ubiquitin activating enzyme E1 (ECR1)	0	At5g19180	1.63
226	putative mitochondrial processing peptidase	0	At3g02090	1.40
227	putative protein	0	At3g48530	1.55
228	putative protein	0	At3g48530	1.55
229	hypothetical protein	0	At1g20330	1.47
230	hypothetical protein	0	At4g02580	1.36
231	putative pyrophosphate-fructose-6-phosphate 1-phosphotransferase	0	At1g12000	1.49
232	putative receptor-like protein kinase	0	At2g02220	1.55
233	putative protein	1E-104	At4g02440	1.40
234	non-phototropic hypocotyl, putative	0	At1g30440	1.57

047-E2F-PROV

235	histone deacetylase	0	At5g63110	1.36
236	putative protein	0	At5g66580	3.18
237	multicatalytic endopeptidase complex, proteasome precursor, beta	0	At4g31300	1.42
238	fibrillar - like protein	6E-77	At4g25630	1.30
239	hypothetical protein	8E-45	At1g54060	1.36
240	histone H1, partial	0	At2g30620	1.58
241	hypothetical protein	0	At3g09030	1.45
242	enoyl-CoA hydratase - like protein	0	At4g31810	1.31
243	unknown protein	7E-12	At2g27080	1.51
244	myb-related transcription factor, putative	0	At3g23250	1.49
245	Alcohol Dehydrogenase	0	At1g77120	5.09
246	hypothetical protein	1E-132	At1g27590	1.38
247	unknown protein	0	At1g14710	1.36
248	putative receptor-like protein kinase	0	At2g13790	1.68
249	putative protein	0	At5g14550	1.39
250	HOMEBOX PROTEIN KNOTTED-1 LIKE 4 (KNAT4)	1E-165	At5g11060	1.40
251	putative protein	1E-142	At5g15540	1.47
252	carbonyl reductase-like protein	7.4	At5g51030	2.17
253		1E-50	At1g53900	1.36
254	aspartate-tRNA ligase - like protein	0	At4g31180	1.62
255	unknown protein	1E-121	At3g06150	1.74
256	amino acid transporter protein-like	0	At5g55990	1.59
257	12-oxophytodienoate reductase (OPR1)	0	At1g76680	1.43
258	calnexin homolog	6E-25	At5g07340	1.39
259		0	At1g61100	2.06
260	homogentisate 1,2-dioxygenase	1E-78	At5g54080	2.01
261	glucosyltransferase-like protein	0	At4g34131	1.33
262	putative protein	0.36	At5g54890	1.35
263	hypothetical protein	0	At1g76070	1.31
264	putative protein	1E-179	At5g18310	1.56
265	DNA binding protein ACBF - like	0	At5g19350	1.36
266	hypothetical protein	0	At1g17210	1.69
267	putative protein	1E-111	At5g51220	1.48
268	RING finger protein	0	At3g61460	2.14
269	putative protein	0	At5g18580	1.32
270	putative protein kinase	0	At2g31010	1.35
271	chloroplast nucleoid DNA binding protein, putative	0	At1g01300	1.49
272	unknown protein	1E-143	At1g31130	1.40
273	splicing factor, putative	1E-16	At1g14650	1.56
274	putative TCP3 gb AAC24010.1; similar to ESTs gb T45419.1	0	At1g53230	1.38
275	unknown protein	0	At1g72790	1.71
276	ribosomal protein S6 - like	0	At4g31700	1.38
277	auxin-resistance protein AXR1	0	At1g05180	1.36
278	putative protein	0	At5g11030	1.43
279	putative 60S acidic ribosomal protein P0	0	At3g09200	1.47
280	mismatch binding protein, putative	0	At3g24320	2.10
281	T-complex chaperonin protein, epsilon subunit	0	At1g24510	1.47

047-E2F-PROV

282	putative protein	0	At4g24120	1.56
283	putative protein	4E-38	At5g53900	1.79
284	histidine transport protein (PTR2-B)	0	At2g02040	1.37
285	unknown protein	0	At3g10490	1.43
286	tubulin alpha-5 chain-like protein	0	At5g19770	1.60
287	putative non-LTR retroelement reverse transcriptase	0.006	At2g15510	4.71
288	unknown protein	1E-179	At2g41010	1.33
289	putative chloroplast outer envelope 88-like protein	0	At4g02510	1.45
290	serine/threonine-specific protein kinase NAK	0	At5g02290	1.56
291	unknown protein	0	At2g34680	1.45
292	hypothetical protein	0	At1g43170	1.69
293	phospholipase D, putative, 5' partial	0	At3g16785	1.50
294	CTP synthase-like protein	0	At1g30820	1.58
295	nitrilase 2	0	At3g44300	1.84
296	putative mitogen activated protein kinase kinase	0	At3g04910	1.34
297	putative protein	0	At4g27450	1.40
298	Phospholipase like protein	0	At4g38550	1.90
299	endomembrane-associated protein	3E-41	At4g20260	1.83
300	leucine-rich receptor-like protein kinase, putative	0	At1g72180	2.13
301	putative protein	0.81	At4g25930	1.54
302	WD-40 repeat protein MS11 (sp O22467); also highly similar to G1/S	0	At5g58230	1.72
303	oxysterol-binding protein - like	1E-171	At5g59420	1.31
304	putative protein	1E-178	At4g21840	1.40
305	blue copper binding protein	1E-50	At5g20230	2.30
306	UV-damaged DNA-binding protein- like	0.000000006	At4g21100	1.46
307	fatty acid hydroxylase (FAH1)	0	At2g34770	1.96
308	putative thymidine kinase	0	At3g07800	8.44
309	hypothetical protein	0	At1g79380	1.41
310	unknown protein	0	At2g15860	1.36
311	flower pigmentation protein ATAN11	0	At1g12910	1.41
312	hypothetical protein	0	At1g56290	1.33
313	putative protein	0	At3g62630	1.38
314		0	At1g61140	1.42
315	unknown protein	0	At3g16310	1.49
316	putative glucosyl transferase	0	At2g36800	1.36
317	putative protein	0	At4g25170	1.92
318	hypothetical protein	9E-39	At4g00450	1.36
319	glutathione S-transferase	0	At2g30860	1.49
320	unknown protein, 3' partial	0	At3g15095	1.42
321	unknown protein	0	At3g21080	1.31
322	TCH4 protein (gb AAA92363.1)	0	At5g57560	1.92
323	putative protein	0	At3g61600	1.34
324	receptor-like kinase, putative	0	At3g23750	2.06
325	putative 2,3-bisphosphoglycerate-independent phosphoglycerate	0	At1g09780	1.34
326	putative protein	0	At5g14250	1.51
327	DnaJ homologue (gb AAB91418.1))	0	At5g06910	2.32
328	hypothetical protein	0	At1g33250	1.35
329	unknown protein	0	At2g19800	1.81

047-E2F-PROV

330	aspartate carbamoyltransferase precursor (aspartate	3E-84	At3g20330	1.49
331	hypothetical protein	0	At1g16520	1.35
332	unknown protein	5E-19	At1g48620	1.33
333	putative protein	1E-18	At4g35750	1.39
334	hypothetical protein	1E-55	At3g13620	1.79
335	RNA helicase, DRH1	1E-179	At3g01540	1.56
336	putative 3-oxoacyl [acyl-carrier protein] reductase	0	At1g24360	1.42
337	putative cellular apoptosis susceptibility protein	1E-142	At2g48520	1.43
338	hypothetical protein	0	At1g01540	1.31
339	starch branching enzyme II	2E-61	At2g36390	1.36
340	40S ribosomal protein - like	0	At5g15200	1.32
341	putative protein	0	At4g13640	1.33
342	putative protein	0	At3g45970	1.32
343	hypothetical protein	0	At1g66160	1.31
344	AP2 domain containing protein RAP2.3	0.000000002	At3g16770	1.51
345	putative protein	1E-47	At5g02880	1.32
346	NADH-dependent glutamate synthase	0	At5g33460	2.25
347	ARGININE/SERINE-RICH SPLICING FACTOR RSP31	4E-59	At3g01860	1.31
348	hypothetical protein	1E-134	At1g55880	1.37
349	translation initiation factor eIF3 - like protein	6E-77	At4g20980	1.45
350	putative serine/threonine protein phosphatase catalytic subunit,	0	At2g42500	1.38
351	unknown protein	1E-105	At1g33480	1.91
352	COP1-interacting protein CIP8	0	At5g64920	1.40
353	nonphototropic hypocotyl 1	6E-16	At3g45780	1.47
354	putative protein	1E-78	At5g10860	1.32
355	putative protein	0	At5g19750	1.37
356	putative protein	1E-127	At3g52500	1.39
357	putative protein	0	At4g10280	1.76
358	cytochrome P450 monooxygenase	0	At4g31500	1.35
359	ethylene responsive element binding factor 1 (frameshift !)	1E-104	At4g17500	1.33
360	hypothetical protein	0	At1g17620	1.37
361	unknown protein	1E-123	At3g07390	1.42
362	putative protein kinase	0	At3g02880	1.46
363	DNA repair protein RAD23 homolog	0	At5g38470	1.42
364	GTP-binding protein - like	1E-25	At5g03520	1.57
365	putative protein	0	At3g63500	1.40
366	putative adenylate kinase	4E-19	At2g39270	1.37
367	protein kinase - like	6E-46	At5g59010	1.42
368	unknown protein	0	At3g04630	1.58
369		0	At1g73490	1.32
370	putative phospholipase D	0	At3g15730	1.51
371	importin alpha	1E-115	At3g06720	1.45
372	RING-H2 finger protein RHF2a	0	At5g22000	1.43
373	putative protein	2E-93	At4g19160	1.30
374	putative protein	0	At4g32440	1.41
375	putative protein phosphatase type 2C	0	At3g15260	1.61
376	putative protein	0	At5g39890	1.31

047-E2F-PROV

377	ribosomal protein	0	At4g16720	1.42
378	dormancy-associated protein	9E-15	At1g28330	2.01
379	auxin-inducible gene (IAA2)	0	At3g23030	1.65
380	unknown protein	5E-19	At1g76010	1.54
381	protein kinase ADK1-like protein	1.4	At4g28540	1.96
382	putative protein	0	At4g24210	1.36
383	hypothetical protein	0	At1g79530	1.40
384	putative trehalose-6-phosphate synthase	0	At1g68020	1.45
385	adenylate kinase	0	At5g63400	1.39
386	putative proline-rich protein precursor	0	At1g73840	1.56
387	putative protein	5E-87	At5g14370	1.37
388	hypothetical protein	0	At4g33290	1.70
389	cytochrome P450 monooxygenase (CYP71B3)	0	At3g26220	1.32
390	TMV resistance protein N - like	0	At4g19530	1.50
391	hypothetical protein	9E-70	At1g54830	1.33
392	3-ketoacyl-CoA thiolase	0	At2g33150	1.87
393	putative protein	0	At3g54350	1.35
394	hypothetical protein	1E-170	At4g02680	1.36
395	putative bHLH transcription factor	0	At2g46510	1.35
396	RNA-binding protein, putative	5E-84	At3g26420	1.55
397	putative lectin	3E-20	At3g09190	1.67
398	xyloglucan endotransglycosylase, putative	0	At3g23730	2.85
399	unknown protein	2E-33	At2g41170	1.32
400	putative protein	3E-78	At3g57150	1.67
401	putative glucose regulated repressor protein	0	At2g25490	1.81
402	putative AP2 domain containing protein RAP2.4 gl2281633; similar	1E-150	At1g78080	1.82
403	putative sulfate transporter	0	At1g80310	1.51
404	G protein alpha subunit 1 (GPA1)	0	At2g26300	1.44
405	protochlorophyllide reductase precursor	0	At4g27440	2.39
406	Shaggy related protein kinase tetha	0	At4g00720	1.52
407	putative protein kinase	0	At3g01300	1.49
408	RNA-binding protein-like protein	0	At3g47160	1.31
409	unknown protein	1E-150	At5g24670	1.47
410	zinc finger protein ZFP8	1E-144	At2g41940	1.42
411	GTP binding protein beta subunit	0	At4g34460	1.54
412	copla-like retroelement pol polyprotein	0	At2g22680	1.40
413	CONSTANS-like B-box zinc finger protein-like	0	At5g57660	1.36
414	unknown protein	3E-71	At3g10640	1.33
415	putative protein	0	At4g24690	1.91
416	NADH dehydrogenase	1E-124	At5g08530	1.42
417	unknown protein	0	At1g73820	1.35
418	monosaccharide transport protein, STP4	0.000000008	At3g19930	1.56
419	globulin-like protein	0	At1g07750	1.61
420	putative transitional endoplasmic reticulum ATPase	2E-58	At3g09840	1.51
421	putative monodehydroascorbate reductase	0	At1g63940	1.39
422	anthranilate phosphoribosyltransferase-like protein	0	At3g57880	1.42
423	H ⁺ -transporting ATP synthase chain 9 - like protein	6E-25	At4g32260	1.83
424	hypothetical protein	0	At1g02810	2.31

047-E2F-PROV

425	calmodulin-like protein	3E-63	At2g41410	1.52
426	putative protein	0	At5g15350	2.75
427	glutathione S-transferase	0	At2g30870	1.54
428	putative SWI/SNF complex subunit SW13	1E-138	At2g33610	1.32
429	MAP kinase kinase 2	0	At4g29810	1.39
430	adenosylhomocysteinase	1E-134	At4g13940	2.07
431	putative protein	0	At5g27780	1.40
432	unknown protein	0	At2g47450	1.67
433	putative protein	0	At4g33050	2.20
434	50S ribosomal protein L12-C	1E-138	At3g27850	1.38
435	26S proteasome AAA-ATPase subunit RPT4a (gb AAAF22524.1)	0	At5g43010	1.40
436	unknown protein	0.84	At3g01690	1.31
437	lipid transfer protein; glossy1 homolog	0	At5g57800	1.39
438	indoleacetic acid (IAA)-inducible gene (IAA7)	0.0000001	At3g23050	1.52
439	histone H2B - like protein	0	At5g59910	2.16
440	putative RNA helicase	0	At3g06480	1.47
441	unknown protein	8E-64	At1g19310	1.44
442	unknown protein	4E-96	At2g18440	1.38
443	unknown protein	0	At1g68220	1.59
444	unknown protein	1E-142	At2g20570	1.35
445	putative replication factor	1E-124	At1g21690	3.30
446	U2 snRNP auxiliary factor, small subunit	0	At5g42820	1.55
447	replication factor C - like	0	At5g27740	1.45
448	nuclear receptor binding factor-like protein	0	At3g45770	1.62
449	putative glycosyl transferase	0	At1g24170	2.39
450	histone H2A-like protein	4E-53	At5g27670	1.62
451	putative protein	1E-125	At5g48960	1.43
452	hypothetical protein	0	At1g53740	1.42
453	splicing factor - like protein	0	At3g53500	1.39
454	unknown protein	0	At1g50510	1.32
455	Fe(II) transport protein	0	At4g19690	1.37
456	hypothetical protein	0	At1g61730	1.43
457	unknown protein	0.000000007	At2g47440	2.50
458	cold-regulated protein COR6.6 (KIN2)	0	At5g15970	3.03
459	putative cytochrome C	0	At1g22840	1.30
460	unknown protein	0	At1g68580	2.13
461	putative Ser/Thr protein kinase	0	At1g16270	1.37
462	pseudogene	1E-138	At2g25970	2.15
463	unknown protein	0	At3g06380	1.67
464	Tic22, putative	3E-84	At3g23710	2.14
465	unknown protein	0	At1g09250	1.55
466	hypothetical protein	0	At1g72930	1.91
467	hypothetical protein	2E-18	At1g68820	1.43
468	histone H1	0	At2g18050	1.75
469	unknown protein	0	At1g08630	1.45
470	unknown protein, 5'partial	0	At3g18035	3.31
471	unknown protein	0	At1g04140	1.37
472	HAL3A protein	0	At3g18030	1.43

047-E2F-PROV

473	phi-1-like protein		0	At5g64260	3.38
474	hypothetical protein		0	At1g12770	1.35
475	pollen specific protein SF21		0	At5g56750	1.45
476	cysteine proteinase inhibitor like protein		1E-159	At4g16500	1.33
477	20S proteasome subunit C8 (PAG1/PRC3 ARATH)		1E-130	At2g27020	1.36
478	nodulin-like protein		1E-99	At1g75500	1.34
479	hypothetical protein		0	At1g72900	2.04
480	hypothetical protein		0	At2g35230	1.42
481	arm repeat containing protein homolog		0	At3g46510	1.40
482	putative protein		0	At5g87480	1.76
483	putative leucyl-tRNA synthetase		1E-118	At1g09620	1.52
484	Putative UDP-glucose glucosyltransferase		1E-164	At1g22400	2.34
485	alanine aminotransferase, putative		0	At1g17290	1.66
486	26S proteasome AAA-ATPase subunit RPT6a		0	At5g19990	1.36
487	Ruv DNA-helicase-like protein		0	At5g22330	1.59
488	small nuclear ribonucleoprotein, putative		0	At1g66700	1.33
489	unknown protein		0	At2g38310	2.79
490	protein phosphatase type 1 PP1BG		3E-91	At4g11240	1.51
491	hypothetical protein		3E-41	At2g43410	2.10
492	putative protein		0	At5g58600	1.42
493	nodulin-like protein		0	At1g80530	2.07
494	putative protein		0	At5g56170	1.65
495	dihydroxyacetone kinase, putative		1E-167	At3g17770	1.67
496	ribosomal protein - like		1E-155	At5g09770	1.44
497	101 kDa heat shock protein; HSP101-like protein		0	At5g57710	1.34
498	unknown protein		0	At5g51340	1.48
499	unknown protein		0	At3g05730	1.46
500	putative protein		1.7	At5g67570	2.60
501	mitochondrial chaperonin (HSP60)		0	At2g33210	1.75
502	putative protein		1E-177	At3g63270	1.34
503	growth factor like protein		0	At4g12720	1.78
504	RNA helicase, putative		0	At3g19760	1.54
505	pseudogene		1E-142	At2g34760	1.81
506	hypothetical protein		0	At3g21740	1.52
507	shaggy-like kinase beta		0	At3g81160	1.36
508	unknown protein		1E-165	At1g20100	1.35
509	24-sterol C-methyltransferase		1E-143	At5g13710	1.41
510	WD-40 repeat protein (MSI3)		0	At4g35050	4.89
511	hypothetical protein		0	At1g67120	1.51
512	putative protein (fragment)		0	At5g14930	1.46
513	putative protein		0.000001	At5g54180	1.78
514	hypothetical protein		1E-126	At1g20570	1.43
515	calcium-dependent protein kinase		0	At5g66210	2.96
516	nitrilase 2		1E-127	At3g44300	1.88
517	methionyl-tRNA synthetase - like protein		1E-173	At4g13780	1.33
518	putative protein		0	At4g24230	1.58
519	putative protein		2E-76	At5g19330	1.33
520	caffeoyl-CoA O-methyltransferase - like protein		1E-166	At4g34050	1.41
521	putative DNA binding protein		0	At4g27000	1.43

047-E2F-PROV

522	unknown protein	0	At1g55270	1.40
523	carbamoyl phosphate synthetase large chain (carB)	0	At1g29900	1.50
524	hypothetical protein	0.006	At4g02680	2.73
525	putative RNA helicase	0	At3g22310	1.53
526	molybdopterin synthase sulphurylase (gb AAD18050.1)	0	At5g55130	1.77
527	inner mitochondrial membrane protein, putative	0	At1g17530	1.55
528	putative protein kinase	0	At3g08760	1.90
529	putative JUN kinase activator protein	0	At1g22920	1.42
530	thaumatin, putative	0	At1g75800	1.56
531	DNA-binding protein	0	At3g14230	1.54
532	unknown protein	0	At2g01710	1.34
533	putative calcium binding protein	0	At2g43290	1.57
534	class 1 non-symbiotic hemoglobin (AHB1)	5E-93	At2g18060	1.88
535	glycine-rich RNA binding protein, putative	2E-52	At3g23830	1.38
536	unknown protein	2E-37	At2g01190	1.30
537	hydroxyethylthiazole kinase, putative	2E-71	At3g24030	1.35
538	putative protein translocase	0	At2g37410	1.51
539	putative protein	0.047	At5g61560	1.31
540	hypothetical protein	0.067	At1g35600	1.56
541	ethylene-insensitive 3	0	At3g20770	1.50
542	lipoxygenase AtLOX2	0	At3g45140	1.57
543	putative phosphatidic acid phosphatase	0	At2g01180	1.85
544	unknown protein	0.00005	At1g80860	1.30
545	unknown protein	2E-15	At3g28180	1.64
546	unknown protein	0	At3g02550	4.01
547	putative protein	0.019	At5g22260	1.95
548	actin - like protein	1E-180	At3g60830	1.36
549	DEAD-box protein abstrakt	0	At5g51280	1.53
550	putative DNA polymerase epsilon catalytic subunit	1.9	At2g27120	2.87
551	unknown protein	6E-59	At5g48020	1.40
552	protein kinase C inhibitor-like protein	0	At3g56490	1.58
553	putative PRP19-like spliceosomal protein	0	At2g33340	1.70
554	germin-like protein	0	At1g72610	1.67
555	putative protein	0.00001	At5g10050	1.32
556	putative protein	0	At4g34950	1.96
557	zinc finger protein	0	At5g66730	1.37
558	chaperonin gamma chain - like protein	1E-176	At5g26360	1.67
559		7E-15	At4g07410	1.42
560	putative DNA-binding protein	0	At4g12080	1.40
561	beta-glucosidase, putative	0	At1g52400	1.66
562	hypothetical protein	1E-44	At2g23140	1.66
563	homeobox protein	1E-43	At3g61150	1.63
564	glycine-rich protein	0	At4g36020	1.82
565	unknown protein	0	At3g01460	1.37
566	hypothetical protein	1E-134	At4g28190	1.40
567	predicted protein	5E-37	At4g32010	1.34
568	N-myristoyl transferase	1E-157	At5g57020	1.37
569	putative protein	0	At4g36780	1.61

047-E2F-PROV

617	isp4 like protein	0	At4g16370	1.77
618	putative protein	0	At4g08350	1.32
619	CALMODULIN-RELATED PROTEIN 2, TOUCH-INDUCED (TCH2)	0	At5g37770	1.55
620	20S proteasome subunit PAD2 (gb AAC32059.1)	0	At5g66140	1.50
621	glucosidase II alpha subunit	0	At5g63840	1.35
622	putative GAR1 protein	0	At3g03920	1.74
623	putative protein	3E-45	At5g08450	1.79
624	glutamate dehydrogenase (EC 1.4.1.-) 1 (pir S71217)	0	At5g18170	1.47
625	putative protein	0	At5g05660	1.32
626	Nonciathrin coat protein gamma - like protein	1E-143	At4g34450	1.43
627	unknown protein	0	At3g17860	1.60
628	similar to senescence-associated protein	0	At2g23810	1.59
629	putative protein	0	At5g60420	1.31
630	unknown protein	0	At1g28260	1.36
631	shaggy-like protein kinase etha (EC 2.7.1.-)	0	At4g18710	1.37
632	putative 26S protease regulatory subunit 6A	0	At1g09100	1.47
633	unknown protein	0	At3g21140	1.49
634	dynammin-like protein	0	At2g14120	1.40
635	scarecrow-like 1	2E-47	At1g21450	1.75
636	unknown protein	7E-40	At3g02710	1.30
637	putative protein	0	At5g50670	1.41
638	hellicase-like protein	1E-108	At5g44800	1.50
639	dynammin-like protein 4 (ADL4)	1E-100	At3g60190	1.32
640	unknown protein	0	At3g12790	1.31
641	putative Tub family protein	0	At2g47900	1.37
642	putative protein	1E-119	At5g13020	1.33
643	alanine aminotransferase, putative	1E-147	At1g17290	1.36
644	SCARECROW-like protein	0	At4g36710	1.49
645	alpha galactosyltransferase-like protein	0	At3g62720	3.26
646	putative protein	0	At4g31980	1.32
647	putative protein	1E-124	At3g56480	1.34
648	histone acetyltransferase HAT B	0	At5g56740	2.36
649	putative phosphoribosyl pyrophosphate synthetase	3E-97	At2g44530	1.45
650	AIG1	1E-130	At1g33960	1.45
651	hypothetical protein	0	At4g22190	1.69
652	hypothetical protein	0	At1g26180	1.33
653	putative protein	4E-84	At5g59000	1.61
654	hypothetical protein	0	At2g27660	1.66
655	unknown protein	0	At1g33400	1.38
656	hellicase-like protein	0	At5g44800	1.63
657	putative protein	0	At5g44920	1.43
658	putative RNA-binding protein	0	At1g22910	2.13
659	meiosis specific - like protein	0	At5g02820	2.62
660	isocitrate dehydrogenase - like protein	0	At5g14590	1.43
661	hypothetical protein	1E-139	At1g15500	1.63
662	putative protein	0.34	At5g52270	1.38
663	ABC transporter-like protein	0	At5g06530	1.63
664	heat-shock protein 90, putative	0	At1g27640	1.48

047-E2F-PROV

665	unknown protein	0	At3g07220	1.33
-----	-----------------	---	-----------	------

047-E2F-PROV

Tab 5: Arabidopsis genes 1.3 times (1/ratio) or more repressed in E2Fa/Dpa plants

	Gene name	E-value	MIPS accession Number	Ratio
1	putative glutathione peroxidase	0	At2g31570	0.51
2	phenylalanine ammonia lyase (PAL1)	0	At2g37040	0.65
3	unknown protein	0	At1g04040	0.62
4	putative protein	0	At4g25340	0.52
5	water channel - like protein	1E-129	At4g23400	0.70
6	catalase	0	At4g35090	0.46
7	stearoyl-ACP desaturase	2E-11	At2g43710	0.54
8	putative oligopeptide transporter	0	At4g10770	0.37
9	putative chloroplast 50S ribosomal protein L28	0	At2g33450	0.73
10	ferredoxin-NADP reductase precursor, putative	0	At1g20020	0.64
11	3-beta-hydroxysteroid dehydrogenase	1E-44	At2g26260	0.73
12	putative alanine aminotransferase	1E-127	At1g70580	0.51
13	hypothetical protein	4E-99	At1g56500	0.66
14	putative protein	0	At5g21940	0.64
15	putative protein	1E-158	At5g26970	0.70
16	actin depolymerizing factor 4 - like protein	0	At5g59890	0.68
17	hypothetical protein	7E-72	At3g45160	0.50
18	transporter-like protein	0.0000001	At3g53960	0.68
19	nicotianamine synthase (dbj BAA74589.1)	0	At5g04960	0.35
20	cytochrome P450 monooxygenase (CYP83A1)	0	At4g13770	0.39
21	unknown protein	0	At2g29660	0.77
22	hypothetical protein	0	At3g12580	0.56
23	unknown protein	0	At5g64130	0.52
24	putative protein	0	At3g61870	0.73
25	fructose-bisphosphate aldolase - like protein	0	At4g26530	0.17
26	lectin like protein	1E-124	At4g19840	0.74
27	unknown protein	0	At1g28140	0.72
28	feebly-like protein	0	At3g01420	0.73
29	beta-fructosidase	1E-105	At1g62660	0.38
30	unknown protein	0.000001	At1g15360	0.77
31				0.70
32				0.66
33				0.67
34	peptidylprolyl isomerase ROC1	0	At4g38740	0.76
35	hypothetical protein	1E-36	At2g06010	0.74
36	putative protein	1E-114	At4g30490	0.50
37	3-isopropylmalate dehydrogenase	0	At5g14200	0.61
38	putative copper/zinc superoxide dismutase	1E-93	At2g28190	0.77
39	putative myo-inositol 1-phosphate synthase	0	At2g22240	0.68
40	putative enolase (2-phospho-D-glycerate hydroxylase)	0	At2g29560	0.70
41	unknown protein	0	At5g43750	0.40
42	putative protein	1E-22	At4g32330	0.68
43	putative ferredoxin-thioredoxin reductase	0	At2g04700	0.75
44	hypothetical protein	1.3	At3g23290	0.59
45	putative cellulose synthase	0	At2g32530	0.58
46	putative protein	0	At5g43850	0.54

047-E2F-PROV

47	putative protein	0	At5g03010	0.58
48	hypothetical protein	0	At1g78140	0.61
49	unknown protein	0	At1g72590	0.35
50	hypothetical protein	0	At1g54450	0.59
51	hypothetical protein	0	At1g19110	0.73
52	endo-beta-1,4-glucanase, putative	0	At1g75680	0.70
53	unknown protein	0	At1g63010	0.76
54	hypothetical protein	2E-58	At4g24700	0.57
55	glyoxalase II	0	At1g53580	0.65
56	putative protein	0	At3g52370	0.53
57	unknown protein	0	At1g80280	0.57
58	protein phosphatase ABI1	0	At4g26080	0.71
59	33 kDa polypeptide of oxygen-evolving complex (OEC) in photosystem	1E-115	At5g66570	0.65
60	beta-xylosidase	1E-163	At5g64570	0.55
61	GDP-mannose pyrophosphorylase	0	At2g39770	0.62
62	peroxidase ATP20a (emb)[CAA67338.1]	0	At5g14130	0.67
63	putative glutathione transferase	0	At1g17190	0.71
64	putative protein	0	At4g38080	0.75
65		1E-179	At1g61190	0.70
66	50S ribosomal protein L24, chloroplast precursor	0	At5g54600	0.76
67	unknown protein	1E-179	At1g68260	0.55
68	subtilisin-like serine proteinase, putative, 3' partial	0	At3g14067	0.62
69	putative protein	0	At4g23890	0.59
70	unknown protein	0	At3g01690	0.70
71	putative protein	0	At3g56290	0.30
72	unknown protein	0	At2g39450	0.67
73	unknown protein	0	At5g64130	0.66
74	putative protein	0	At4g30140	0.54
75	ribulose biphosphate carboxylase small chain 3b precursor (RuBisCO)	1E-145	At5g38410	0.54
76				0.66
77				0.71
78	Myb DNA binding protein -like	0	At3g48130	0.75
79	putative 2-cys peroxiredoxin	0	At3g11630	0.64
80	putative trypsin inhibitor	0	At1g73260	0.59
81	O-methyltransferase	1E-127	At5g54160	0.62
82	hypothetical protein	2E-30	At1g29270	0.73
83	RP19 gene for chloroplast ribosomal protein CL9	9E-67	At3g44890	0.68
84	putative phosphoglyceride transfer protein	1E-178	At4g08690	0.57
85	putative protein	0	At5g63530	0.53
86	putative protein	0	At5g38720	0.68
87	hypothetical protein	0	At1g72030	0.68
88	unknown protein	9E-21	At5g09990	0.67
89	zinc finger protein ZAT7	0	At3g46090	0.73
90	putative nodulin	0	At3g05180	0.64
91	putative wound-induced basic protein	1E-160	At3g07230	0.75
92	hypothetical protein	0	At4g02920	0.38
93	putative protein	1E-154	At5g62220	0.73
94	myosin heavy chain-like protein	0	At3g16000	0.50
95	unknown protein	0	At1g09610	0.76
96	arabinogalactan protein - like	0	At5g03170	0.71

047-E2F-PROV

97	biotin carboxyl carrier protein of acetyl-CoA carboxylase precursor	0	At5g16390	0.69
98	centrin	0	At3g50360	0.74
99	vegetative storage protein Vsp1	0	At5g24780	0.48
100	protein kinase, putative	1E-61	At1g52310	0.63
101	unknown protein	1E-132	At2g42760	0.63
102	phenylalanine ammonia lyase (PAL1)	0	At2g37040	0.72
103	UDP rhamnose-anthocyanidin-3-glucoside rhamnosyltransferase - like	0	At4g27580	0.45
104	unknown protein	0	At2g17500	0.54
105	NAC domain protein, putative	0	At1g01720	0.72
106	ubiquitin-conjugating enzyme-like protein	2E-24	At5g56150	0.41
107	putative RNA-binding protein	1E-136	At2g37220	0.72
108	Overlap with bases 87,142-90,425 of 'IGF' BAC clone F9K20, accession	0	At1g78570	0.52
109	hypothetical protein	1E-105	At2g04040	0.52
110	isp4-like protein	0.44	At5g64410	0.39
111	ids4-like protein	0	At5g20150	0.58
112	unknown protein	3E-98	At1g44000	0.67
113	R2R3-MYB transcription factor	0	At3g50060	0.66
114	putative hexose transporter	0	At4g02050	0.68
115	one helix protein (OHP)	0	At5g02120	0.57
116	UDP-glucose dehydrogenase-like protein	0	At5g15490	0.74
117	putative protein	0	At3g54260	0.63
118	putative L5 ribosomal protein	0	At4g01310	0.75
119	putative myosin heavy chain	0	At2g37080	0.61
120	clpB heat shock protein-like	0	At5g15450	0.57
121		4E-71	At1g52510	0.66
122	beta-fructosidase, putative	0	At1g12240	0.55
123	hypothetical protein	0	At1g47670	0.69
124	putative protein	3E-36	At5g25890	0.75
125	predicted protein	1E-108	At4g31390	0.73
126	putative phospholipase	0	At2g39420	0.66
127	ATP-dependent transmembrane transporter, putative	0	At1g51460	0.74
128	H ⁺ -transporting ATP synthase-like protein	0	At4g09650	0.64
129	putative protein	0	At4g29590	0.77
130	unknown protein	0	At3g02640	0.49
131	phosphoenolpyruvate carboxylase (PPC)	0	At3g14940	0.77
132	pollen allergen-like protein	0	At1g24020	0.28
133	putative AUX1-like permease	0	At1g77690	0.73
134	putative protein	1E-127	At4g39730	0.49
135	homeobox-leucine zipper protein ATHB-12	0	At3g61890	0.24
136	putative protein	0	At5g10160	0.53
137	unknown protein	0	At1g71480	0.56
138	putative violaxanthin de-epoxidase precursor (U44133)	0	At1g08550	0.70
139	hClpP5, putative	0	At1g49970	0.68
140	hypothetical protein	0	At1g65260	0.57
141	putative protein	1E-135	At3g52360	0.38
142	putative protein	0	At5g26260	0.50
143		0	At1g25170	0.66
144	hypothetical protein	0	At1g79550	0.65
145	tubulin beta-2/beta-3 chain (sp)P29512)	2E-21	At5g62700	0.61

047-E2F-PROV

146	eukaryotic translation initiation factor 4E, putative	0	At1g29550	0.64
147	transport inhibitor response 1, putative	1E-175	At1g12820	0.77
148	osmotin precursor	1E-110	At4g11650	0.74
149	putative glutathione S-transferase TSI-1	0	At1g10360	0.72
150	protein ch-42 precursor, chloroplast	0	At4g18480	0.76
151	omega-3 fatty acid desaturase	0.000002	At2g29980	0.73
152	unknown protein	0	At2g44670	0.57
153	putative protein	0	At3g55330	0.51
154	putative calmodulin	0	At3g51920	0.55
155	plastid ribosomal protein L34 precursor, putative	1E-140	At1g29070	0.69
156	putative protein	0	At5g67070	0.66
157	putative 2Fe-2S iron-sulfur cluster protein	0	At3g16250	0.69
158	hypothetical protein	0	At1g42970	0.69
159	hypothetical protein	3E-69	At3g14190	0.60
160		1E-122	At1g77090	0.70
161	putative protein	0	At3g48420	0.42
162	actin 3	0	At2g37620	0.64
163	OEP8 like protein	4E-38	At4g15800	0.73
164	putative Ras-like GTP-binding protein	0	At3g09910	0.71
165	sulfolipid biosynthesis protein SQD1	0	At4g33030	0.68
166	oleosin isoform	0	At3g27860	0.81
167	acyl-CoA synthetase, putative	0	At1g64400	0.59
168	putative protein	1E-147	At3g61060	0.50
169	hypothetical protein	1E-117	At1g56200	0.84
170	putative protein	0	At4g13500	0.53
171	cinnamoyl CoA reductase, putative	0	At1g80820	0.72
172	hypothetical protein	1E-157	At4g28410	0.10
173	hypothetical protein	0	At1g54030	0.68
174	putative DNA-binding protein, GT-1	0	At3g25990	0.10
175	germin-like protein	0.0003	At3g05950	0.49
176	putative glutathione S-transferase	0	At2g29480	0.70
177	arabinogalactan-protein (gb)AAC77823.1)	0.000001	At5g64310	0.61
178	perilaxin - like protein	1E-151	At5g09530	0.71
179	zeaxanthin epoxidase precursor	0	At5g67030	0.52
180	putative photosystem I reaction center subunit IV	0	At2g20260	0.70
181	putative 60S ribosomal protein L18A	0	At3g14600	0.74
182	putative ethylene response element binding protein (EREBP)	0	At2g44840	0.72
183	unknown protein	0	At2g21970	0.50
184	RNA-binding protein cp33 precursor	0	At3g52380	0.73
185	unknown protein	1E-152	At2g34460	0.62
186	CONSTANS-like 1	1E-179	At5g15850	0.60
187	unknown protein	0	At1g75100	0.77
188		9E-66	At1g15990	0.57
189	unknown protein	0	At2g21960	0.46
190	unknown protein	0	At1g66330	0.69
191	putative protein	0	At4g26630	0.68
192	unknown protein	1E-99	At3g28230	0.72
193	hypothetical protein	1E-65	At1g55910	0.65
194	putative Na ⁺ -dependent inorganic phosphate cotransporter	0	At2g29650	0.52
195	hypothetical protein	4E-23	At1g02330	0.71
196	hypothetical protein	0	At1g29700	0.55

047-E2F-PROV

197	putative flavonol 3-O-glucosyltransferase	0	At2g18560	0.62
198	lycopene epsilon cyclase	0	At5g57030	0.60
199	hypothetical protein	0	At3g09150	0.75
200	putative protein	1E-150	At1g31710	0.50
201	hypothetical protein	0	At1g78850	0.69
202	putative protein	0	At4g32770	0.75
203	putative protein	2E-77	At4g22890	0.75
204	ripening-related protein - like	0	At5g20740	0.59
205	putative peroxidase ATP12a	0	At1g05240	0.65
206	hypothetical protein	7E-18	At4g01050	0.77
207	V-ATPase subunit G (vag2 gene)	0.0004	At4g23710	0.61
208	hypothetical protein	0	At1g58080	0.75
209	putative protein	2E-94	At5g19190	0.51
210	hypothetical protein	0	At1g48850	0.69
211	putative protein	0	At4g38800	0.75
212	similar to polygalacturonase-like protein emb CAA66811; similar to	0	At1g10640	0.28
213	putative glutathione S-transferase	0	At2g02390	0.73
214	putative calcium-binding EF-hand protein	3E-78	At2g33380	0.69
215	unknown protein	1E-113	At1g64680	0.57
216	unknown protein	0	At3g15660	0.58
217	putative protein	0	At5g22080	0.74
218	high mobility group protein 2-like	2E-24	At3g51880	0.71
219	similar to late embryogenesis abundant proteins	4E-50	At2g44060	0.61
220	putative protein	0	At4g34600	0.74
221	putative protein	2E-31	At5g52060	0.48
222	NADPH oxidoreductase, putative	0	At1g75280	0.53
223	hypothetical protein	0	At1g16720	0.62
224	unknown protein	0	At3g28130	0.75
225	glutaredoxin	0	At4g15690	0.73
226	putative protein	0.42	At3g47590	0.66
227	putative protein	0	At4g26630	0.70
228	putative polyprotein	1E-139	At4g04410	0.76
229	MTN3-like protein	0	At3g48740	0.49
230	hypothetical protein	0	At1g32900	0.38
231	unknown protein	0	At2g33180	0.77
232	hypothetical protein	0	At1g66890	0.69
233		0	At1g74730	0.74
234	putative ribosomal protein S9	1E-122	At1g74970	0.70
235	phenylalanine ammonia-lyase	3E-51	At3g53260	0.53
236	unknown protein	2E-27	At1g78110	0.76
237	unknown protein	0	At1g18300	0.75
238	putative polycarboxypeptidase	1E-174	At2g24280	0.64
239	unknown protein	1E-12	At3g24100	0.76
240	unknown protein	0	At3g18990	0.39
241	hypothetical protein	1E-127	At1g78890	0.75
242	unknown protein	5E-87	At2g21530	0.71
243	hypothetical protein	1E-172	At1g20340	0.71
244	putative glucosyltransferase	0	At2g31790	0.63
245	allergen like protein	1E-129	At4g17030	0.74
246	unknown protein	0	At1g73750	0.72
247	APG5 (autophagy 5)-like protein	0	At5g17290	0.70

047-E2F-PROV

248	putative protochlorophyllide reductase	0	At1g03630	0.57
249	zinc finger protein, putative	0	At3g19580	0.61
250	unknown protein	0	At2g35190	0.65
251	phosphate/triose-phosphate translocator precursor (gb AAC83815.1)	4E-33	At5g46110	0.73
252	unknown protein	0	At5g50840	0.77
253	hypothetical protein	0	At4g34090	0.69
254	hypothetical protein	0	At1g14340	0.64
255	unknown protein	0	At1g67860	0.42
256	tyrosine transaminase like protein	1E-180	At4g23600	0.47
257		1E-173	At1g53890	0.53
258	pectinesterase, putative	0	At1g41830	0.76
259	putative protein	4E-72	At5g45550	0.69
260	putative ligand-gated ion channel subunit	2	At2g32400	0.45
261	unknown protein	0	At3g19370	0.42
262	putative protein	5E-13	At5g62580	0.59
263	putative protein	0	At3g61080	0.42
264	putative squamosa-promoter binding protein 2	1E-162	At1g27360	0.74
265	sucrose-phosphate synthase - like protein	0	At4g10120	0.22
266	hypothetical protein	4E-23	At1g62180	0.43
267	ribosomal protein	0	At4g15000	0.75
268	MYB-related transcription factor (CCA1)	0	At2g46830	0.46
269	pinoreisnol-laricresinol reductase, putative	1E-124	At1g32100	0.72
270	putative protein	0	At3g52230	0.71
271	3-keto-acyl-CoA thiolase 2 (gb AAC18777.1)	0	At5g48880	0.57
272	putative protein	0	At3g46780	0.63
273	DNA-binding protein, putative	0	At1g01060	0.62
274	putative protein	3E-20	At4g30990	0.60
275	putative protein	0	At3g46780	0.69
276	hypothetical protein	1E-174	At1g28400	0.58
277	DNA binding protein - like	0	At5g61600	0.55
278	putative protein	0	At3g62260	0.72
279	putative CCCH-type zinc finger protein	0	At2g25900	0.63
280	ubiquitin-conjugating enzyme E2-17 kD 8 (ubiquitin-protein ligase)	3E-16	At5g41700	0.42
281				0.64
282	microbody NAD-dependent malate dehydrogenase	0	At5g09660	0.63
283	glyceraldehyde 3-phosphate dehydrogenase A subunit (GapA)	0	At3g26650	0.63
284	microbody NAD-dependent malate dehydrogenase	0	At5g09660	0.66
285	sedoheptulose-bisphosphatase precursor	0	At3g55800	0.54
286	putative Fe(II) transporter	1E-175	At2g32270	0.74
287	germin - like protein	0	At5g38940	0.75
288	putative malonyl-CoA:Acyl carrier protein transacylase	0	At2g30200	0.70
289	hypothetical protein	0	At1g19000	0.61
290	FRO1-like protein; NADPH oxidase-like	0	At5g49740	0.41
291	J8-like protein	0	At1g80920	0.51
292	putative protein	0	At4g34190	0.63
293	photosystem II stability/assembly factor HCF136 (sp O82860)	0	At5g23120	0.66
294	hypothetical protein	0	At4g24930	0.63
295	2-cys peroxiredoxin-like protein	0	At5g06290	0.69
296	putative protein	0	At3g53470	0.54

047-E2F-PROV

297	unknown protein	3E-96	At3g02180	0.71
298	F12P19.7	0	At1g65900	0.69
299	putative fibrillin	0	At4g04020	0.28
300	putative protein	0.13	At4g18810	0.72
301	hypothetical protein	1E-171	At1g50240	0.67
302	putative protein	0	At3g63210	0.76
303	unknown protein	0	At2g32870	0.47
304	Glucose-1-phosphate adenyltransferase (Apl.1/adg2)	0	At5g19220	0.64
305	unknown protein	1E-66	At2g46100	0.67
306	farnesyl diphosphate synthase precursor (gb AAB49290.1)	0	At5g47770	0.71
307	pyridoxine biosynthesis protein - like	0	At5g01410	0.47
308	hypothetical protein	0	At4g03820	0.71
309	putative myrosinase-binding protein	1E-47	At2g39310	0.38
310	unknown protein	0	At1g05870	0.44
311	heat shock protein, putative	0	At1g06460	0.28
312	RIBOSOMAL PROTEIN, putative	1E-175	At1g71720	0.76
313	elongation factor G, putative	0	At1g62750	0.65
314	mitochondrial Lon protease homolog 1 precursor (sp O64948)	0	At5g47040	0.76
315	cytochrome c	2E-37	At4g10040	0.72
316	hypothetical protein	1E-102	At4g03420	0.69
317	putative DnaJ protein	1E-160	At2g41000	0.73
318	hypothetical protein	0	At2g27290	0.61
319	putative protein	1E-117	At5g50100	0.40
320	phytoene synthase (gb AAB65697.1)	0	At5g17230	0.64
321	putative protein	0	At4g28230	0.73
322	hypothetical protein	0	At2g01260	0.49
323	unknown protein	0	At3g17520	0.71
324	Ran binding protein (AtRanBP1b)	0	At2g30060	0.73
325	putative protein	0	At4g32190	0.63
326	unknown protein	0	At1g19400	0.64
327	sucrose-phosphate synthase-like protein	0	At5g20280	0.67
328	putative protein	1E-136	At5g03545	0.45
329	biotin carboxyl carrier protein precursor-like protein	1E-124	At5g15530	0.54
330	unknown protein	4E-85	At1g16320	0.53
331	unknown protein	5E-16	At3g32930	0.68
332	putative protein	1E-142	At4g35290	0.74
333	glutathione S-transferase-like protein	0	At5g17220	0.66
334	fructose 1,6-bisphosphatase, putative	0	At1g43670	0.63
335	peptidylprolyl isomerase-like protein	2E-34	At5g13120	0.72
336	teosinte branched1 - like protein	0	At4g18390	0.63
337	putative protein	0	At3g51520	0.71
338	lactoylglutathione lyase-like protein	0	At1g11840	0.45
339	late embryogenesis abundant protein LEA like	0	At5g08760	0.55
340	putative protein	1E-177	At5g19590	0.71
341	putative protein	0	At3g63190	0.72
342	hypothetical protein	0	At1g69510	0.47
343	putative protein kinase	0	At2g30040	0.69
344	xyloglucan endo-transglycosylase	0	At3g44990	0.43
345	phospholipid hydroperoxide glutathione peroxidase	0	At4g11600	0.71
346	sedoheptulose-bisphosphatase precursor	0	At3g55800	0.51
347	Clp proteinase like protein	2E-55	At4g17040	0.75

047-E2F-PROV

348	unknown protein	0	At5g07020	0.68
349	unknown protein	2E-32	At5g51720	0.49
350	endomembrane protein, putative	1E-117	At1g14670	0.75
351	putative phosphomannomutase	0	At2g45790	0.66
352	putative protein	1E-95	At4g27280	0.46
353	mrp protein, putative	0	At3g24430	0.75
354	putative vacuolar ATPase	0	At4g02620	0.74
355	phosphate transporter, putative similar to Trp Asp repeat protein embjCAB39845.1; similar to EST	0	At3g26570	0.61
356	putative MAP kinase	0	At1g78070	0.74
357	putative MAP kinase	2E-18	At2g01450	0.51
358	ethylene-responsive transcriptional coactivator, putative	0	At3g24500	0.51
359	6-phosphogluconolactonase-like protein	0	At5g24420	0.52
360	beta-amylase-like protein	1E-175	At5g18670	0.40
361	hypothetical protein	3E-53	At1g20970	0.72
362	chloroplast 50S ribosomal protein L31, putative	0	At1g75360	0.74
363	cytochrome P450-like protein	0	At4g37320	0.67
364	putative potassium transporter AtKT5p (AtKT5)	0	At4g33530	0.76
365	putative ribosomal-protein S6 kinase (ATPK6)	0	At3g08730	0.63
366	hypothetical protein	0	At1g04770	0.68
367	transcription factor Hap5a	6E-74	At3g48590	0.60
368	putative protein	0	At5g20070	0.69
369	beta-expansin	0	At2g20750	0.72
370	SOUL-like protein	4E-82	At1g17100	0.71
371	unknown protein	0	At1g07080	0.40
372	unknown protein	1E-124	At2g20890	0.73
373	unknown protein	1E-160	At1g07280	0.72
374	unknown protein	0	At1g64680	0.65
375	ADPG pyrophosphorylase small subunit (gbjAAC39441.1)	0	At5g48300	0.68
376	unknown protein	0	At2g17340	0.61
377	hypothetical protein	0	At1g26800	0.74
378	unknown protein	0	At1g22930	0.67
379	polyphosphoinositide binding protein, putative	0	At1g01630	0.72
380	caffeoyl-CoA O-methyltransferase - like protein	0	At4g34050	0.67
381	pectinesterase	0	At5g53370	0.56
382	unknown protein	7E-75	At1g64370	0.43
383	p-nitrophenylphosphatase-like protein	0	At5g36790	0.52
384	putative protein	1E-172	At5g55960	0.64
385	serine/threonine protein kinase -like protein	0	At5g10930	0.26
386	cytosolic factor, putative	0	At1g72160	0.67
387	S-adenosylmethionine:2-demethylmenaquinone methyltransferase-like	1E-159	At5g56260	0.76
388	pectate lyase	0	At5g63180	0.67
389	vacuolar sorting receptor-like protein	0	At4g20110	0.70
390	putative membrane channel protein	0	At2g28900	0.76
391	putative thylakoid lumen rotamase	0	At3g01480	0.56
392	putative chloroplast prephenate dehydratase	0	At3g44720	0.73
393	3-oxoacyl-[acyl-carrier-protein] synthase I precursor	0	At5g46290	0.76
394	P-Protein - like protein	1E-108	At4g33010	0.73
395	NHE1 Na ⁺ /H ⁺ exchanger	1E-122	At5g27150	0.73
396	receptor kinase-like protein	0	At3g47580	0.72
397	raffinose synthase -like protein	0	At5g40390	0.59

047-E2F-PROV

398		0	At1g54780	0.63
399	unknown protein	0	At2g46170	0.73
400	beta-xylan endohydrolase -like protein	0.085	At4g33810	0.26
401	putative protein	1E-137	At4g12700	0.60
402	putative ribose 5-phosphate isomerase	0	At3g04790	0.76
403	putative protein	0	At5g47840	0.70
404	putative RNA-binding protein	0	At1g09340	0.57
405	adenine phosphoribosyltransferase (EC 2.4.2.7) - like protein	0	At4g22570	0.46
406	unknown protein	0	At3g15950	0.37
407	putative glutathione peroxidase	7E-12	At2g25080	0.46
408	putative protein	0	At5g23060	0.63
409	pectate lyase 1-like protein	0	At1g67750	0.42
410	putative triosephosphate isomerase	9E-61	At2g21170	0.66
411	carbonate dehydratase - like protein	0	At4g33580	0.72
412	putative protein	0	At5g37300	0.56
413	putative protein	1E-143	At3g60080	0.77
414	cystatin (emb)CAA03929.1)	2E-83	At5g12140	0.74
415	putative cytochrome b5	0	At2g46650	0.46
416	putative DNA-binding protein	0.00000002	At4g31550	0.63
417	hypothetical protein	1E-143	At3g21050	0.50
418	putative beta-hydroxyacyl-ACP dehydratase	0	At2g22230	0.59
419	2-oxoglutarate/malate translocator	0	At5g64290	0.77
420	hypothetical protein	1E-123	At3g27050	0.49
421	putative alcohol dehydrogenase	9E-64	At2g37770	0.64
422	hypothetical protein	1E-107	At1g18730	0.67
423	putative pectinacetylesterase	0	At4g19420	0.71
424	similar to ADP-ribosylation factor gb AAD17207; similar to ESTs	2E-80	At1g10630	0.67
425	hypothetical protein	0	At1g04420	0.67
426	putative protein	0	At4g26710	0.62
427	putative protein	0	At4g34630	0.72
428		0	At1g70890	0.29
429	RCc3- like protein	0	At4g22490	0.57
430	hypothetical protein	5E-53	At1g20450	0.49
431	glucosyltransferase-like protein	3E-31	At5g22740	0.65
432	glutathione S-transferase	0	At2g29450	0.52
433	putative protein	0	At3g44450	0.59
434	cysteine synthase	0	At5g28020	0.60
435		0	At4g04640	0.57
436	40S ribosomal protein S14	1E-25	At2g36160	0.67
437	putative protein	0	At4g19100	0.76
438	K Efflux antiporter KEA1	0	At1g01790	0.65
439	hypothetical protein	1E-169	At2g42980	0.66
440	cytochrome P450 like protein	0.11	At4g36380	0.48
441	unknown protein	8E-64	At2g01520	0.23
442	hypothetical protein	1E-157	At1g07130	0.66
443	putative protein	0.0005	At5g09620	0.62
444	unknown protein	0	At1g08470	0.66
445	putative protein	6E-37	At3g54600	0.70
446	DnaJ - like protein	1E-68	At4g39960	0.52
447	putative protein phosphatase 2C	1E-161	At1g78200	0.72

047-E2F-PROV

448	biotin synthase (Bio B)	0	At2g43360	0.67
449	unknown protein	3E-69	At3g17510	0.55
450	high mobility group protein 2-like	1E-107	At3g51880	0.66
451	putative proline-rich protein	0	At2g21140	0.57
452	cyclin delta-3	0	At4g34160	0.74
453	SERINE CARBOXYPEPTIDASE II - like protein	0	At4g30810	0.77
454	unknown protein	0	At1g67330	0.70
455	putative protein	7E-93	At3g56010	0.70
456	GTP-binding protein LepA homolog	0	At5g08650	0.76
457	unknown protein	0	At3g10420	0.42
458	putative protein	0	At3g51510	0.58
459	putative protein	0	At3g45870	0.73
460	putative enolase	0	At1g74030	0.65
461	putative protein	0.00003	At5g11680	0.71
462	putative protein	0	At5g26280	0.58
463	O-methyltransferase, putative	0	At1g21100	0.63
464	beta-1,3-glucanase class I precursor	0	At4g16260	0.51
465	protein phosphatase 2C (PP2C)	2E-27	At3g11410	0.67
466	root cap protein 2-like protein	1E-174	At5g54370	0.75
467	putative adenosine phosphosulfate kinase	0	At2g14750	0.47
468	putative protein	0	At4g30010	0.73
469	putative uroporphyrinogen decarboxylase	0.000000002	At2g40490	0.75
470	putative protein	1E-151	At3g57400	0.71
471	branched-chain amino acid aminotransferase, putative	1E-56	At3g19710	0.30
472	copa-like retroelement pol polyprotein	0	At2g19830	0.72
473	neoxanthin cleavage enzyme-like protein	0	At4g19170	0.38
474	hypothetical protein	0	At1g31860	0.70
475	unknown protein	0	At2g26570	0.61
476	asparagine synthetase ASN3	0	At5g10240	0.72
477	hypothetical protein	1E-80	At1g64770	0.56
478	expansin S2 precursor, putative	1E-114	At1g20190	0.51
479	5'-adenylylsulfate reductase	0	At4g04610	0.43
480	putative protein	0.088	At3g59680	0.71
481	putative MYB family transcription factor	4E-31	At2g37630	0.73
482	Putative protein kinase	3E-23	At1g51850	0.60
483	putative protein	0	At5g15910	0.76
484	AALP protein	0	At5g60360	0.63
485	putative galactinol synthase	0	At2g47180	0.69
486	cyanohydrin lyase like protein	0	At4g16690	0.56
487	putative protein	0	At5g03880	0.57
488	putative glucosyltransferase	0	At2g30150	0.73
489	cysteine endopeptidase precursor - like protein	0	At3g48350	0.65
490	unknown protein	1E-122	At3g07700	0.70
491	putative peroxidoxin	2E-86	At3g26060	0.76
492		0	At1g73500	0.58
493	hypothetical protein	7E-74	At1g64780	0.52
494	UDP glucose:flavonoid 3-o-glucosyltransferase, putative	2E-90	At1g30530	0.59
495	hypothetical protein	0	At4g02800	0.55
496	oxidoreductase -like protein	0	At3g55290	0.65
497	hypothetical protein	0	At1g50670	0.73
498	carnitine/acylcarnitine translocase-like protein	0	At5g46800	0.58
499		1E-169	At4g00780	0.57

047-E2F-PROV

500		0	At1g22630	0.76
501	cytochrome P450-like protein	0	At4g37330	0.72
502	putative endo-1,4-beta glucanase	8E-36	At4g02290	0.62
503	hevelin-like protein precursor	0	At3g04720	0.75
504	leucine zipper-containing protein AT103	1E-139	At3g56940	0.63
505	delta-1-pyrroline-5-carboxylate synthetase	0	At3g55610	0.69
506	remorin	0	At2g45820	0.76
507	putative protein	0	At5g22460	0.48
508	putative lectin	0	At3g16530	0.43
509	putative protein	9E-29	At5g26260	0.52
510	peptidylprolyl isomerase ROC4	0	At3g62030	0.61
511	O-methyltransferase, putative	0	At1g21130	0.63
512	putative zinc finger protein	0	At4g38960	0.72
513	putative hydroxyproline-rich glycoprotein	1E-173	At1g13930	0.58
514	putative protein 1 photosystem II oxygen-evolving complex	0	At3g50820	0.65
515	hypothetical protein	0	At1g66700	0.63
516	unknown protein	0	At1g52870	0.43
517	heat shock protein 90	0	At5g56010	0.75
518	Overlap with bases 87,142-90,425 of 'IGF' BAC clone F9K20, accession	1E-115	At1g78570	0.63
519	phosphoglycerate kinase, putative	1E-120	At3g12780	0.73
520	putative lectin	1E-25	At3g16400	0.40
521	profilin 2	0	At4g29350	0.77
522	HSP associated protein like	5E-16	At4g22670	0.75
523	putative cell division control protein, cdc2 kinase	1E-75	At1g20930	0.72
524	putative protein	1E-107	At5g08050	0.66
525	ribosomal protein S27	0	At5g47930	0.77
526	vacuolar H ⁺ -transporting ATPase 16K chain	0	At4g34720	0.76
527	expansin At-EXP5 similar to cold acclimation protein WCOR413 (Triticum aestivum)	3E-82	At3g29030	0.52
528		0	At2g15970	0.74
529	chloroplast membrane protein (ALBINO3)	1E-159	At2g28800	0.72
530	putative thioredoxin	1E-102	At1g08570	0.55
531	unknown protein	0	At1g08380	0.65
532	hypothetical protein	0	At1g07180	0.53
533	putative flavonol sulfotransferase	0	At1g74090	0.69
534	possible apospory-associated like protein	0	At4g25900	0.71
535	glycolate oxidase, putative	0	At3g14420	0.71
536	putative peroxidase ATP2a	0	At2g37130	0.75
537	putative protein	1E-154	At4g21880	0.75
538	hydroxypyruvate reductase (HPR)	0	At1g68010	0.74
539	photosystem I reaction centre subunit psaN precursor (PSI-N)	0	At5g64040	0.49
540	plastid ribosomal protein S6, putative	0	At1g64510	0.60
541	methylene-tetrahydrofolate reductase MTHFR1	0	At3g59970	0.72
542	putative photosystem I reaction center subunit II precursor	0	At1g03130	0.55
543	unknown protein	0	At3g10940	0.64
544	fumarate hydratase	0	At5g50950	0.43
545	LI3 protein	0	At5g47110	0.73
546	homeobox gene ATH1	0	At4g32980	0.76
547	putative lectin	3E-20	At3g16390	0.43
548	COP1-interacting protein 7 (CIP7)	0.0000001	At4g27430	0.67

047-E2F-PROV

549	putative acyl-CoA synthetase	0	At2g47240	0.51
550	unknown protein	0	At2g01590	0.88
551	hydroxymethyltransferase	0	At4g13930	0.72
552	hypothetical protein	1E-164	At1g68490	0.27
553	SNF1 related protein kinase (ATSRPK1)	1E-170	At3g23000	0.49
554	mevalonate diphosphate decarboxylase	6E-68	At2g38700	0.71
555	putative flavonol sulfotransferase	0	At1g74090	0.69
556	protein phosphatase 2C (AtP2C-HA)	0	At1g72770	0.59
557	cinnamoyl-CoA reductase - like protein	0	At4g30470	0.72
558	O-methyltransferase - like protein	0	At4g35160	0.50
559	pyruvate dehydrogenase E1 alpha subunit	0	At1g01090	0.77
560	putative chlorophyll A-B binding protein	0	At3g27690	0.49
561	putative UDP-N-acetylglucosamine pyrophosphorylase	0	At2g35020	0.69
562	putative protein	1E-121	At4g05590	0.75
563	Ca2+-dependent membrane-binding protein annexin	0	At1g35720	0.41
564	hypothetical protein	0	At2g35760	0.51
565	hypothetical protein	2E-15	At1g18840	0.71
566	hypothetical protein	0	At1g51140	0.53
567	aromatic amino-acid decarboxylase - like protein	0	At4g28680	0.73
568	unknown protein	3E-72	At2g35830	0.49
569	hypothetical protein	0	At1g78690	0.66
570	putative elongation factor P (EF-P)	0	At3g08740	0.74
571	unknown protein	0	At1g22750	0.76
572	putative protein	0	At3g63160	0.45
573	unknown protein	1E-150	At3g26510	0.55
574	aldo/keto reductase-like protein	0	At5g35580	0.69
575	glycine decarboxylase complex H-protein	0	At2g35370	0.53
576	thioredoxin (clone GIF1) (pI S58118)	3E-14	At5g42980	0.53
577	putative protein	1E-93	At4g28020	0.52
578	hypothetical protein	0	At1g18870	0.71
579	vegetative storage protein Vsp2	0	At5g24770	0.43
580	putative protein	3E-75	At4g17560	0.68
581	NBD-like protein (gb AAD20643.1)	0	At5g44110	0.58
582	photosystem I subunit V precursor, putative	1E-119	At1g55670	0.56
583	putative thaumatin	2E-36	At2g28790	0.64
584	hyoscyamine 6-dioxygenase hydroxylase, putative	0	At1g35190	0.71
585	H-protein promoter binding factor-like protein	0	At5g62430	0.51
586	putative protein	0	At4g04840	0.52
587	endo-xyloglucan transferase - like protein	0	At4g37800	0.68
588	putative protein	0	At4g26850	0.33
589	hypothetical protein	0	At3g12340	0.69
590	putative acetone-cyanohydrin lyase	0	At2g23610	0.68
591	putative transcription factor	0	At1g71030	0.36
592	hypothetical protein	1E-128	At1g19000	0.74
593	putative xyloglucan endo-transglycosylase	7E-27	At2g36870	0.40
594	hypothetical protein	3E-51	At1g58080	0.77
595	putative protein	1E-167	At5g36800	0.65
596	putative protein	1E-157	At4g30530	0.65
597	cinnamyl-alcohol dehydrogenase ELI3-1	0	At4g37980	0.54
598	putative CONSTANS-like B-box zinc finger protein	0	At2g47890	0.72
599	unknown protein	1E-123	At1g53480	0.60
600	protein phosphatase 2C-like protein	2E-55	At4g28400	0.72

047-E2F-PROV

601	putative protein	0	At5g60680	0.57
602	farnesyl-pyrophosphate synthetase FPS2	0	At4g17190	0.76
603	soluble inorganic pyrophosphatase, putative	0	At1g01050	0.59
604	putative nematode-resistance protein	1E-117	At2g40000	0.34
605	putative AP2 domain transcription factor	0	At2g23340	0.74
606	putative myo-inositol monophosphatase	3E-17	At3g02870	0.60
607	putative isoamylase	0	At1g03310	0.74
608	phosphate transporter (AtPT2)	0	At2g38940	0.76
609	putative disease resistance response protein	0	At4g11190	0.68
610	unknown protein	0	At2g45600	0.55
611	peroxidase ATP13a	0	At5g17820	0.70
612	unknown protein	0	At1g26920	0.74
613	putative mitochondrial carrier protein	0	At2g47490	0.69
614	actin depolymerizing factor 3 - like protein	1E-136	At5g59880	0.64
615	putative protein transport protein SEC23	1E-149	At2g21630	0.73
616	unknown protein	2E-30	At2g44310	0.74
617	putative protein	0	At4g21570	0.69
618	putative steroid binding protein	0	At2g24940	0.57
619	putative lipid transfer protein	0	At2g15050	0.49
620	hypothetical protein	0	At4g15510	0.75
621	unknown protein	3E-47	At3g25690	0.56
622	40S ribosomal protein S19 - like	0	At5g28060	0.73
623	putative auxin-regulated protein	0	At2g21210	0.56
624	unknown protein	0	At1g19350	0.71
625	unknown protein	1E-136	At1g07700	0.71
626	50S ribosomal protein L27	0	At5g40950	0.70
627	unknown protein	1E-105	At2g46540	0.69
628	ATP-sulfurylase	0	At4g14680	0.72
629	hypothetical protein	1E-107	At3g18890	0.64
630	putative protein	0	At3g59780	0.62
631	cytochrome P450 monooxygenase - like protein	0	At4g37410	0.56
632	hypothetical protein	2E-86	At1g61890	0.36
633	ubiquitin-conjugating enzyme, putative	0	At3g20060	0.66
634	hypothetical protein	0	At1g20810	0.74
635	hypothetical protein	0	At2g15020	0.45
636	unknown protein	0	At1g55480	0.52
637	UDP glucose:flavonoid 3-o-glucosyltransferase -like protein	0	At5g17050	0.56
638	hypothetical protein	0	At3g23670	0.69
639	putative protein	0	At4g34920	0.69
640	unknown protein	1E-100	At2g36630	0.71
641	unknown protein	3E-94	At1g56580	0.63
642	HSR201 like protein	0	At4g15390	0.75
643	heme oxygenase 1 (HO1)	0	At2g26670	0.74
644	putative beta-glucosidase	0	At4g27820	0.46
645	unknown protein	1E-122	At1g68440	0.45
646	predicted protein	0	At4g22820	0.54
647	putative kinesin heavy chain	0	At2g22610	0.72
648	putative protein	0	At4g27860	0.61
649	unknown protein	0	At2g37240	0.76
650	unknown protein	0	At1g30070	0.76
651	WD-repeat protein -like protein	0	At4g33270	0.57
652	unknown protein	0	At1g32220	0.60

REFERENCES

- Aapola, U., Liiv, I., and Peterson, P. (15-8-2002). Imprinting regulator DNMT3L is a transcriptional repressor associated with histone deacetylase activity. *Nucleic Acids Res.* **30** 3602-3608.
- 5 Ach, R. A., Taranto, P., and Gruissem, W. (1997). A conserved family of WD-40 proteins binds to the retinoblastoma protein in both plants and animals. *Plant Cell* **9** 1595-1606.
- Ait-Si-Ali, S., Poleskaya, A., Filleur, S., Ferreira, R., Duquet, A., Robin, P., Vervish, A., Trouche, D., Cabon, F., and Harel-Bellan, A. (11-5-2000). CBP/p300 histone acetyltransferase activity is important for the G1/S transition. *Oncogene* **19** 2430-2437.
- 10 Aldemita, R. R. and Hodges, T. K. (1996). *Agrobacterium tumefaciens*-mediated transformation of japonica and indica rice varieties. *Planta* **199** 612-617.
- Anderson, L. A. and Perkins, N. D. (16-8-2002). The large subunit of replication factor C interacts with the histone deacetylase, HDAC1. *J.Biol.Chem.* **277** 29550-29554.
- Bartee, L. and Bender, J. (15-5-2001). Two Arabidopsis methylation-deficiency mutations confer only partial effects on a methylated endogenous gene family. *Nucleic Acids Res.* **29** 2127-2134.
- 15 Campbell, P. and Braam, J. (1999). In vitro activities of four xyloglucan endotransglycosylases from Arabidopsis. *Plant J.* **18** 371-382.
- Chaboute, M. E., Clement, B., Sekine, M., Philipps, G., and Chaubet-Gigot, N. (2000). Cell cycle regulation of the tobacco ribonucleotide reductase small subunit gene is mediated by E2F-like elements. *Plant Cell* **12** 1987-2000.
- 20 Chan, M. T., Chang, H. H., Ho, S. L., Tong, W. F., and Yu, S. M. (1993). *Agrobacterium*-mediated production of transgenic rice plants expressing a chimeric alpha-amylase promoter/beta-glucuronidase gene. *Plant Mol.Biol* **22** 491-506.
- 25 Chen, T., Ueda, Y., Xie, S., and Li, E. (11-10-2002). A novel dnmt3a isoform produced from an alternative promoter localizes to euchromatin and its expression correlates with active de novo methylation. *J.Biol.Chem.* **277** 38746-38754.
- Cheng, S. H., Willmann, M. R., Chen, H. C., and Sheen, J. (2002). Calcium signaling through protein kinases. The Arabidopsis calcium-dependent protein kinase gene family. *Plant Physiol* **129** 469-485.
- 30 Cho, H. S. and Pai, H. S. (30-6-2000). Cloning and characterization of ntTMK1 gene encoding a TMK1-homologous receptor-like kinase in tobacco. *Mol.Cells* **10** 317-324.
- Clark, A. M. and Bohnert, H. J. (1999). Cell-specific expression of genes of the lipid transfer protein family from Arabidopsis thaliana. *Plant Cell Physiol* **40** 69-76.
- 35 Creighton (1984) Proteins. W.H. Freeman and Company.

047-E2F-PROV

- Creutz, C. E., Tomsig, J. L., Snyder, S. L., Gautier, M. C., Skouri, F., Beisson, J., and Cohen, J. (16-1-1998). The copines, a novel class of C2 domain-containing, calcium-dependent, phospholipid-binding proteins conserved from *Paramecium* to humans. *J.Biol.Chem.* **273** 1393-1402.
- 5 De Veylder, L., Beeckman, T., Beemster, G. T., de Almeida, Engler J., Ormenese, S., Maes, S., Naudts, M., Van Der, Schueren E., Jacqumard, A., Engler, G., and Inze, D. (15-3-2002). Control of proliferation, endoreduplication and differentiation by the Arabidopsis E2Fa-DPa transcription factor. *EMBO J.* **21** 1360-1368.
- Dean, R. M., Rivers, R. L., Zeldel, M. L., and Roberts, D. M. (5-1-1999). Purification and functional reconstitution of soybean nodulin 26. An aquaporin with water and glycerol transport properties. *Biochemistry* **38** 347-353.
- 10 Egelkrout, E. M., Robertson, D., and Hanley-Bowdoin, L. (2001). Proliferating cell nuclear antigen transcription is repressed through an E2F consensus element and activated by geminivirus infection in mature leaves. *Plant Cell* **13** 1437-1452.
- 15 Fanutti, C., Gidley, M. J., and Reid, J. S. (1993). Action of a pure xyloglucan endo-transglycosylase (formerly called xyloglucan-specific endo-(1 \rightarrow 4)-beta-D-glucanase) from the cotyledons of germinated nasturtium seeds. *Plant J.* **3** 691-700.
- Farkas, V., Sulova, Z., Stratilova, E., Hanna, R., and MacLachlan, G. (1-11-1992). Cleavage of xyloglucan by nasturtium seed xyloglucanase and transglycosylation to xyloglucan subunit oligosaccharides. *Arch.Biochem.Biophys.* **298** 365-370.
- 20 Finkelstein, R. R. and Gibson, S. I. (2002). ABA and sugar interactions regulating development: cross-talk or voices in a crowd? *Curr.Opin.Plant Biol.* **5** 26-32.
- Finnegan, E. J. and Kovac, K. A. (2000). Plant DNA methyltransferases. *Plant Mol.Biol.* **43** 189-201.
- 25 Freitag, M., Williams, R. L., Kothe, G. O., and Selker, E. U. (25-6-2002). A cytosine methyltransferase homologue is essential for repeat-induced point mutation in *Neurospora crassa*. *Proc.Natl.Acad.Sci.U.S.A* **99** 8802-8807.
- Furukawa, T., Kimura, S., Ishibashi, T., Hashimoto, J. and Sakaguchi, K. (2001). A plant homologue of 36 kDa subunit of replication factor C: molecular cloning and characterization. *Plant Sci.* **161**, 99-106.
- 30 Grelon, M., Vezon, D., Gendrot, G., and Pelletier, G. (1-2-2001). AtSPO11-1 is necessary for efficient meiotic recombination in plants. *EMBO J.* **20** 589-600.
- Gualberti, G., Papl, M., Bellucci, L., Ricci, I., Bouchez, D., Camilleri, C., Costantino, P., and Vittorioso, P. (2002). Mutations in the Dof zinc finger genes DAG2 and DAG1 influence with opposite effects the germination of Arabidopsis seeds. *Plant Cell* **14** 1253-1263.
- 35

- Hartung, F. and Puchta, H. (13-6-2001). Molecular characterization of homologues of both subunits A (SPO11) and B of the archaeobacterial topoisomerase 6 in plants. *Gene* **271** 81-86.
- Hatzfeld, M. (1999). The armadillo family of structural proteins. *Int.Rev.Cytol.* **186** 179-224.
- Hehl, R., Faurie, E., Hesselbach, J., Salamini, F., Baker, B., Gebhardt, C. and Whitham, S. (1998). TMV resistance gene N homologues are linked to Synchytrium resistance in potato
- 5 *Theor. Appl. Genet.* **98**, 379-386.
- Helin, K. (1998). Regulation of cell proliferation by the E2F transcription factors HELIN1998. *Curr.Opin.Genet.Dev.* **8** 28-35.
- Hlei, Y., Ohta, S., Komari, T., and Kumashiro, T. (1994). Efficient transformation of rice (*Oryza*
- 10 *sativa* L.) mediated by *Agrobacterium* and sequence analysis of the boundaries of the T-DNA. *Plant J.* **6** 271-282.
- Hua, J., Grisafi, P., Cheng, S. H., and Fink, G. R. (1-9-2001). Plant growth homeostasis is controlled by the Arabidopsis BON1 and BAP1 genes. *Genes Dev.* **15** 2263-2272.
- Ingram, G. C., Bolsnard-Lorig, C., Dumas, C., and Rogowsky, P. M. (2000). Expression
- 15 patterns of genes encoding HD-ZipIV homeo domain proteins define specific domains in maize embryos and meristems [In Process Citation]. *Plant J.* **22** 401-414.
- Jambunathan, N., Slani, J. M., and McNellis, T. W. (2001). A humidity-sensitive Arabidopsis copine mutant exhibits precocious cell death and increased disease resistance. *Plant Cell* **13** 2225-2240.
- 20 Jiang, J. and Clouse, S. D. (2001). Expression of a plant gene with sequence similarity to animal TGF-beta receptor interacting protein is regulated by brassinosteroids and required for normal plant development. *Plant J.* **26** 35-45.
- Kachroo, P., Shanklin, J., Shah, J., Whittle, E. J., and Klessig, D. F. (31-7-2001). A fatty acid
- 25 desaturase modulates the activation of defense signaling pathways in plants. *Proc.Natl.Acad.Sci.U.S.A* **98** 9448-9453.
- Kahn, R. A., Le Bouquin, R., Pinot, F., Benveniste, I., and Durst, F. (15-7-2001). A conservative amino acid substitution alters the regiospecificity of CYP94A2, a fatty acid hydroxylase from the plant *Vicia sativa*. *Arch.Biochem.Biophys.* **391** 180-187.
- Kee, K. and Keeney, S. (2002). Functional interactions between SPO11 and REC102 during
- 30 initiation of meiotic recombination in *Saccharomyces cerevisiae*. *Genetics* **160** 111-122.
- Kel, A. E., Kel-Margoulis, O. V., Farnham, P. J., Bartley, S. M., Wingender, E., and Zhang, M. Q. (25-5-2001). Computer-assisted identification of cell cycle-related genes: new targets for E2F transcription factors. *J.Mol.Biol.* **309** 99-120.
- Klysue, T., Yamaguchi-Shinozaki, K., and Shinozaki, K. (1994). Cloning of cDNAs for genes
- 35 that are early-responsive to dehydration stress (ERDs) in *Arabidopsis thaliana* L.: Identification of three ERDs as HSP cognate genes. *Plant Mol.Biol.* **25** 791-798.

047-E2F-PROV

- Kiyosue, T., Abe, H., Yamaguchi-Shinozaki, K., and Shinozaki, K. (13-3-1998). ERD6, a cDNA clone for an early dehydration-induced gene of Arabidopsis, encodes a putative sugar transporter. *Biochim.Biophys.Acta* **1370** 187-191.
- Kroczyńska, B., Ciesielski, A. and Stachnik, K. (1999). The Nucleotide Sequence of a cDNA Encoding. The AtTIR, a TIR-Like Resistance Protein in Arabidopsis thaliana (Genbank Accession No AF188334). *Plant Physiol.* **121** (3), 1055.
- Kubo, H., Peeters, A. J., Aarts, M. G., Pereira, A., and Koomneef, M. (1999). ANTHOCYANINLESS2, a homeobox gene affecting anthocyanin distribution and root development in Arabidopsis. *Plant Cell* **11** 1217-1226.
- Lancien, M., Gadal P. and Hodges, M. (2000). Enzyme redundancy and the importance of 2-oxoglutarate in higher plant ammonium assimilation. *Plant Physiol.* **123** 817-24.
- Lauvergeat, V., Lacomme, C., Lacombe, E., Lasserre, E., Roby, D., and Grima-Pettenati, J. (2001). Two cinnamoyl-CoA reductase (CCR) genes from Arabidopsis thaliana are differentially expressed during development and in response to infection with pathogenic bacteria. *Phytochemistry* **57** 1187-1195.
- Lescot, M., Déhais, P., Thijs, G., Marchal, K., Moreau, Y., Van de Peer, Y., Rouzé P., and Rombauts, S. (2002) PlantCARE, a database of plant cis-acting regulatory elements and a portal to tools for in silico analysis of promoter sequences. *Nucleic Acids Res.* **30** 325-327.
- Lorkovic, Z. J. and Barta, A. (1-2-2002). Genome analysis: RNA recognition motif (RRM) and K homology (KH) domain RNA-binding proteins from the flowering plant Arabidopsis thaliana. *Nucleic Acids Res.* **30** 623-635.
- Martin, T., Oswald, O., and Graham, I. A. (2002). Arabidopsis seedling growth, storage lipid mobilization, and photosynthetic gene expression are regulated by carbon:nitrogen availability. *Plant Physiol* **128** 472-481.
- Matsuda, O., Watanabe, C., and Iba, K. (2001). Hormonal regulation of tissue-specific ectopic expression of an Arabidopsis endoplasmic reticulum-type omega-3 fatty acid desaturase (FAD3) gene. *Planta* **213** 833-840.
- Medford, J. I., Elmer, J. S. and Klee H. J. (1991) Molecular cloning and characterization of genes expressed in shoot apical meristems. *Plant Cell.* **3** 359-70.
- Menges, M. and Murray, J. A. (2002) Synchronous Arabidopsis suspension cultures for analysis of cell-cycle gene activity. *Plant J.* **30** 203-12.
- Molina, A. and Garcia-Olmedo, F. (1997). Enhanced tolerance to bacterial pathogens caused by the transgenic expression of barley lipid transfer protein LTP2. *Plant J.* **12** 669-675.
- Muller, H. and Helln, K. (14-2-2000). The E2F transcription factors: key regulators of cell proliferation. *Biochim.Biophys.Acta* **1470** M1-M12.

047-E2F-PROV

- Soderman, E., Hjelstrom, M., Fahleson, J., and Engstrom, P. (1999). The HD-Zip gene *ATHB6* in *Arabidopsis* is expressed in developing leaves, roots and carpels and up-regulated by water deficit conditions. *Plant Mol.Biol.* **40** 1073-1083.
- Soustelle, C., Vedel, M., Kolodner, R., and Nicolas, A. (2002). Replication Protein A Is Required for Meiotic Recombination in *Saccharomyces cerevisiae*. *Genetics* **161** 535-547.
- 5 Takahashi, R. and Shimozaka, E. (1997). cDNA sequence analysis and expression of two cold-regulated genes in soybean. *Plant Sci.* **123**, 93-104.
- Tegeder, M., Wang, X. D., Frommer, W. B., Offler, C. E., and Patrick, J. W. (1999). Sucrose transport into developing seeds of *Pisum sativum* L. *Plant J.* **18** 151-161.
- 10 Tegeder, M., Offler, C. E., Frommer, W. B., and Patrick, J. W. (2000). Amino acid transporters are localized to transfer cells of developing pea seeds. *Plant Physiol* **122** 319-326.
- Thoma, S., Hecht, U., Kippers, A., Botella, J., De Vries, S., and Somerville, C. (1994). Tissue-specific expression of a gene encoding a cell wall-localized lipid transfer protein from *Arabidopsis*. *Plant Physiol* **105** 35-45.
- 15 Toonen, M. A., Verhees, J. A., Schmidt, E. D., van Kammen, A., and de Vries, S. C. (1997). AtLTP1 luciferase expression during carrot somatic embryogenesis. *Plant J.* **12** 1213-1221.
- Valvekens, D., Van Montagu, M., and Van Lijsebettens, M. (1988). *Agrobacterium tumefaciens*-mediated transformation of *Arabidopsis thaliana* root explants by using kanamycin selection. *Proc. Natl. Acad. Sci. USA* **85**, 5536-5540.
- 20 Vandepoele, K., Raes, J., De Veylder, L., Rouze, P., Rombauts, S., and Inze, D. (2002). Genome-wide analysis of core cell cycle genes in *Arabidopsis*. *Plant Cell* **14** 903-916.
- Wang, Y. X., Kauffman, E. J., Duex, J. E., and Welsman, L. S. (14-9-2001). Fusion of docked membranes requires the armadillo repeat protein Vac8p. *J.Biol.Chem.* **276** 35133-35140.
- Weber, H., Borisjuk, L., Heim, U., Sauer, N. And Wobus, U. 1997a. A role for sugar transporters during seed development: Molecular characterization of a hexose and a sucrose carrier in fava bean seeds. *Plant Cell* **9** (6) 895-908.
- 25 Weber, H., Borisjuk, L. And Wobus U. 1997b. Sugar import and metabolism during seed development. *Trends in Plant Science* **2** (5) 169-174.
- Weinmann, A. S., Bartley, S. M., Zhang, T., Zhang, M. Q., and Farnham, P. J. (2001). Use of chromatin immunoprecipitation to clone novel E2F target promoters. *Mol.Cell Biol.* **21** 6820-6832.
- 30 Wellesen, K., Durst, F., Pinot, F., Benveniste, I., Nettesheim, K., Wisman, E., Steiner-Lange, S., Saedler, H., and Yephremov, A. (14-8-2001). Functional analysis of the *LACERATA* gene of *Arabidopsis* provides evidence for different roles of fatty acid omega -hydroxylation in development. *Proc.Natl.Acad.Sci.U.S.A* **98** 9694-9699.
- 35

047-E2F-PROV

CLAIMS

1. A method to alter plant characteristics comprising modulating, in a plant, the expression of one or more nucleic acids and/or modulating the activity of one or more proteins, said nucleic acids or proteins being essentially similar to any one of SEQ ID NO 1 to 104 and/or being essentially similar to a nucleic acid sequence or protein sequence deposited under accession number At1g57680 and/or deposited under any of the accession numbers presented in Tables 1, 2, 4 or 5.
2. A method according to claim 1, wherein said modified plant characteristic is selected from any one or more of the following: altered development, increased yield and/or biomass, altered plant architecture, altered plant biochemistry, altered plant physiology, altered metabolism, enhanced survival capacity and/or enhanced stress tolerance, each relative to corresponding wild type plants.
3. A method according to claim 2, wherein said altered metabolism comprises altered nitrogen and/or carbon metabolism.
4. A method according to claims 1, wherein said altered characteristic comprises altered DNA synthesis and/or altered endoreduplication and/or altered storage lipid mobilization and/or altered photosynthesis.
5. A recombinant nucleic acid comprising:
- (a) one or more nucleic acid sequences essentially similar to any one of SEQ ID NO 1 to 52 and/or being essentially similar to a nucleic acid sequence deposited under accession number At1g57680 and/or deposited under any of the accession numbers presented in Tables 4 or 5, or the complement thereof; and optionally operably linked to
- (b) a regulatory sequence
6. A recombinant nucleic acid according to claim 5, wherein said regulatory sequence is a plant-expressible promoter.
7. A method for making a transgenic plant, comprising introduction of a recombinant nucleic acid according to claim 5 or 6 into a plant.

047-E2F-PROV

8. A method according to claim 7, comprising stably integrating into the genome of a plant a recombinant nucleic acid according to claim 5.

9. A method according to any of claims 1 to 4 or 7 to 8, comprising overexpression of one or more nucleic acids essentially similar to any one of SEQ ID NO 1 to 52 and/or being essentially similar to a nucleic acid deposited under accession number At1g57680 and/or deposited under any of the accession numbers presented in Tables 4 or 5, and/or wherein said method comprises enhancing the activity of one or more proteins essentially similar to any one of SEQ ID NO 53 to 104 and/or being essentially similar a protein sequence deposited under accession number At1g57680 and/or deposited under any of the accession numbers presented in Tables 1, 2, 4 or 5.

10. A method according to any of claims 1 to 4 or 7 to 8, comprising downregulation of expression of one or more nucleic acids essentially similar to any one of SEQ ID NO 1 to 52 and/or being essentially similar to a nucleic acid deposited under accession number At1g57680 and/or deposited under any of the accession numbers presented in Tables 4 or 5, and/or wherein said method comprises decreasing the activity of one or more proteins essentially similar to SEQ ID NO 53 to 104 or being essentially similar to a protein sequence deposited under accession number At1g57680 and/or deposited under any of the accession numbers presented in Tables 4 or 5.

11. A transgenic plant obtainable by a method according to any of claims 1 to 4 or 7 to 10.

12. A transgenic plant comprising a recombinant nucleic acid sequence essentially similar to any one of SEQ ID NO 1 to 104 and/or being essentially similar to a nucleic acid sequence deposited under accession number At1g57680 and/or deposited under any of the accession numbers presented in Tables 1, 2, 4 or 5, or the complement thereof.

13. An ancestor, progeny, or any plant part, particularly a harvestable part, of a transgenic plant of claim 11 or 12.

14. Use of a nucleic acid sequence encoding a protein essentially similar to any one of SEQ ID NO 53 to 104 or being essentially similar to the protein sequence deposited under accession number At1g57680 and/or deposited under any of the accession numbers presented in Tables 1, 2, 4 or 5, or a homologue, a derivative or functional fragment thereof for altering growth characteristics in a plant.

047-E2F-PROV

15. Use of a protein essentially similar to any one of SEQ ID NO 53 to 104 or being essentially similar to the nucleic acid sequence deposited under the accession number At1g57680 or deposited under any of the accession numbers presented in Tables 1, 2, 4 or 5, or a homologue, a derivative or functional fragment thereof, for altering plant characteristics.
- 5
16. Use of a nucleic acid sequence essentially similar to any one of SEQ ID NO 1 to 52 and/or being essentially similar to the nucleic acid sequence deposited under accession number At1g57680 and/or deposited under any of the accession numbers presented in Tables 1, 2, 4 or 5, or a homologue, a derivative or functional fragment thereof, for marker assisted breeding
- 10 of plants with altered characteristics.
17. Use of a nucleic acid sequence essentially similar to any one of SEQ ID NO 1 to 52 and/or being essentially similar to the nucleic acid sequence deposited under accession number At1g57680 and/or deposited under any of the accession numbers presented in Tables 1, 2, 4
- 15 or 5, or a homologue, a derivative or functional fragment thereof, for conventional breeding of plants with altered characteristics.
18. Use of a nucleic acid or a protein essentially similar to any one of SEQ ID NO 1 to 104 or a nucleic acid or protein being essentially similar to the nucleic acid or the protein sequence
- 20 deposited under the accession number At1g57680 or deposited under any of the accession numbers presented in Tables 1, 2, 4 or 5, or a homologue, a derivative or functional fragment thereof, as a growth regulator.
19. A nucleic acid or a protein essentially similar to any one of SEQ ID NO 1 to 104 or a
- 25 nucleic acid or protein being essentially similar to the nucleic acid or the protein sequence deposited under the accession number At1g57680 or deposited under any of the accession numbers presented in Tables 1, 2, 4 or 5, or a homologue, a derivative or functional fragment thereof, for use as a therapeutic agent
20. An isolated nucleic acid comprising one or more of the regulatory elements upstream of the startcodon of the nucleic acids represented by SEQ ID NO 1 to 104 and/or the nucleic acid deposited under accession number At1g57680 and/or deposited under any of the accession numbers presented in Tables 1, 2, 4 or 5.
- 35 21. An isolated nucleic acid according to claim 18, wherein said regulatory element is the natural promoter of said genes.

047-E2F-PROV

ABSTRACT**IDENTIFICATION OF NOVEL E2F TARGET GENES AND USE THEREOF**

The present invention concerns a method for altering plant growth characteristics of a plant. The invention describes the identification of genes that are upregulated or downregulated in transgenic plants overexpressing E2Fa-Dpa and the use of such sequences to alter plant growth characteristics. A preferred way for altering growth characteristics of plant is to introduce into said plant a nucleic acid sequence upregulated or downregulated in plants overexpressing E2Fa/Dpa, or the complement thereof, or a homologue, derivative or active fragment thereof. Some of the genes identified in the present invention have an E2Fa target consensus sequence in their 5' upstream region. The identified genes play a role in a variety of biological processes, such as DNA replication, cell wall biosynthesis, nitrogen and/or carbon metabolism, transcription factors etc...

047-E2F-PROV

1/8




FIGURE 1

2/8




FIGURE 2

047-E2F-PROV

3/8




FIGURE 3

4/8

MATDB - entry A1g57680 from contig t8l23

http://mips.gel.de/cgi-bin/prof/tha/igv_report?HB23+A1g57680

MATDB - entry A1g57680 from contig t8l23(Chromosome 1 / BAC clone T8L23 / sequence database accession [EMBL:AC079733](#))

mips

Type: gene/protein
Code: A1g57680
Old code: T8L23_15
Title: putative protein
Contig: t8l23
Position: 53392-54480 (C)

Notes**Classification**

- known protein

Functional Category

- UNCLASSIFIED PROTEINS

TargetP prediction

- Targeted to secretory pathway
- TargetP score: 0.968
- TargetP reliability class: 2
- Probable signal sequence length: -

TMHMM transmembrane prediction

- Very likely to be a transmembrane protein (or have a signal peptide) (Exp number of AA in TMHs: 110)
- A transmembrane region could actually be a signal peptide (Exp number, first 80 AAs: 21)
- Orientation of N-terminal: external side (probability: 0.5)
- Transmembrane regions:
 - 40-62
 - 83-100
 - 138-160
 - 181-203
 - 213-235

EMBL

- [AY072149](#)

mRNA matches: 1 found**Arabidopsis ESTs**

- found 10
[AA585778](#); [A1992854](#); [A1998042](#); [AV518701](#); [AV538415](#); [AV538372](#);
[AV541088](#); [AV550688](#); [AV550640](#); [AV554578](#);

FIGURE 4

047-E2F-PROV

5/8

MADDB - entry A11957680 from contig 1823

http://mips.gsf.de/cgi-bin/proj/tns/igv_report?db23+A11957680**Full report**

- Full report includes FST matches and external annotation... slow.

Protein properties

PEDANT and Interpro data are being recalculated. To access old PEDANT data, use the link in the left frame, but be aware that some protein sequences have been changed due to updates of gene models based on cDNA data and PEDANT data may be outdated.

[Click here](#) to submit new information about this entry

FIGURE 4 (contin.)

6/8

A. thaliana - contig t8123 - entry At1g57680

http://mips.gsf.de/cgi-bin/proj/thai/pep_t8123/At1g57680

A. thaliana - contig t8123 - entry At1g57680

mips

```

>P1:At1g57680
putative protein
MPLTKLVPAQ FQVVTICLVA LVLGLLCCI AYSFTYQSHV RQGYIQLGX FQGPWIIKIT
FILPAIWAQ GRIFRLNLA RWRRLGGDL LKQGSYCKW TVVSHLPAS PCLPLTLAPL
LRAPLKMEGQ ALGKKNRDT AGYILLYCLP MLALQLAVVL SSELNGGSG SYVKLPHDFT
RTYSRVIDH DEVALCTYPL LSTILLGVFA AVLTAYLFWL GRQLKLVIN KRLQRRVYTL
IFQVSEFLPL RIVNLCLSVL TADKIIFEA LSPLAPLSLF CFCVBIICLL VTFPVSEEMA
LQGRNDTDE ITAVTESGG ALLAPMSQ TQSLSURGR SDSGSTQSR VYELSLFLSA
SH*
C: Length 362 aa
C: Sequence At1g57680 was extracted from t8123
C: Fragment (54480-53392(C))

```

FIGURE 4 (contin.)

047-E2F-PROV

7/8

A. thaliana - contig 18123 - coordinates: 53392-54480 (C)

http://mips.gsf.de/cgi-bin/prot/hai/gai_dna.pl?18123/C/53392-54480

A. thaliana - contig 18123 - coordinates: 53392-54480 (C)

mips

```

1 ATGCCCCGGA CAAAAATAGT TCCCGATGCA TTCCGGCTTT TGAGGATATG TCTAGTCCCT
61 CTGCTAGTTC TTTTGGGTCCT CCTTTGCATC GCTTACTCGT TCTATTCCCA GTCTCAOGTT
121 COTTAAGCAAG GCCTATTATCA ACTTGGGTAC TTCAGTGGTC CCTGGAATTAT CGGAATCACT
181 TCTATCTCTT TTGCTATCTG GTGGCTGCTT GGTGGAGATT TTGCTTGAAG TTCTTTGAGG
241 CTTCAACAGA GGTGTGTGAG TGGGTTGGAT CTGAGATGCG AAGAAACGCT TTGCAATGCG
301 TACATGCTTT CCATCTTAGG ATTTGCGGAG CCTTGTCTCT TTCTGACTCT CATGTTCTCT
361 CTGCTGCTTC CCTTGAAGAT GGAATCAGGG GCTTGGAGCG GAJAATGGAA CAGGACACA
421 CGAGGTCTAA TATATCTTFA TTGTCTCCGG AGCTCTGCTC TCTAACCTTC GGTGTGTGTG
481 TCCGAGTCCAC GCTTAAATGG TGGTATGGCG TCTTATGTAA AGCTGCCACA CGACTTCACA
541 AGAAGCTATT CCGGATTTAT TATTGATCAC GACGAGTGGG CCTTATGCAC ATATCTCTTA
601 CTGATACACA TCGTTCTTGG TGTGTTGTCG GCGCTCTTAA CAGCTTACTT GTATCTGCTT
661 GGAAGGCGAGA TACTGAAACT TGTCAATZAC AAGCCTTTAC AGAAGAGAGT ATACACTTTG
721 ATATCTCTGG TCTCGAGTTT CLTTCATTAA AGGATTGTTA TGCTCTGTTT GTGCTGCTTC
781 ACAGCACAGA AAGAGATAT ATTCGAGGCG CTTCTTTCTT TGCCCTTCTT CTCCCTCTCT
841 TGCTTTTGGG TGGTATCCAT CTGCTTCTCT GCTTACTTCC CGGTTTCAGA TTCCATGGCC
901 CTGAGAGGTC TAAGAGACAC AGATGATGAG GATACGCTGT TGACCGAAGA ACCGATGCTP
961 GCTCTGTATC TTGACCAAA CTCTTCACAA ACTGATGAGG GATTGAGCTT AAGAGTCTGG
1021 AGAGACTCTGG GATCGTCTAC ACAGGAGAGG TATGTGGAAC TCAGCTTATZ TCTGAGACTC
1081 GAGAACTAA

```

FIGURE 4 (contin.)

047-E2F-PROV

8/8

A. thaliana - contig t8123 - coordinates: 53392-54480 (C)

http://nps.gsf.de/cgi-bin/projth..._gendna.pf18123/C/53392-54480/500

A. thaliana - contig t8123 - coordinates: 53392-54480 (C)

mlps

```

1  gtatratctc  ttagaatcct  atggttaaa  gttatgactt  ggctttatgt  attctaatat
61  tgtatatgac  ttggcggcta  atctacaa  tctttaaagg  ggtttaggt  ttggaagaag
121  ttagcagctt  ttaagaacta  gggtaaaat  ggttgatag  gcttttggtt  caaatttttg
181  gctatattgg  taagtttctg  atcttttgtt  gttttgttta  gtttatgtag  gtaacaagca
241  latcagaggt  taagaagctc  agatcacaaa  aagttcttct  gggtagacgt  ggcgtgttct
301  rrttgtaatc  taattgcaga  aactttgtct  tgaactggat  agcttogatn  aaagttcaat
361  attttacgct  ttttcaatca  tgaagtatca  ctactctgga  aattctgttg  gagagaagag
421  ggcacttgca  ctggtattgt  caagaagagt  ttctgaacct  atggtgttag  agagatpog
481  tggataactg  gttttgggtg  ATGCCCTGA  CAATATTAGT  TCCCAATGCA  TTCGCCGTG
541  tgcagtatag  tctatgcctc  CTCTAGTTC  TTTCGGTCT  CTTTGCATC  GCTTACTCCT
601  tctatttctc  gtctgcgttt  GTTAAGCAAG  GCTATATTA  ACTTGGTAC  TTCAAGGTTC
661  CCGAGATTAT  CGGAATCACT  TCAATTCTCT  TTGCTATCTG  GTGGCCTGTT  GGTGAAGATT
721  TTCGATGAG  TTGTTTGAG  GGTACAGAA  GGTGTGTGAG  TGCGTGGAT  CTGAGATGCG
781  AGAGAAAGT  TTGCAAGTGG  TACATCTCTT  CCAATGTAG  ATTTCGGAG  CCTTATCTCT
841  TTTGACTCT  GATGTTCTT  CTGCTGTCT  CTGAGAGT  GGAATCGAG  GCTTGAGCG
901  GANAATGGAA  CAGGACACA  GCAGTTTATA  TTATCTTTA  TTGCTCCCG  ATGCTTGCTC
961  TTGACTTTC  GATTGTGTA  TCGAGTCTAC  GCCTAAATGG  TGATGTGTC  TCTTATGTA
1021  AGCTTCTCA  CAACTTACA  AGAACATTAT  CCGAGTTAT  TATTGATCC  GAGAGGTGG
1081  CATTATGAC  ATATCCTCTA  CTGAGTACA  TCTTCTTGG  TGTGTTTGA  CGATCTCAA
1141  CAGCTACTT  GTTCTGGCTT  GGAAGCAGA  TACTGAAGT  TGCAATTAAC  AGGCTTTAC
1201  AGAGAGAGT  ATACATCTT  ATATCTCTG  TCTGAGTTT  CTTCTCATTA  AGATTTTAA
1261  TGCTCTGTT  GTTGGTCTC  ACAGCAGCA  ACAGATTAT  ATTCAAGCC  CTTTCTTCT
1321  TGAGCTACT  TCTCTCTTC  TGCTTTTGG  TGATATCAT  CTGCTTCTT  GTCTACTTC
1381  CTTTCTCA  TTTCAAGCT  CTGAGGCT  TAAAGACAC  AGTATGAG  GATAGGCTC
1441  TAAACGAGA  AGCAAGTGT  GCTCTGTTC  TTGACACAA  CTCTCACAA  ACTGATGAG
1501  GATTGACTT  AGAGGCTCG  AGAGACTCG  GATGCTTAC  ACAGAGAGG  TATGTGGAAC
1561  TCGCTATT  TTTGAAGCT  GAGAACTAA  a  atgcgaag  gttgttcta  ttgggtctt
1621  ggcacttga  agatcctgg  tgaacacag  agagagagag  ggttaaaag  tttaagtatg
1681  agaatatgt  tgcgaagaa  aagggcaat  ttcagttttg  tggcaagag  actttgactg
1741  caaagagag  tttaagggg  ttactcttg  tggagtttg  ttgttgaaa  agttccagc
1801  ttgctggat  atatttttg  accttatta  tgaatcaat  ttggtttag  aaaaaaaaaa
1861  aaaaaaat  agcctgaac  atgagctga  ctttaaaaga  aaatcagag  tttaaccctc
1921  tatcttgg  atctatgac  agagatctc  atagaatat  aagaaact  gtaaccagag
1981  aaacagcct  atagttct  aaoltcaat  gcaactoga  ctttaaaaa  taacatlatg
2041  acttaagaa  attgcaata  atttaatat  taaacaaat  ctgtcaaga

```

Sequences of 5' leader, 3' trailer, and introns (when applicable) are printed in lowercase.

FIGURE 4 (contin.)

047-E2F-PROV.ST25
SEQUENCE LISTING

<110> CropDesign N.V.

<120> Identification of novel E2F target genes and use thereof

<130> 047-E2F-PROV

<160> 105

<170> PatentIn version 3.1

<210> 1

<211> 1089

<212> DNA

<213> Arabidopsis thaliana

<400> 1
atgccccctga caaaattagt tcocgatgca ttccggcgttg tgaogatatg tctagtcgct 60
ctgctagttc ttttgggtct cctttgcacg gcttactcgt tctatttcca gtctcacggt 120
cgtaagcaag gctatatcca acttggttac ttcagtggtc cctggattat ccgaatcact 180
ttcattctct ttgctatctg gtgggctggt ggtgagattt ttcgattgag ttgtgtgagg 240
cgtcacagaa ggttgttgag tgggttggat ctgagatggc aagaaaacgt ttgcaagtgg 300
tacatcggtt ccaatctagg atttgcggag ccttgtctct ttctgactct catgtttctt 360
ctgcgtgctc ccttgaagat ggaatcaggg gctttgagcg gaaaaaggaa cagggacaca 420
gcagggtata ttattcttta ttgctctccg atgcttgctc ttcaacttgc ggttgtgttg 480
tcogagtcac gcctaaatgg tggtagtggc tcttatgtaa agctgcocaa cgacttcaca 540
agaacgtatt ccgaggttat tattgatcac gacgaggtgg ccttatgcac atatcctcta 600
ctgagtaaca tccttcttgg tgtgttttga gccgtcctaa cagcttactt gttctggctt 660
ggaaggcaga tactgaaact tgtcatlaac aagcgtttac agaagagagt atacactttg 720
atatctctcg tctcagattt ccttccatta aggattgtta tgcctctgtt gtcggtcttc 780
acagcagcga acaagattat attcgaagcc ctttctttct tggccttctc ctccctcttc 840
tgcttttgcg tggatatcat ctgcttgctt gtctacttcc cggtttcaga ttccatggcc 900

page 1

047-E2F-PROV.ST25

```

ctgagaggtc taagagacac agatgatgag gatacggctg tgaccgaaga acgcagtggt      960
gctctgttac ttgcacaaa ctcttcacaa actgatgagg gattgagctt aagaggtcgg      1020
agagactcgg gatcgctcac acaggagagg tatgtggaac tcagcctatt tctggaagct      1080
gagaactaa                                     1089

```

<210> 2

<211> 219

<212> DNA

<213> *Arabidopsis thaliana*

```

<400> 2
atggagcttc catctcctta cagctcaaga aaggaggaat caactgttcc tccgaagaga      60
ggccgagtca agatcatgat ctcttcgtgat ctagtcatag cggaaacctc gatggcaccg      120
actccaggga gaggcgaat caagaaaatg atcgcgggtg atctagtctg atcagggaaga      180
cagaacaact acgacggaga cggtaagaga ggaggctag                               219

```

<210> 3

<211> 792

<212> DNA

<213> *Arabidopsis thaliana*

```

<400> 3
atgcggatga gctgtaattg atgcagagtt ctccggaagg ggtgtagtga ggattgtagt      60
ataaggccgt gtttggcttg gatcaaatcg cctgaagcgc aagctaacgc aactgtcttt      120
ctcgccaaat tctatggccg tgctggactc atgaacctca tcaacgcggg tcccaatcac      180
cttcgtctcg ggattttccg atcgttggtg cagcaagctt gtgggaggat tgtgaatccg      240
atctatggtt cgggtgggtt gttgtggtcg gggaaatggc agctttgtca agacgcgtg      300
gaggctgtga tgaaggaga accggtcata gagatcgcca cagacgctgc gacgatcggc      360
caaggtcctg ctcttaagat ctacgacatc cgacatatct ccaaggatga taactctgcc      420
gccgcggcta ctggctcaac cgaatttgaa cttgcgaaaa ctccgcgtgc taagcgggtc      480
tccaccgtcg cgatacaggc ggaatcggag ggaagtctg acgaggctag tcacgattcg      540
tcgttgagtc atcagttctg aatagtggtc gctcatgaag gagagagcaa ggaatccgag      600
agcaatgtct ctgaggtttt ggcattctcg cctccgggtg tgaagggctc cggcgagata      660
aagcttgacc taactttaag gctcgaacgg gtgtcacgtg cgtatcatgt ggtacctgtt      720

```

047-E2F-PROV.ST25

aagaagagaa ggatcggcgt gtttggcagc tgtcagaagc agagcacgtg taagactgag 780
 cttatgctct aa 792

<210> 4

<211> 471

<212> DNA

<213> Arabidopsis thaliana

<400> 4
 atgggagcgt gcgcttcacg tgaatctttg aggagtgtt cagcgaagct gatattactc 60
 gacgggtactt tacaggagtt ctcatctccg gtcaaagttt ggcagatttt gcaaaagaac 120
 cctacgagtt tcgtctgtaa ctcagacgaa atggacttcg acgacgcagt ttcagctgtc 180
 gccggcaacg aagagctccg atcagggcag ctctattttg tcttacctct gacgtggctc 240
 aaccatccgt taagggcgga ggaaatggcg gccttggccg tgaaagctag ttcggcgttg 300
 accaagacg gtggcgctcg ttgggtttcc ggcgacgacg atgtaacgac atcggaaaaa 360
 acttaccaaa agaaaaacat tgccggagtt aagacaaacg gtggtggcgg aagagggtgc 420
 ggtaaaggga agaggcgatt caccggctaatt ttgagcacga tcgccgagta g 471

<210> 5

<211> 624

<212> DNA

<213> Arabidopsis thaliana

<400> 5
 atgcttgccg ttcacgcgtc ttcttcgccg gtatcacgac gagattccgt tcagattccg 60
 atgatgatcg cgtcgtttca aaaacgtttt ccttctctct caccgcactc caccggccgt 120
 cgttttcaca cacacgaggt tggctctaatt cagtgttgct ccgccgttat tcaagagatc 180
 tcogctccaa tctccacgtt ttggtccgtc gtacgccgct ttgatacccc acaagcttac 240
 aaacactttc tcaaaagctg tagcgctcat gccggagacg gcgataacgt tggtagcttc 300
 cgtcaagtc acgtcgtctc tggctctccc gcgctagct ccaccgagag actcgatatc 360
 ctgcgacgac aacgccacgt catcagcttc agcgttggtg gtggtgacca ccggtctctc 420
 aactaccgat ccgtaacgac ccttcacctc tctccgatct ccgggacgct cgttgctgag 480
 tcttacgctg ttgatgttcc tccaggcaac aaaaagggaag agacttgtya cttcgttgac 540
 gttatcgtag gatgcaatct tcaatctctt gcgaaaatag ccgagaatac tgcggctgag 600

047-E2F-PROV.ST25

agcaagaaga agatgtctct gtga

624

<210> 6

<211> 573

<212> DNA

<213> Arabidopsis thaliana

<400> 6

atgtctgagg gatcagaaga tacgaaaaca aaactcgact ctgccggaga gttatcagat	60
gttgataacg agaactgcag tagcagcggga agtggcggtg gtagtagtgc tggtgatacc	120
aaaaggactt gcgttgattg cggaaactatc cgaactctct tttggcggtg tggctctgac	180
ggaccaaagt cattgtgcaa tgcttggtgg atcaagagta ggaagaagag acaagcagca	240
cttggtatga gatcagagga gaagaagaag aacagaaaaa gcaattgcaa taatgatcta	300
aacctcgacc atcgaaaacg caagaaatac aaatcaaca tagttgatga tggcaagatc	360
gacatcgatg atgatccgaa aatttgcaat aacaagcgta gtagtagtag tagcagtaac	420
aaaggagtga gtaagttttt ggatttaggg tttaaagta cggtagtgaa gagatcagcg	480
gttgagaaga agaggttatg gagaaaactc ggtgaggaag aaagagctgc tgtgcttctc	540
atggctctct cttgtagctc tgtttacgcc taa	573

<210> 7

<211> 1581

<212> DNA

<213> Arabidopsis thaliana

<400> 7

atggcgggtt atcctaactg taatggcgat aagaagcact ggtggttcac tcacagaaag	60
cttgttgata agtatataaa ggatgcaaca accttaattg caagttagga ggcaaacgac	120
gtcgcttcag ctcttcattt actagacgca gccttatcta tctcccgcg tttggaaact	180
gcgttagagc tcaaggctag atctctctc ttcctcgtc gtttcaagga tgtcgccgat	240
atgcttcagg attatatccc cagtcttaaa ctgcacgacg aaggatccgc ttctctctca	300
ggctctctct cctccgacgg tatcaacctt ctctccgacg cctctctccc tggctccttt	360
aaatgcttct ctgtttccga cttgaagaag aaagtcattg caggcatctg taaaaaatgc	420
gacaaaagag ggcaatggag gtagtggtg ttgggtcaag cttgttgcca tctaggacta	480
atggaggatg ccatggttct cctacaaacc ggtaaacgcc tcgcctccgc cgagttccgt	540

047-E2F-PROV.ST25

cgcgcgagta ttgtcgtgct cgacgatagc ttctctctcc tctccgaatc ctccctctgct 600
 tcttctccac caccgcgagag cgagaacttc acccatctcc tgcctcacat caagcttctt 660
 ctccgctgct gcgcgcgtgc aatcgccgct ctcgacgctg gactgttctc cgagtctgac 720
 cgtcactttt ccaagatcgt cgatggccgt cgccctgcgc ctcaaggatt cctcgccgaa 780
 tgcctacatgc atcgagccgc cgcttataga tccgcgggta gaatcgcgga agcagatgcc 840
 gattgcaata aaaccctagc tcttgaacct tctgttatcc aggcgttaga aaccagagcc 900
 gcgcttctag aaacggtcag gtgttttcca gattcgcttc acgatctaga acacttgaag 960
 cttctctaca acaccatttt acgcgatcgg aagcttccgg gtccggtgtg gaagcggcac 1020
 aacgtgaaat acagagagat tcctgggaaa ttgtgcgttt tgacaacgaa aacgcagaaa 1080
 ctttaagcaga aaatcgcaaa cggagaactt gggaatgtcg attattaccg ctgtatcgga 1140
 gtcagacgcg gatgcaccag atcggagctc gatcgagctc atctattgct atgtctcaga 1200
 tacaaaccgc atagagcctc ttctttctac gaacggtgcg agttcaccga tcaaaacgac 1260
 gtcgattcgg ttagagatcg agccaaaatg tcgtctctgt tgccttaccg ttgtattcag 1320
 aaaggatata ccgccgtgac agcgatcata gccgaggagc agaggaagaa cgccattgct 1380
 cacgctcaaa agattgaaga acgcaaacgc gttgaaaaat ccggttctat taagagaacc 1440
 ggaacgcgtg aaacgaaacc ggtaaatcc aatgcgtacc aaggagtatt ctgtagagat 1500
 ctgcgtcgcg ttgggaatct actaaccagg gctggtttca accatccaat cccggttaaa 1560
 tacgaagcgc tcacctgcta a 1581

<210> 8

<211> 1164

<212> DNA

<213> *Arabidopsis thaliana*

<400> 8

atgattagtt tgagattggt tgagtccttt agtcaagcaa aagaagctgt gaaggtgctc 60
 aagaagcggg taggaagtaa aaactctaaa gtccagattc ttgcacttta tccggaactg 120
 aatgtgaggg aaaagatact aactttgtta gacacatggc aagaagcctt tggtggacgt 180
 ggaggtcgat acccacaata ctacaatgcc tataacgac tcaggtctgc tggaattgag 240
 ttccgcctc gaacgggaaag cagctctatg ttctttactc caccgcagac tcagccagat 300
 gaagatgctg ctattcaggg ttccgttgcaa ggagatgatg ctcttagcot cagcctggaa 360
 gagattcaaa gcgctgaggg atcagttgat gttttgatgg acatgcttgg agcacatgat 420
 cccgggaatc ccgagagttt aaaagaagaa gttatagtag acttggttga gcaatgtcgt 480

047-E2F-PROV.ST25

acttatcaaa gacgtgtaat gactcttgtg aacactacaa cagatgagga acttctgtgt	540
cagggatgtg cattaaacga taatttgcag catgttcttc agcgtcacga tgatatcgca	600
aatgtcggct ctgttctctc aaatggaagg aatactagag ctctctctcc agttcagatt	660
gttgacatca atcatgatga tgaagatgac gaatcagatg atgagtttgc tcggcttgc	720
cacaggtctt caacacctac aaggagacca gtacatggta gtgattcggg tatgggtggat	780
atccttagtg gggacgtcta taaacctcaa ggcaactcct cctcacaggg agtaaagaag	840
cctcctcttc ctctctcgca tacttcttct tcctcttctt cctctgtttt cgtatgatga	900
agtcacaac aaagcaaatc ctctgaggtg attaggaatc tccacctccc gccttcaagg	960
cacaaccaga ggcaacagtt ctttgagcat caccactcga gtacgggctc agattcctct	1020
tacgagggac agaccgggaa cctttctttg acaagtagtg aaccgcagaa agaagagaaa	1080
ccagaggatt tgcttttcaa agacctgggt gagttcgcca aaaccaggtc ctccaaagcc	1140
aacaataata ataggctgct ctga	1164

<210> 9

<211> 1953

<212> DNA

<213> Arabidopsis thaliana

<400> 9

atggaaggag ggtctgttaa tgaatcgcat tctaatcggg accaaatggt tgacacaact	60
atagaagagt tatgtaagaa tctctcgcaa ttgcagagtt ctaatcaatc tccttcaagg	120
cagagttttg gatcatatgg tgatgagtca aagattgatt ctgactaca acatcttgct	180
ttgggagaga tgcgagatat tgatatcttg gaagatgaag gagatgagga cgaagtggca	240
aagccagaag agtttgatgt caagtcaaat tcttcaaaact tggatttgga agtcatgccc	300
agggatagtg agaacaacac tggtaagaag aatgtgacta aatcgaaact tggagtcggt	360
ggaatgagga agaagaaagt cggaggtacc aagttacaaa atggaatga agaaccatca	420
tctgaaaatg tagagctggc acgtttttta ctgaaccaag cgagaaactt ggttagttct	480
ggtgacagta cacacaaagc tctcgagtta actcatcgag cagctaagtt gtttgaggct	540
tctgcagaga atgggaaacc atgtttggaa tggatcatgt gtttgcatgt tacagcagca	600
gtccattgta agttaaaaga gtacaatgag gcaattccgg ttctacagcg ctctgttgag	660
attcctgttg ttgaagaagg tgaagagcat gctctagcta aatttgcctgg tctgatgcag	720
ttaggtgaca cttacgctat ggtggggcag ctgagagagc cgatatcggt ttataccgag	780
ggattgaata tccagaagaa ggttttggga gaaaatgacc caagagttgg tgaacatgc	840

047-E2F-PROV.ST25

```

agatacctag cagaagctct tgtacaagca ttacgggttg atgagggtca acagggtctgc 900
gaaacgggtc ttctataca tagagaaagc gggtttaccag gttcaatcgc agaggccgcg 960
gatagaagac tcatggggct tatatgtgag actaaggag atcatgagaa tgcccttgag 1020
catttggat tagccagtat ggccatggca gcaaatggac aagagcttga ggttgccttt 1080
gttgatacta gcattggtga ctctgacttg tctttgtctc gggtcgatga agcgatttgt 1140
gcataccaga aatctctcac agcactgaag acagcaaagg gagagaacca tccagctgtt 1200
gggttcagtt atatccgttt agctgatctc tataatcggg caggaaaagt ggcggaagca 1260
aagtcttatt gtgaaaatgc tcttcggata tacgagtctc ataactaga gatttctcct 1320
gaagagattg caagtggctc tacagatatc tccgtgatat gcgagcttat gaacgagggtg 1380
gaacaagcta ttaccttgct acaaaaggcg ctgaagatat acgcggaattc tccgggccag 1440
aaaatcatga ttgcagggat tgaagctcaa atgggagtggt tgtactatat gatggggaaa 1500
tacatggagt cgtacaacac atttaagagc gctatctcaa aactacgggc gactggaaag 1560
aaacaatcaa cgtttttcgg gattgcactt aaccaaatgg gtttagcatg cattcagctc 1620
gatgcaatag aagaggctgt tgagttgttt gaagaagcca agtgtatttt agaacaagag 1680
tgtgtgctct atcacccgga aacacttggg ttgtacagta accttgacag agcttatgat 1740
gcaattggca ggttggtatg tgcgattaag ctgctaggac atgttggttg ggttcgggag 1800
gaaaagctcg ggacagcgaa tccgtgaacg gaagacgaga agaggaggct ggcccaactc 1860
ttgaaagaag ctggtaacgt tacaggaagg aaagctaaat ccctcaagac tctaattgat 1920
tccgatctca cttctctctc agctcttctg taa 1953

```

<210> 10

<211> 1125

<212> DNA

<213> Arabidopsis thaliana

<400> 10

```

atgggtcttg aagttgggtc cttatgcttc aaacttaaag acggaggctt gacatcaaga 60
accaacagtt tcaagagaga cgatactaat aggcaccaga attctcctaa gagtactatg 120
gagcggctct tgagtttcaa cagctgggag gttcctaaag agaccaagac tgattcagat 180
tttgaggtct tggagacaaa gaagtcaacg cctaacactt tgaatggaag aaactgtgag 240
agaatccaaa tcaagaaacc tacagttact ccaccagagc catttgtgtt cttctctcct 300
agacctgtca ccgagcttga tgcagctgca actacgttac aaaagtgta caagagttac 360
aggaccagaa ggaacttagc agatttgtcg gtcgttggtg aggagctctg tggaggagct 420

```


047-E2F-PROV.ST25

ttggaagggtg	cagcttttga	tttgagctct	gtgtctttct	ttggagaaga	aaaacatgag	480
accgctgttt	cgaaatgggc	acgagctaga	aaacgagctg	ctaaggttgg	gaaaggctta	540
tctaaagatg	aaaaggctca	gaaattagct	cttcagcatt	ggcttgaagc	tgtaagtccc	600
cataacctaa	atatctttgt	aacttcatat	caaagacaag	taccctactt	gacatccaaa	660
gctatcattg	aatactctct	aatgatccat	ctcttgaaat	tacagattga	cccacgtcat	720
cgttacggcc	acaacttgca	cttctattat	gatgtctggg	cagcgagcaa	gagcacacaa	780
ccattctttt	actggttggg	tataggagac	ggcaaagatg	taaatcttga	gaaacaccct	840
agaagtgttc	tgcaaaaaca	atgcatcaga	tacttagggc	cgatggagag	agaagcatat	900
gaagtgatag	tagaagatgg	gagactaatg	tataaacagg	gcatgactct	gatcaattca	960
acagaggaag	ccaagtcgat	ttttgtactt	agtactacta	gaaacttata	cgtaggggatt	1020
aaaaagaaa	gtcttttcca	gcactctagt	tctttatctg	ggggtgccac	aaccgcagca	1080
ggaaggttag	tcgcccgcga	tgggacccct	gaggtacttg	aataa		1125

<210> 11

<211> 975

<212> DNA

<213> *Arabidopsis thaliana*

<400> 11	atggagtgta	gatcattgga	tctgacgatt	atatctgcgg	aggatctcaa	agacgttcaa	60
	ttgatcggtg	aacaagactt	gtacgcgcgc	gtttccatca	acggcgacgc	taggacgaag	120
	cagaagacaa	aggttgataa	agattcgggc	accaaaccta	aatggaagca	tcaaatgaag	180
	ctcacccgtg	atgacgcagc	ggcgcgtagc	aatcgtctta	ctctgttttt	cgagatcgtg	240
	gcggatcgtc	ccatcgctgg	tgataaacct	gtcggtgagg	ttagcgttcc	gggtgaaggag	300
	cttttggatc	agaataaagg	tgacgaggag	aaaacgggta	cttacgccgt	gaggttgccct	360
	aacgggaagg	cgaaggatc	tctcaaatcc	tcgttcaaat	ttggggaaaa	gtatacttat	420
	ggatcttcga	gtggctcctc	cgcgcgggtc	ccttcggcta	tggatcataa	gactatggat	480
	cagcccgtea	ccgcttaccc	gcccggaac	gggtgcaccg	ctgcataccc	tgctccctcc	540
	gcgggtccct	cttcgggata	tccaccacaa	ggacatgaag	ataagcacga	tggtgtttat	600
	ggataccgcg	agcaggctgg	atatccagct	ggaaccggty	gttatccgcc	acctgggtgca	660
	taccacaaac	agggagggtta	ccctggatat	ccgcctcagc	aacaggggtg	ataccgggggt	720
	tatccgccac	agggtccata	tggttacccg	caacaaggtt	atccaccaca	gggtcccatat	780
	ggttacccgc	aacagcaagc	tcattggtaaa	ccgcagaaac	cgaagaagca	tggttaaggct	840

047-E2F-PROV.ST25

ggagctggaa tgggactagg acttgggctt ggagctggtt tattgggtgg gttgttggtt 900
 ggtgaagcgg tttctgacat cgctgatatg ggtgacatgg gtgacatggg tgacatgggt 960
 ggtttcgatt tctga 975

<210> 12

<211> 1620

<212> DNA

<213> Arabidopsis thaliana

<400> 12

atgtccaaag acaaagtctc ttctccacc gccgatctca tcccgagct tgetgctaca 60
 ctctgtcgtg ctctttgggc tcaatgetac cgcctcacac taccgcgctc tcctccgccc 120
 agaatcctga cgcgcgaagt gccacctctg tctgtctacca tggcttcctc cttcaatcct 180
 accogaatcc ttgaccatcg cgcgagctct caccggaatc gtctgtggggc ttttccggct 240
 agcaaacgtc gccgtctggt cgatgagccc atcgattacc cggatctctc caaccggct 300
 taccaggttc tctccactcc gottttcgcc tctggaattg ggtcgattcg cgagcttctg 360
 tctgtctctc ctccgcgcag gacgtcttct cagctctcgt ctgtctcgat tccaccaccg 420
 tccgctccac cgctcgttct cagcgattct aaggatgccc aaccgcgtgg tctcaaccaat 480
 ccgtctgctc ctccgtcccc gttggctccc aaaaacatca ctccggttgc ttcaccggtc 540
 gcagagctcc cgatgcttga tctctgatt tcgccaccg ctgagactgc agagggtgct 600
 agtgtgccag atgcggctgt ctcttatgct gctcgtgctg cagctcatcg tcagggtttt 660
 gccgagagag atgaactgga tagaactctt cgtcgccctt tggtgcccg acacaccaag 720
 cgttttttgt ctgccgtgct tctgtaaaag tacaaaacaca tcgctaaaag cgatttcata 780
 ttccagaaaa ctctgcctt agatcctgag gtcctgacgc ccaccaagta ttttctggaa 840
 cactcgggta tggctcagac tgtcgttgcc gtggaacagt ttgtccaga agttgttcgt 900
 gaattctatg cgaatctgcc agagatggaa tatcgagaat gtgggtttga tctggtgat 960
 gttoggggca agatgtatga gttctcgtc gctcttatca atcacatgtt ctcgattgat 1020
 gactccgctt tagatccaga ggctccggtt accctctcta cagcttctcg tgatgatctt 1080
 gctctcatga tgacaggtgg gactacacga cgttggctcc gcttgcaacc tgetgatcat 1140
 ctagatacca tgaagatgct gcaacaagggt tgcgtgtgaa attggtttcc aacgaccaat 1200
 accagcactc ttcgggttga ccgtctccgg ttgattgaca tggggactca tggtaagagt 1260
 ttcaacctgg gcaaatggtt ggtaactcat accatgagtt tggcacggtt gggaccctt 1320
 tcttcacatc gtctggctta cccaaatctg atctaccagc tgetcaccct tcagcgtgat 1380

047-E2F-PROV.ST25

gtgcgctctc	gtcctcgtga	tactctctct	gacgaacogg	gtgtctttgt	caacgatccg	1440
ccacccacgc	agcctaccac	agcaccacct	cngatgggtc	ataaactcct	tcttgaagac	1500
attaatgato	ttcttgagat	agggaagcgc	atacgaagtc	gcttgacagg	taagttgttt	1560
tcttgcttca	tytggtgctt	tgcttattgt	gttcttgctt	tytggtttct	ggaattttga	1620

<210> 13

<211> 1899

<212> DNA

<213> *Arabidopsis thaliana*

<400> 13	
atggcggagc	aatctcaata
ctcatcggat	acttactcca
acaaacgcaa	atacgaagaa
	60
ccaacccgct	ctcctccatc
aactcgcaga	cctaccggct
tctctctcgg	tccgatccca
	120
tctgcttcag	ttgatccacc
cgcacctacc	ggctctccac
cttctctcta	caacagcggt
	180
cctcctccga	tggaatgaaat
ccagattgct	aaacaaaaag
cacaagaaat	cgctgctcgt
	240
cttcttaata	gcgctgatgc
taaacgtcct	cggtgtgaca
atgggtgctc	ttatgattat
	300
gggtgacaaca	aaggatttag
ctcatatccc	tctgagggtg
agcagatgct	agggacgggt
	360
ccgtctctga	tacoggtttc
gtatggtagc	tttcaaggaa
ctactaagaa	gattgatatt
	420
ccgaatatga	gagttgggtg
tatcattggt	aaagggtggg
agactattaa	gtatcttcag
	480
cttcagtcgt	gagctaagat
tcaggttact	agagatatgg
atgcagaccc	taattgtgct
	540
actaggactg	ttgacctaac
tggtaccctc	gaticagatc
cnaaggctga	acagttgatc
	600
actgacgtcc	ttcaagaggc
tgaggcaggc	aatacagctg
gttcagggtg	aggaggcggc
	660
cgtaggatgg	gtggacaagc
aggggctgat	caatttggtt
tgaaaattcc	gaataacaag
	720
gttggtttga	taattggtaa
aggaggtgaa	acaatcaaat
ctatgcaagc	taagactgga
	780
gctagaattc	aggttattcc
tttacatttg	cccctggagg
acccaacgcc	agaacggact
	840
ttgcagattg	atgggataac
ogaacagatt	gaacatgcta
aacaattagt	taatgaaatc
	900
atcagtgggc	agaacogtat
gagaaactca	gcaatgggtg
gaggctatcc	acaacaaggt
	960
gggtatcaag	ccgcgccacc
ctcaagctgg	gcaccacctg
gtggctcgcc	agcacaaact
	1020
gggtatgggt	gttacatgca
accaggagca	tatccaggct
cacctcagta	tygtcaatca
	1080
ccttacggaa	gttaccccta
acaaactcca	gctgggttact
atgatcagtc	ctctgtgcca
	1140
ccatccacgc	agagcgcgca
aggtgagtat	gattattacg
gtcagcaaca	gtctcagcaa
	1200
ccaagcagtg	gtggtagctc
agccccacca	acagatacca
cagggtacaa	ttactaccag
	1260
catgcttctg	gttatggcca
agctggtcag	ggataccagg
aagatgggta	tggaagcttac
	1320

047-B2F-PROV.ST25

aatgcctcgc	agcaatcggg	atatgggtcaa	gctgctgggt	atgatcaaca	gggtgggtac	1380
ggcagcacca	ctaataccaag	tcaagaggaa	gatgcatctc	aagccgctcc	accatcgta	1440
gctcagtcctg	gacaggctgg	gtatgggtaca	actgggtcaac	agccgctcgc	tcaaggtagt	1500
actgggtcagg	caggggtatgg	agctcctcca	actcctcagg	ctgggtacag	cagccagcca	1560
gcagcagctt	acaattctgg	gtatggagca	ccaccacctg	cttcaagacc	accgacttat	1620
ggccagagcc	agcagctctcc	aggtgctcct	gggagctatg	gtatgcagtc	tgggtatgcc	1680
caaccagcag	cttcagggtta	tggacaacct	ccagcgatg	ggtaggtgca	agcgccacag	1740
ggatatgggt	cttatggagg	atacacacaa	ctgctgctg	gtggagggtta	ctcttcagac	1800
gggtctgctg	gagccactgc	tgggtgggtg	gggtgtacac	cagcttcaca	gagtgcctgt	1860
ccacctgctg	gaccgccccaa	agcatccccg	aaaagtga			1899

<210> 14

<211> 2115

<212> DNA

<213> Arabidopsis thaliana

<400> 14	
atggcggtgg	cgtcggaaac gccgtcgat tggggctgga atgagcgaca tgtgaagaac 60
acgaaagaaa	agatggagggt tcattattat ctggagagga aagatggaat tgcagatcta 120
gctgttattg	ggagggtgaa gaattctaaa cgtatgtctt ttagatacgc ttgaagaag 180
aatcgctctg	tcttgaaaaa gcttaattct aaagatgatg ttgcgctttg gctcgattct 240
attgtttctg	gtgagatacc tcattgtagca gatgtaccag ctactgttat gactgaaaaa 300
gatgctggag	ggttcaatat gagcactttt atgaatagga aatttcaggga gcctatttcag 360
cagatcaaaa	cgctctcttg gatgggtttt tcttggaact gcaggaaacg gcgtaagcat 420
tatcagtcct	atctccggaa tgggtgcaga atatctgtga atgattttgt gtatgtttta 480
gcggagcaac	ataagagact tgttgcatat atagaagacc tttatgagga ttctaaaggg 540
aagaagatgg	ttgtggtagc atgggtttac aaaactgagg aggttggttc tgttttatct 600
gatgatgata	atgacagaga gatatttttt tctcttaac gccaaagat cagtattgag 660
tgcatagatt	acttggctac tgtccttagt cctcagcatt atgagaaatt tcttaagggtg 720
cgatgcatg	ttcagacagt agctttcttc tgcagaaat tatatggaga tgatgggtta 780
aagcogtatg	acattacaca actagaaggt tactggagac aagaaatgct tagatacttg 840
aatgtatcta	ttttaaaac atttgaaggt gctcaagccc ctggactga ccaggagatta 900
aaagctccat	tggttggttg tgttgggtat agatcaagga aaagacgccg tcctagtcct 960

047-E2F-PROV.ST25

gttggctactt tgaatgtatc atacgcaggt gacatgaaa gtagctgcaa atctagtcca	1020
gattctctgtt tggctgttac agatgcttct atattcaagg gtgacgaaga tggctcttcc	1080
catcacatta aaaagggttc acttattgaa gtctcttctg aagatagtag catcagagggt	1140
tgttggttta aggcctctggt attaaagaaa cacaaagata aggttaagggt ccagtagcaa	1200
gatattcagg atgcagacga tgaatctaaa aagctagagg aatggatttt gacatctcgg	1260
gttgctgctg gtgatcatct gggggatctt agaatcaaa gacggaaaagt agtaagacca	1320
atgctgaagc ccagcaaaga aaatgatgta tgtgtcatcg gggttggtat gcctgtggat	1380
gtgtggtggt gtgatggatg gtgggaagggt atcgtgtgtg aggaagtctt tgaagagaaa	1440
tttgaaagtt acttgccagg cgaaaagaaa atgctgctt tccatcgtaa tgacctcaga	1500
caatctcggg aatggttgga tgatgagtgg cttaacataa gatcaagatc tgatatgtg	1560
agttctgtcc tatctttgac gaagaaaaaa gagatggagg tgaacatga tgagaagtcg	1620
tctgatgttg gtgtttgtaa tggtaggatg tcaccaaaaga ctgaggctaa acgcaccatc	1680
tctcttcagg tagctacaac caaaaagtca ctacctaaag gaccaattcc agatcttcta	1740
aaagatgtcc tagtcaatc tgaactaaag tggaaaaaat catcgaggaa gcggaatcga	1800
gttgctagtt gctgtccaca cgatcctagc ttgaatgatg gttctcttag tgaagatct	1860
ttggattgtg agaactgtaa gttcatggaa gatacttttg gctcttcaga tggacagcat	1920
ttgacaggta catattacc tgatgggcat ctgctcaatg cgattttggg ttttaagatt	1980
actgtaact cgcaagcttt cttgggatgg attataggat tagctcgtaa tggcatccaa	2040
attcgtttgt gtacttatgt tgtgacagta ggcacatag ctttaattca atcagcaaaa	2100
ttttggatgc agtag	2115

<210> 15

<211> 1407

<212> DNA

<213> Arabidopsis thaliana

<400> 15

atggggacag ggaattctaa agaaaaactgg agacagtcac cgtttagggt aacttctgct	60
tcacagcat caccatcttc atcttcatgg gctctcaac aaagtatcc tcagtaggt	120
gcagaaagct ataattacc tcctccacct tcttatgcc aactcctga gtatacgcaa	180
cctctctctc ctttatatag tactcagcct tactctgctc cgtcttattc tgcacogcct	240
tctcaaaagt atggtagtga taataagaag aggttgagc gcaagtattc gaaaattct	300
gatgattact ctctcttgga gcaggtgacg gaggctcttg cacggcgagg tctagaatct	360

047-E2F-PROV.ST25

tcaaatctca	tcgttggtat	tgatttcaact	aagagtaacg	aatggacaggy	ggccaggtcc	420
ttcaatagga	aaagcttaca	cttcattagcg	agtagtccca	atccttatga	acaagcgata	480
actatcatag	gaagaacctt	agccgccttt	gacgaggaca	acttgattcc	atgttatggt	540
tttgagagatg	catcaacaca	tgatcaagac	gtgttcagtt	tcaattcaga	ggatagattc	600
tgtaatggat	ttgaggaagt	actttcccg	tataaggaga	tcgtgcctca	acttaagctt	660
gcagggccaa	cctcctttgc	tcogattcat	gatattggcca	tgaccattgt	tgagcagagt	720
ggtgggcaat	atcacgtcct	agtataata	gcagatgggc	aggttacaag	aagtgttgac	780
acggaaaatg	gacagttaag	tccacaagaa	cagaagacgg	tagatgcgat	cgtgcaagcg	840
agtaagcttc	ctctatcaat	cgtcttagtc	gggttgggg	atggaccttg	ggacatgatg	900
aggggaatttg	acgataatat	tccggccaga	gcgtttgata	acttccaatt	cgtgaacttc	960
acagagatca	tggcaaagaa	caaagctcaa	tccttgaagg	aaacagagtt	tgccctttct	1020
gctctcatgg	agattctctca	acaatacaag	gcgacaatag	agcttaacct	tttaggaaga	1080
agaaatggat	atatcccgga	gagattccct	cttcgccttc	caatgcgcgg	tggtatcatg	1140
tctacaaca	gtccaaagcc	ttcacgtctt	ccaagtttca	aaccgagttg	tctcctctat	1200
ccaactgaag	gctatcacgt	aaggtctagt	cccgtccac	cccatacaag	ctctgcttct	1260
gataaccagc	tatgtccgat	ttgtttgagc	aaacccgaaa	acatggccct	tggtttgtggc	1320
catcagactt	gttgcgagtg	tggaccagat	cttcaaatgt	gtccgatttg	ccgtgcacca	1380
atccagacaa	gaataaagct	ctactaa				1407

<210> 16

<211> 1173

<212> DNA

<213> *Arabidopsis thaliana*

<400> 16

atggagatga	ccgaagcttc	caaacagaca	acagcagaag	gatcagcaaa	tcagaacca	60
gaccaaatct	tgagtcogag	aagatcgttg	gagctaaaa	aaaagaaatg	gtggatctct	120
gtttctttat	gtattttctt	agtcttgctc	ggagattctc	tagtcatgct	tctcttgaac	180
ttcttctatg	ttcaagacaa	tcgagaagat	agtgcacca	atctacaata	ccgaggaaca	240
tggttgcaag	ctctggtcca	aaacgctgcg	tttccactac	tcattctctc	gtttttcatt	300
ttcccttcac	caaaacaaaa	ccaagaaacc	acgaatactc	gtttcccttc	ttttcgtctc	360
atcttacttt	acatctctct	tggtgttctt	gttgcgtctc	acagcaaat	gtttgcactt	420
gggaaattat	acgcaaaact	tggegtcttc	acgtgatatt	ccgcgactca	gttgatattt	480

047-E2F-PROV.ST25

accgetat	ttt	tcgcagccat	tattaac	cgt	ttaagttca	ccagatggat	tatcttatcg	540
ataatcggca	gcattttgat	ttatgttttc	ggtagtcctg	aatttggagg	agagcctgat			600
gaaaacgaag	aattctacag	catccaagct	tggttaactl	tcgctgcttc	agtgctttc			660
gcattatctc	tctgtttatt	ccaactttgt	ttcgagaaag	tggtggtaaa	gacaaagaga			720
tatggttaaca	agaaagtgtt	tagaatggtc	atagagatgc	aaatttgggt	ctcttttgtc			780
gcaacgggtg	tttgtctcgt	gggtttgttt	gcgagtggtc	agaataagga	actgcaaggc			840
gatagccaca	ggtttaagaa	aggagaaacg	tattacgttt	tgagtttyat	cggttggca			900
ttgtcgtggc	agggttgggc	ggtcgggctg	atgggtttgg	tgctttatgt	ttcgggtgtg			960
tttggtgatg	ttgttcatat	gtgtacttca	ccacttgggt	ctttgtttgt	tgtgttgcca			1020
tttgatttca	tggtatgatg	gtttagttgg	cctagaattg	gtactttgat	agcaacagtt			1080
gtggctttag	gatcttactt	ctacactctg	cataagagaa	acaagaagaa	gatggtggag			1140
ctttacccaaa	cagagaacaa	tattgacgtt	tag					1173

<210> 17

<211> 828

<212> DNA

<213> Arabidopsis thaliana

<400> 17

atgcaacttg	gaatctccat	tattcgtctc	gcaccgggatg	cgcccgagga	caatcgtagc	60
cgtcaatcac	gctctagcgg	cacgggtcatg	gttcatcaac	caggggtttag	ggcctgtctc	120
ttgagaaate	aaggaacacg	agatttgacg	tctctcagtg	actgcatagc	cgctcgttgt	180
gatagcttgc	ttctggggaa	gtctcacata	ataaaccttt	ccaaaaatag	gcgtatgcog	240
tttaaaagca	gagagaacac	gatattcttt	agtaaaaggc	gaaagaatag	ttcgtatagc	300
cctcactgca	cggtccccc	atttcagtta	agcccaacta	tggtgttaat	gttctgccat	360
gacggagcta	gattgaaagg	aatgaatcct	agaaatgctg	aagaaagaaa	gtacagacaa	420
gccgagggac	tcgtgacacc	gcaatttctt	tctattcctg	gttctccaat	tgatctcaca	480
aaatgttgg	catcactcct	caacattcaa	ggttgtaaaa	tcgagatctt	taaactcgtt	540
tttaagtgg	atgttctcct	atcaacgcag	ccactcctac	acacaaatga	aagtaactac	600
aaaacctgtc	agaccgcgtg	gcgaccaccc	cagcaaggta	gaaccgaacc	gagtaacgat	660
cctctacagc	acogaatgct	tcgagggacg	atogtagcgg	tcaatcacgc	tctagccgca	720
cggtcatggt	tcatacaacca	gggagaagac	ggtgcctccg	acgggtggaaa	tgaacacgac	780
gaagatgtcg	gcattgttaa	ggatggagggt	tacgtgattg	tttcttaa		828

047-E2F-PROV.ST25

<210> 18

<211> 1380

<212> DNA

<213> Arabidopsis thaliana

<400> 18

atggataatg gagacatagc ttgtgatgga tatcacaagt ataaggaaga tgtgcagctc	60
atggccgaaa ctggccttaca tacattcaga ttctccatct ctgggtctag actcatctct	120
aatggaagag gtccatttaa ccgaaagggt ctacagttct acaagaattt cattcaagaa	180
cttgtcaaac atggaattga gccacatgtt acactacatc actacgattt tctcaatat	240
ctcaggatg actatggagg ctggaccaac cgcaaatca tcaagactt taccgcttat	300
gcagatgttt gctttagaga gtttgggaac cactgcaaat tctggaccac gatcaacgag	360
gctaataat ttactattgg aggttacaac gatgggaatt caccgcctgg tegtgtctcc	420
tttcgggca gaaactgcac gttagggaaac tcttcactg aaacatatat cgtaggccat	480
aacttgctgc ttgctcacgc ctctgtttca agactatata agcaaaagta caaggatata	540
caaggagggt ctgttggatt tagtttattt gcaatgaatt ttactccttc tacaactcc	600
aaggatgatg aaatcgcaac gaaaagagcc aacgatttct acctcggatg gatgcttgag	660
cctcttatat atggagacta tctctgatgt atgaaaagaa ccattggatc aagactcca	720
gttttctcga aggaagaatc agaacaagtg aaaggctcat ctgacttcat aggagtcatt	780
cactatctca cggctttgggt cacaacatc gatatcaacc ctctactttc aggaattcca	840
gattttaact cagacatgggt gcctaataat ctttataact ttaagtattc ccaatccatt	900
tttactagtt tgggcgtttg tttttgtttg gacaagtctg ttgtttctcc atgggctatg	960
gaaggcatcc tagagtatat aaagcagagc tatggcaatc ctccagtcta cattcttgag	1020
aatggtaaaa caatgaacca agatttggag ctgcaacaaa aggacacacc aaggattgag	1080
tacttagatg cttacattgg tgcggtgctc aaagctgtta gaaacaaaga tatgactaca	1140
tgtaggaatg gatcagacac gagaggctac ttctgatggt catttatgga ttgtacgaa	1200
ttactaaacg gatacaagag tagttttgga ttgtactctg tcaatttcag tgatcccat	1260
cgcaagagat ctcccaaact ctctgctcac tggtagctct gttttctcaa gggcaaaccc	1320
acattttctg gtcccaagg catcacaca ttgcatagca acttctcttc ttccagatag	1380

<210> 19

<211> 522

047-E2F-PROV.ST25

<212> DNA

<213> *Arabidopsis thaliana*

```

<400> 19
atggggtttta gagcactgcc tcttcaacac agcagtgggt tcatctccac gaccaaagta      60
tccatctcaa gaacctcgcc caggattttc cggaaccccta gatgggtcgt tgtctcagca      120
aagcaagaga aagatgagga taagaagaag aatgaagagg agacttcgtt gtttactcaa      180
ttaacggatg ccttggactt ctccacaagt cgatcggaga aagacgctga gcttctctac      240
gaggctcgag aagccaccaa atctggctgc aagatgaccc aagaacagta tggggcattg      300
aggagaaaaa tcggagggaac atacaaggac ttttttaaat cctaogtga agtggatggg      360
caatatgtgg aggaggggatg ggtggacaaa acatgtaaga tatgcaaaaa ggacacaaag      420
ggtgaggcaa gacaagtgga caagttaggg agatatgctc atgtctcttg tcttcaaaat      480
cctcctctg gaaatttctt caccagactc ttctctagat ga                          522

```

<210> 20

<211> 1329

<212> DNA

<213> *Arabidopsis thaliana*

```

<400> 20
atgttgaaaa tcaaaagagt tccgaccgtt gtttcgaact accagaagga cgatggagcg      60
gaggatcccg tcggctgttg acggaattgc ctggcgctt gttgccttaa cggggctagg      120
cttcatttgt atgcatgtaa gaatctggta aaatccggag agaagcttgt aatcagtcac      180
gaggctatag agcctcctgt agctttttctc gagtcccttg ttctcggaga gtgggaggat      240
aggttccaaa gaggactttt tcgctatgat gtcactgcct gcgaaccaa agttatcccg      300
gggaagtatg gtttcgttgc tcagcttaac gagggtcgct acctgaagaa gaggccaact      360
gagttccgtg tagataaggt gttgcagttc tttgatggca gcaaattcaa ctctactaaa      420
gttggccaag aagagttgct ctccagttt gaagctgggt aagatgcccc agttcagttc      480
ttccttgca tgcctattga cctcgagaat ctcccgagt ttgttgccat caatgttagt      540
cogatagagt atggccatgt gctgctgatt cctcgtgttc ttgactgctt gcctcaaagg      600
atcgatcaca aaagcctttt gcttgcaatt cacatggctg ctgaggctgc taatccatac      660
ttcagactcg gttacaacag cttgggtgct ttggccacta tcaatcatct ccactttcag      720
gcttattact tggccatgcc tttcccactg gagaaagctc ctaccaagaa gataactacc      780
actgttagtg gtgtcaaaaat cttagagctt ctaagttacc ctgtgagaag tcttctcttt      840

```

047-E2F-PROV.ST25

gaaggtggaa gctctatgca agaactatct gatactgttt cagactgctg tgtttgcctt 900
 caaaacaaca acattccttt caacattctc atctctgatt gtggaaggca gatctcttta 960
 atgccacagt gttacgcaga gaaacaggct ctagggtgaag tgagcccgga ggatttgtaa 1020
 acacaagtga acccagccgt gtgggagata agtggtcaca tggtagtcaa gaggaagagag 1080
 gattacgaag gtgcttcaga ggataacgag tggagggtcc ttgcggaagc ttctctgtcg 1140
 gaggaagggt ttaaggaggt tactgtcttc gcccttgaag ccattaggttg tagtaaccaa 1200
 gagggaggatc ttgaaggaa catagtccat cagcaaaact ctagtggcaa tgttaaccag 1260
 aaaagcaaca gaaccatgg aggtccgac acaaatggga cggccgcga gtgccttgct 1320
 cttcagtga 1329

<210> 21

<211> 1506

<212> DNA

<213> *Arabidopsis thaliana*

<400> 21
 atgaattcag aatcgctaga aaactctcac cgtccattaa tcgaatcacc gaagtcgttc 60
 gtgcattatc gtctcgagac tgtgttaaca gatcgagagt taccgtatct tcgccggatt 120
 tatctagcga tgatgattga gatgaagttt ctctttcacc tggcgggtcc gccgatcttt 180
 gtttacgtca tcaacaacgg catgtcaatt ctacacgta tcttcgtctg acacgtagga 240
 agcttcgaac tcgccgccgc ttcaacttga aacagtgggt tcaacatgtt caccatagga 300
 cttctgcttg gaatggggaag tgcagtggaa acattatgtg gtcaagcaca tggagctcat 360
 agatacgaaa tgcttgaggt ttacctccaa agatcaacag ttgtcttaac cctaactagt 420
 ctaccaatgt cattctctct cctctctcca aatccgatcc tcacagcact tggagagcca 480
 gagcaagtgg caacattggc ttcaagtatc gtctacggtg tgatcccggt gatcttcgct 540
 tacgcagcga atttccttat ccagaagttt ctccaatcac aaagcatcgt cactccaagt 600
 gccacatat cagctgcaac gcttgtgac catctcctac ttctgtgat cgtgtgtgat 660
 cgtcttggtt acggtctttt ggctttgtct ttgatacata gcttctctg gtggatcatt 720
 gttgtggctc agattgttta tattaaaatg agtcagagat gtctcggcag ttgggaagggt 780
 tttagtggga agcttttga aggtcttttg gattttttcc gattatcagc tgcttctgcc 840
 gtcatgcttt gtcttgaatc ttgggtactc cagattcttg ttttactcgc cggacttctc 900
 aagaacctcg agcttctttt ggattctctt gctatctgca tgtcaatttc tgcaatctca 960
 ttcatggctt ccgttggatt caacgcagct gcaagtgtga gagtaagcaa cgagctagga 1020

047-E2F-PROV.ST25

gcccgaacc cgagagcagc cgcgttctcc acagtcgtga caacgggagt atcattctta 1080
ctatcgggtt tccaagccat cgtgggtctta tctggggtc acgtcatcag ctatcgggtt 1140
actgatagtc cagcagtggt tgaaggcgtt gcggatttat ctcccttttt agccatcaca 1200
attgtcctca atggaattca gctgttttg tccggtgttg ctgctggatg tggatggcaa 1260
gcatttggtg cgtacgtaaa cattggatgt tactacgttg tggggattcc agtgggattc 1320
gttcttggtt tcacttatga tatgggagct aagggaatat ggaactggat gattggtggt 1380
actttaatgc aaacaataat cttagtgatt gtcaactttac gaactgattg ggacaaagag 1440
gttgagaaag cttagcagc attggaccag tgggaagaga gccgtgagcc gcttttgaag 1500
caataa 1506

<210> 22

<211> 1869

<212> DNA

<213> *Arabidopsis thaliana*

<400> 22

atgttggaag ccattgaacg tgaatttgaa gctgctcatg ctggatttga acaactaaag 60
actgatgatt ccgcccaagg attagatgat gaacaatctg caaagagaca aagcatgttg 120
gacgagattg aacgtgattt tgaagctgct acaaaaaggtc ttgagcaact aaaggctgat 180
gatttaactg gaatcaacga tgaagaacac gctgcaaaga gacaaaagat gcttgaagag 240
atcgaagag agtttgaaga agctacaaaa ggtcttgaag aactaaggca ttctacctca 300
agcacagatg atgaagcaca atctgcaaag agacagaata tgctagatga gatcgaacgg 360
gagtttgaag ctgctacaag tgggtcttaa gagctaaaga ttaatgctca cactgtcaaa 420
gatgatgttg atgataaaga acaagatgcc aaaagacaaa gtatgctaga tgcaattgaa 480
cgtgagtttg aagcgtttac cgagagtttt aaacaacttg aagatatcgc cgataacaaa 540
gctgaaggag acgaagatc tgcaaaggag caaagtatgt tggatgagat tgaacgtgaa 600
tttgagctg ctacaaatag tottaagcaa ctaaaccttg acgatttcag tgaaggagat 660
gacagtgcaag aatctgcaag gagaatatgt atgcttgaag ctatcgaacg cgagtttgaa 720
gctgctacaa aaggtcttga agagctaaag gctaattgatt caaccggcga caaggatgat 780
gatgaacacg ttgcaaggag aaaaattatg cttgaagcta ttgaacgcga gtttgaagcc 840
gcgacaaaag gccttgaaga gttaagaat gaatcagaac aagctgaaaa caagagaaac 900
agtatgttgg aagcattcga acgcgaattt gaagctgcta caaatgcaaa ggctaatgga 960
gaaaactctg caaagaatcc atcaaccata agtactacag tgcagaaatc ttctggcgga 1020

047-E2F-PROV.ST25

tacaatgctg gtttagaagg tcttctaaag cctgcagatg gtgtatgtgg ttgtttcaac	1080
aaggataaag atgggtcttca ggcagacact gattcttcga ttaacatagc ggagatactc	1140
gcagaagaat ccaaattaca gggctcaggg acctctcggc tcaccacatc attgaacaat	1200
cttggtgata ctcatagaaa agaaacgtcc tcaaaggtag gctcagtcct tggtctatct	1260
tcctcagtta cttctaccac aagcgaatca gggctacat cagagagcat agagagctta	1320
aagcaaacac taaggaagct acgcggtcta agcgcagctg atctcgtaaa coaccogaat	1380
ttcagtcoga ttatagcagc cggtagacgt tacgaggtac tcagctcagc ttctattggt	1440
tacatctctt tgctagccaa atacaaaacc gtcattaaag aaggactcga ggcttctcag	1500
agagtcacga ttgctcaaac ccgagccaaa ctgctaaaag aaaccgcaat ggagaagcag	1560
agaacgtag actcggtttt cgcagcagca aagaccactg ctcaaagagg agacgcgttg	1620
cacatcagaa tcgtagcgat caagaaactg ttggcaaagc tagaagcaga gaaagtggac	1680
gttgattcaa agttcacctc tttaacgacg agtctgtcag agcttctcaa ggaggcgtca	1740
caggcttacg aagagtatca cgaggcggtg cataaggcaa aggaacgagca agcggctgag	1800
gaatttgccg tggagacgac aaagagagca gaacatattt gggttgagtt tcttagttca	1860
cttaattga	1869

<210> 23

<211> 261

<212> DNA

<213> Arabidopsis thaliana

<400> 23	
atggagagtt cattaggttt catggcggtt ttcgccgtct caggaagcgt tgtgttctta	60
gcgagtcagt ttcacaagcg tcttctctcc gattacatgg acaagttcga attcgaaatc	120
cgagcgcaga aaaaaatggt gatgaagaag aaggtgagat tcggcgcgga tgggtggag	180
cgcgcgggga ataacaaaga gtatcgccgg agacattctt ccaaggctaa atcgaattcg	240
aagatggcgg caactatttg a	261

<210> 24

<211> 1257

<212> DNA

<213> Arabidopsis thaliana

047-E2F-PROV.ST25

<400> 24
 atgatcaagc ttgtcttcat gacttctcat gggtattcaa tccctggcct tgggtcttcc 60
 caagacctct gcaacaccga aatcatcaag aatagccggg ctcatctggg gaatcccgga 120
 gcaagacaag agatcatacc tgcgaagctcc ttcaatctga atacagaact ctgggaacca 180
 tggaaaccgg ttctctcatt tagccaattc gtggagattg attcagccat gatgaaacct 240
 ctgctcatgg atgttcatga gacggcacca gaattctctga ttttgagctt tggaaatcgct 300
 gataagtttg caagacaaga aaagggtgatg gaggtttcttc tgtctcagtc agaggagttc 360
 aaggaaaaag gattcgatat gtcgctgtta aatgaattga tggagtttga gtctatgaaa 420
 tccagttctc agctacgacc gtatgatact tctctgttc tttacttgaa tcaagaatta 480
 gggaaaccgg ttttggatct cgttagggat atgatggaga atccagagtt ctctgtgcga 540
 tcgaatgggc atgttctgtt ctctcaagt agcaatcctg agttgaatga tctactttct 600
 attgcttccg agttcaattt gtcaagggaat tcaacaacaa aatggagaca gctctcaccg 660
 cttatccac acttttcagag gtttgaagt gacgtattta caccggctaa gctgaaagca 720
 gttacagtgc tagcaccttt gaagagctct gagaaaaagca ggctcaagtc accaaggaaa 780
 cacaacacga agcgaaaaagc taaagagagg gacctataca aaagaaatca tctccacgct 840
 tacgagagcc ttctctctt aatgataggg aatgatcctc gacacaaaca cacaacagta 900
 ctctctttac agaaatcatg tggagagctc ttagagcttc tgactcagtt ctctatcact 960
 gctgctggaa ctggaatcgc tgtgctcttt tctgtcttat gtacgcttgc ttcaaggcgt 1020
 gtaccctttt gcgcaataa gttctctgac actgggcttg gtttgagttt ggtaatactg 1080
 tcatgggctg tgaatagact cagggagggtg attgttcatg tcaataggaa agcgaacaag 1140
 ccatgttcaa gtttgaaaga tgacgaaatc ataacagtg tggagagaag tatgaaggag 1200
 gtttactaca gagctgcaac ggtaatcgcg ggttttgcgc ttaggtttgc atgttga 1257

<210> 25

<211> 219

<212> DNA

<213> Arabidopsis thaliana

<400> 25
 atggcaagca tatgogaaga tccaggaaaa agctcatggc cagagctttt gggggcaaaa 60
 ggagaagatg caaaagaagt gatcgagaga gagaatccaa aaatgaaagc agttatcatt 120
 ttggatggaa cagttgttcc ggagatcttt atttgccttc gtgtttacgt ttgggtcaac 180
 gattgcggaa tegtgttca aattcctatc atcgggttaa 219

047-E2F-PROV.ST25

<210> 26

<211> 576

<212> DNA

<213> Arabidopsis thaliana

<400> 26

```

atgagccggt ggggtctct tgggtcttat gccccaaatg ctttgccatc tctctccttg      60
aagccacgca gtgtcaaact tcctttctgt attacatctc acaccaaacc caacgacact      120
cttcttcata atgttaacaa gatgagagca aaggcctgtg atatacttgg agcaaaagaag      180
acaactcttg cagctcaact cggggcagtt cttgccacga ttgaccatcc agccttagca      240
ataacaggag ttaacaacca gcaggaattg agcagtgttg tgctcgatat cgggatcata      300
tcogtttggt acttcctagt aatgccacca atcatcatga actggctaag agtaagatgg      360
tacagaagga agttcttcga gatgtattta cagttcatgt tcgtcttcac gttcttcccc      420
gggctaactgt tatgggcacc atttctcaac ttcagggaagt tcccaagaga tcctaataatg      480
aagaatcctt ggagcaaaac aacagaccca gactctataa agaacgttta cctcaaatatc      540
ccatatgcga cgccagaaga ttacgatctc gattaa                                576

```

<210> 27

<211> 639

<212> DNA

<213> Arabidopsis thaliana

<400> 27

```

atggcaacgg tcacgattct ctcacccaaa tcgattccaa aggtcactga ttccaaattc      60
ggagctaggg ttctgatcat gatcgtcaat gtcgtaaaat ggggcacaaac cggccgggaga      120
ttgaagttag cgaagctggt ctcagcgggt ggattgtcac agatcgaacc agacatcaac      180
gaagaccgca ttggtcaatt cgagactaat agcattgaaa tggaaagattt caagtatgga      240
tattacgatg gagctcatac ttactatgaa ggagaagttc aaaagggaac attttggggga      300
gcaattgctg atgacattgc tgctgtggat caaactaatg gggttcaagg ttgatctct      360
tgtatgttct tcctcgtat agctcttggg atgtattttg atgctccggg tgagtacttg      420
ttcataggtg cagcgttatt cacggtagtg ttctgtataa tagagatgga taaacctgac      480
cagccacaca acttcgagcc tcagatatac aaattggaga gaggagctcg tgacaagctc      540
attaatgact acaacacaat gagcatttgg gactttaatg acaaatatgg tgatgtatgg      600
gatttcacca ttgagaaaga tgatatcgcc acacgataa                                639

```

047-E2F-PROV.ST25

<210> 28

<211> 645

<212> DNA

<213> Arabidopsis thaliana

<400> 28

atggcaacga gaggagctgt tgctgctgct gcatccacaa tatggaagca ccgaagaac	60
ccttctcttc gatcattatc tcgccatttc aatcccgatt tcaatcatag aatcatccca	120
acaggggtta aatatcaagt tagggcgata caaggaacaa gtactgatcc tgtcattaca	180
ccattaaaga acagagagga accaaagcca caaaactgga aaatcaaaat gctttatgat	240
ggagattgtc ctctctgtat gcgtgaggtt aatatgctta tggaaaggaa tgaaaaacat	300
ggaactataa agtttgtcga cataagttca aatgatcatt ccccggaaga taatcaaggg	360
cttgattaca aaacagtgat ggggcagatt catgccattc agtctgatgg taacgttggt	420
aaggggtgtg aggcatttag gagattgtat gaagaagtgt ggcttggtg gggttacact	480
atcaccaaat ttgaaccaat agggaggtta gcagatgttg tgtatgatgt atgggctaaa	540
taccgatttc aagtcacagg gaggccatct atagaagcta ttcttgaagc aagaagaaaa	600
gataaggtag agacatgttg tgaaagcaag aactgcaaga tatga	645

<210> 29

<211> 477

<212> DNA

<213> Arabidopsis thaliana

<400> 29

atggctttct ctgcgactgt gtctcagctt tcttctcttt caaccatctc ctcttcatta	60
ccaatttctt ctagaagact ccctcatcga tctcttcttc aattcacagt caaagcagaa	120
gcagagaaag agaacagag cacacagggc aagtcgatg gggaagcatc accagctgca	180
acaaaaacc ctaaaaccct cccaagaaa ccggttact cgatgaagaa gggccaaatc	240
gttcgtgtgg aaaaagagaa gtacctcaac agcatcaatt acttatcagt tggacatcct	300
cctttctaca aaggacttga ttacatatac gaagatcgcg gcgaggtctt ggaccttcgt	360
gtctttgaga caggagagta tgcacttggt ggatgggttg gtatccccac cgcaccagct	420
tggtcccaa cagatatgct catcaagtgt gagaaacttg ttacagcgc aatgtag	477

047-E2F-PROV.ST25

<210> 30

<211> 2115

<212> DNA

<213> Arabidopsis thaliana

<400> 30

atggaaacaa accagtgccg gtcgaggaaa aagatagaat cagctgcaga aacactccaa	60
gtttcttcta gaagaggcag aggacaggca cgtatgggtc ctctgttaag tggagttaga	120
tccgagagag ctcgaaaaag tctaagttag aagctagaga ctgtagcttt aaactctcct	180
aagaaagatg ctctgttgag tctttatggc gagaaaagtg tagtagatga gattttccta	240
gaagatgaag aaatgggtca tgaaactggt ttgaagaatg gagagtcgtc gcctttttgt	300
ggtgtatcgg acaagcttct gcagcgaatc gagcttcttg ggagagacca tgaggcaacg	360
agacttgata acaacaagtt cagggtcaatc gaatctatga aaaagagaca agaagaatcg	420
gcattgtgat atctagttag tatgaagaca aagattcaaa cgttagctgc ggagaacact	480
cagcttaaga agtctcttgt ggcgaaagaa gagcttgcgg taagtcttca agagcgtaaa	540
tttcagggtg aatcagaatt cgaagcgtta atgactagat tagattcaac ggagaaagaa	600
aacgcattct tgagatatga gtatactggt cttagagaag atcttcacgt aaaaacagag	660
gaaacagagc atactcgcag gtctatggag ctaacgcata agcagcaact taggaatgtg	720
aacaagattg ttgagcttga agctgaatgc caaagggtta gacttctctt tcgaaagaag	780
tttccagaga agtctatata tatgaggaat gaagtggaag aaaagaagat ggagatgaga	840
agacgaaaag ctaataagag cgatatgatg atgagagatg aagttcagag caggaagctg	900
aagtatgacg ttttgatgga gcagattggg aatgttaggg cagagaacaa gaatctaag	960
gacataatta tgaagaaaaa cattgagatc aaagatttta gccgcgggca gaaaccgtta	1020
gaggcttcga gtttcgatat tcaaagcgaa agtagtctga tgagccctg tgggtccaag	1080
gagatgaagt tactgatgga tgattttaat gagatggaga agttagccat tgtgtgtact	1140
gagaaagatc caagagtggg tgatgagaag gaaggaatct ttgattggat tcaagttggt	1200
ttgagcgcga taacgaagca agagaggata tcgaaacgag gtgttaaaga actcttacaa	1260
gacattaaga ttgctttagg atgtatggat gaaaatgata atgtagaag aaagaaggt	1320
gaagaagatc ctctctgcat cacatggaaa tctaataacg aatcgggtcc aatgactaag	1380
gatgagatca agagacattt ggggttgacg aaatcagata aggtggagaa gattgaatct	1440
gatgaaaagc aagaacttag aaagaagcgt gaggaatcag tggagaagat cagaaactta	1500
gaagcagaga tgaaacatt gagagagaat aaggaaaagg tagaggcaga gatggaaacg	1560
gagaaatcga tgaaggaaga tcttgatata aagctgaaca taacaagagc taacctcaac	1620

047-E2F-PROV.ST25

gagacacaga	agaagtgtgc	ttctcttgaa	gtagaatttg	attacagaaa	gagctgttgt	1680
gaagaactcg	aagggacttg	catcgagctt	cagcttcagc	tagaaagtgt	tgaacaaaag	1740
aaaccgacgc	agagaaacaa	aaacgggttg	gatatagcaa	cagctcttgt	gaagttatca	1800
gagtgctcaag	aaacgattac	cagtttacgg	aagcaactaa	gagcgttatc	tacaacagaa	1860
acaagcagca	ccattaaatt	tctacacaaa	agatcttctc	tccgggaaaa	tatagcagag	1920
gatgatacta	acagagtgtc	tcaagatgat	gatggtaacc	gttacacagc	tttgatcgtg	1980
tacgaaccag	tgaaggcgag	agggtgagaag	atggagatgg	taccgagaaa	gaagcaagga	2040
ttaggggtct	tgaaaaaact	gttgttcagg	aggaaaagag	tgagcagcaa	gaaatgtctt	2100
gccttgacta	tgtga					2115

<210> 31

<211> 1680

<212> DNA

<213> Arabidopsis thaliana

<400> 31	atggatttag	ggagaaagcc	acttgctaga	ttcccttcgc	gcgattgggt	gatctcagag	60
	cagcctgtga	cacaccagga	tctggagctt	goggtatcaa	aggttggtga	tttttcggat	120
	gataaccgat	cogggattga	cagatctttg	catcgtataa	gcgctatagc	taatcgcaaa	180
	ctgcaagtaa	ttggtctaac	atgtcgagtg	ggtcgagtag	ctcttggaag	tcgagaaatt	240
	ataagagact	tgattgaagg	aggaggatcc	atcttggtca	ttggatctcc	tggagtggc	300
	aaaacaactt	taatcagaga	aattgcacgg	atgttagctg	atgaacacag	gaaacgtgta	360
	gtgattgttg	acacgtcaaa	tgagattgga	ggtgatgggt	atgttctcca	ttctggaatt	420
	ggtcgtgcc	ggcggatgca	agttccaaat	gtgaatttac	agcacgatgt	tatgattgag	480
	gcggttgaga	atcatatgcc	tgagacaatc	atcattgacg	agataggaac	tgagcttgaa	540
	gctttagctg	ctagcactat	tgtccaacga	ggtgttcagc	ttgttgcaac	tgctcatggg	600
	atgactatag	acaacataat	caaaaatcct	ttcttgacga	ttcttatggg	tggattgag	660
	agtgtagctc	ttggtgatga	agaagcaagg	aaaagaaaag	tcgagaaagc	aattcttgaa	720
	agaaaaggac	ctccgacatt	cacttgtgct	gtagagatga	tatcgagaac	tgagtgtcgt	780
	gttcatcaaa	gactagatgt	taccgttgat	gctatactag	ctgggaaatc	cgctccattt	840
	gagatccgtc	aaattcgtgg	cgaagacgat	gttcctcata	agttagtgc	tccatttcct	900
	ttggagaacc	ttgaagagga	gcctgcacca	ttgctcaaca	gagatttcgt	aagtgaattg	960
	ctgtctgacg	atgaagatga	agattttctt	ctcattcggt	ctaataagcg	cagaagtaac	1020

047-E2F-PROV.ST25

acatacacga gcccaagaag ctcacoggtt catgtgtata cttacaatgt ccttgaagct 1080
 gatctcctcc aagtagctga agttatgggt ctgacgacg aaatagaagt gacagatgat 1140
 gttggagaag cacagatgcat tctagcctca agttctgaat tgaacagaa tcatcaatc 1200
 cgtcgtgttg ccaaattaca caagctacog atatttgtca ttaagtcaac tactattggt 1260
 cagatggtga aggcagtcog aatgacctt ggaagggaat catttggtc agcccctaaa 1320
 gccatagaaa aatcttctgt tgatgatata gagatcaaag atgatgtcc tgagagcaaa 1380
 cccagtttag aagaactcga tgccttgag gaagtcgtc tagcaatcga atatatgtta 1440
 atcccgagg gtgaaccagt ggagcttctt cctagacgat cagatataat agtcggcag 1500
 ctgagctgg tggagagtta ccaactcga gttgagaacc tcggcactca ccttaatccg 1560
 cgctctcaga ttctctctcg ccatcaacc aagaagacgt tgacatcttc atcccccaa 1620
 aatcagcag atggtagcat ggggactac ggtactcgtc ttctttctt taaggattga 1680

<210> 32

<211> 981

<212> DNA

<213> *Arabidopsis thaliana*

<400> 32

atggcgggtg cttctcttag tatttgcttc tctgctggc cacatcttct tcttcgcaac 60
 ttctctcttc gacccaaatt tgttgctatg gtgcaatga gtgaggatcc aattcgtgaa 120
 tggattctta cagaaggaaa agcaactcag ataacaaaga ttgggtctgt tgggtggtgga 180
 tgcattaatc ttgcaagtca ttatcaaaact gatgctggtt ctttctctgt taaaactaac 240
 aggagtattg gacctgccat gtttgaggga gggctcttg gtcttgaggc tatgtatgaa 300
 accagaacaa tccgtgttcc aaatccacac aaagctgggg aattgccaac aggtggatct 360
 tatatcatca tggagtttat agattttggg ggtacagag gcaatcaggc tgaattagga 420
 aggaaagctag ctgagatgca taaagcoggg aaagctcga aagggtttgg ctttgagggt 480
 gacaacacta ttggcagtac ccgcagatc aatcctgtgt ctcoggattg gattgaattt 540
 tatggtgaga agagattggg ttaccagctt aagctagcta gggatcagta tggtagactt 600
 gctatttato agaaaggta tacactgata cagaacatgg cactctctt tgagaatgtt 660
 gtcatagaa cgtgcttggt acatggtgat ctctggagcg ggaatatcgc atacgacaag 720
 aacaacgaac ctgtcattct tgatcctgcc tgttactatg ggcatcaaga ggcggatttt 780
 ggaatgtcgt ggtgcgcagg atttgagaa tctttctaca atgcctattt caaggtaattg 840
 ccaaaacaag cgggatatga gaagaggagg gatctgtatt tgctctatca ttacttgaac 900

047-E2F-PROV.ST25

cattataacc tgtttggctc gggctaccga tcatctgoga tgtcaatcat cgaatgattat 960
ctacggatgc tcaaagctta a 981

<210> 33

<211> 237

<212> DNA

<213> Arabidopsis thaliana

<400> 33
atgcttgata cgcttattgg agggattgtc ggaggattg ccggagcgat tattggaacg 60
gtggatgggt tcgccagagg gatcgggaata tgcgccgata gttaccagag ctgcactcgt 120
accgactgcg agggacacaa aaagaagctc ccgaccaacc ttacgccgtaa cggcgggtgca 180
gcagcagtga aggctaagga gaacggccgc cgtgccgcc agaaagacag ggagtag 237

<210> 34

<211> 921

<212> DNA

<213> Arabidopsis thaliana

<400> 34
atggctgctg cttcactcca cacttcaatc tcaaccagta gcttccttcc tctctccaaa 60
ccatctctaa aacctcaccg ttcccaaatt ctactgagaa acaaacagag gaattgcgtt 120
tcgtgcgcac tgatccgtga cgaatcgcac ctgattccgg ttacagagcc agatcggacc 180
gaccatgagg aaggttcggt ggtagtgtat agcactgaga cggcgggtga tggtaatgaa 240
tcggttgttg taggttttag tgctgcgacg agtgaaggte agctttcgtt agaaggggtt 300
ctttcttctt cttcttcggg agctgattta ggagatgaaa agagaagaga gaacgaagaa 360
atggagaaga tgatcgatcg aaccattaac gctacgattg ttttagctgc tggttcttac 420
gctattacca aattgcttac catcgatcat gattattggc atggatggac tctggttgag 480
atactaagat atgctctcca acataactgg attgcttacg aagaagcgct aaagcaaac 540
ccggttctag caaaaatggt cattagtgga gttgtctact ctgtaggaga ttggatagct 600
cagtgttacg aaggcaaacg gttgtttgaa attgatagag caagaacatt gagatcagga 660
ctagtagggt tcaacttcca tggctcgta tgcattttct attaccagtt ctgtgaagag 720
cttttcccggt ttcaagattg gtgggtggtt ccgtgtgaaag ttgcctttga tcaaacagtc 780
tggtcagcta tatggaacag tatttacttc accgttcttg gtttctctgc tttcgaatcg 840

047-B2F-PROV.ST25

cctatcagca tcttcaaaga actaaaagct acgttcttgc ctatgctaac agttggaagc 900
 tttggccatt tgctcatttg a 921

<210> 35

<211> 537

<212> DNA

<213> *Arabidopsis thaliana*

<400> 35
 atgcagtagt acgaaaaccg tgaqaaagac tactacgagg tggctcaagg ccaacgcaat 60
 gggtatggcc agagccagag ccacaaccac gagggatatg gccagagcca gagccgtggg 120
 ggatattggcc agatccataa ccgtgagggg tataaccaaa accgtgaggg atatagccaa 180
 agccagagtc gccaggtata tgggcttagc ccgactttga accaccgtag ccacgggtgg 240
 tttcttgatg ggctcttcaa gggtcanaat ggccaaaagg gtcagagtgg gctaggcacg 300
 tttctagggc aacacaagag ccaagaggct aaaaagagtc aaggacatgg gaagctcttg 360
 gggcaacatg accagaagaa aactcatgag adaaacagtg gtcttaattg ccttgggaatg 420
 ttcattaaca atggtgagaa gaacatagg aggaaaagtg agcacaagaa gaagaacaag 480
 gatgggcatg gcagtggtaa tgagagtggg agcagcagcg gtacgcagag cgactga 537

<210> 36

<211> 609

<212> DNA

<213> *Arabidopsis thaliana*

<400> 36
 atgggttggt ttctgtgcaa atcatcagat ccatggcaaa catctgccaa tgctttgaa 60
 tccgtcgatg aatccggaat caacgaagcc tgggttgaga tctccagccg cagatcattt 120
 gtcgccggcg aagtagtcg gaagaagcta gagaggaaga agagccaagt gttactggaa 180
 ggttacgttg agactgcttc ttcttctctg gtggatgac aaaaaggaga tctgacgaga 240
 tccaagagtt tgacggatga cgacctcgaa gatcttagag gttgtttaga tctaggggtt 300
 ggttttagct acgacagat ccttgagctc tgcaacactt tacctgcttt ggagctttgc 360
 tattcaatga gccagaagtt cttagacgat aagcaaaata aatcaccgga aacttcgtcg 420
 gtggaagatt gtccgtgcgc tccactggtc accgcactc cgattgccaa ttggaagatc 480
 tctagtcccg gtgataatcc ggaatgatgt aaagctaggg tcaaatctg ggcaacagcc 540

047-52F PROV.ST25

gttgctctgc tgagagactt tgtgtttatg agagctatca ctaactgggtt atggacctcc 600
acttgctga 609

<210> 37

<211> 1917

<212> DNA

<213> *Arabidopsis thaliana*

<400> 37
atggctgttg atagcagaat ggatctgcta agcgaagag ctgtgttgat gagagcatct 60
cttcaaaaga gtcaaacat caccgataat gtgttttcta tctctggctc ctctgatagt 120
cgtctgtctg ctcttgaac cgccatgcgt cctactcaga ttaggactca tgcataaagg 180
aaagctcatg agaatatga taggaactctt aaggctgtgt aagtatttt gtctcaattc 240
gatctctcc gtcaggcaga gactaaagta ctcaaggggc cacatgagga cctggaaagt 300
tatctggatg caattgtctca actcagaaag attattcggt attttatgag caacaaaagc 360
tttaagagta gtgatggagt tctcaaccac gcaaatagtt tgcttgctaa agcacagtca 420
aagctggagg aagagtttaa gcagttgcta gcttcttaca gtaaacgggt ggagcctgat 480
cgctatttg atggccttcc caactcactg agaccatcct cagacgggga tggagggtgga 540
aaaccccacg gaggacatca caatgatgac ggggaaactg ctgcttatac acttccaatc 600
ctcattcgt caccgggtgtt gccacttttg catgacttgg cacagcaaat ggttcagggt 660
ggtcaccaac aacagttgct acaaatattat agggacacac gttcctttgt cttggaagaa 720
agcttaaga aattgggagt tgaaaaactt agcaagagg atgtccagag gatgcagtgg 780
gaagttttgg agggccaaat tggaaattgg atcatttca tgcgcattgc tgttaaatta 840
ctctttgctg gagaagaca agtatgtgac cagatattcc gaggtctga tctctaaagt 900
gatcagttgt ttgcagaagt tacagtgagc agtctctcaa tgcacttag ctttggggat 960
gctatagcca ggagcaagag atctccagaa aagtgtttg tactcttaga catgatgag 1020
ataatgggg agcttcatac agagattgag acaattttca aagggaaagc atgctcgaa 1080
attagagatt ctgcgacggg cttgacaaag cggttgggc aaactgtca ggaacattt 1140
ggtgattttg aagaagctgt tgagaaagat gctacaaaga ctgctgttct agatggaaat 1200
gtccaccac taacaagcta tgtcatcaat tatgtcaagt ttttatctga ctaccaaaaca 1260
acattgaagc aacttttctt ggaatttgga aatggagatg actcaaatc gcagctagca 1320
tcgtaacga tgcggataat gcaggcgctt caaacaact tggacggaaa atcgaaacag 1380
tacaagatc ctgcattgac acacttgcto ctgatgaaca acattcatta catggctcaga 1440

047-E2F-PROV.ST25

tctgtgcgca ggtcagaagc caaggatttg ttaggcgatg attgggttca aagacatagg 1500
 cgtatcgtgc agcaacatgc aaaccaatgc aaagagttg cctggacaaa gatactacaa 1560
 agctcatcgg cgcaagggtt gacctcatct gggggaggaa gtttagaggg aggaaacagc 1620
 agtggagttt caagaggatt attaaaagag aggttcaaga tgttcaatat gcagtttgat 1680
 gaggttgcat agagacaatc gcaatggaca gtccagaca cagagttaag agagtcacta 1740
 agacttgctg ttgctgaagt attattgctt gcttatgat cattctcaa acgctttggg 1800
 cctttggttg agagtgggaa gaatcctcag aaatacataa agtatcacgc tgaagatcct 1860
 gaaagattgt tgggtgagtt gtttgaagga aagttctatga atgaaccacg ccggttaa 1917

<210> 38

<211> 1581

<212> DNA

<213> Arabidopsis thaliana

<400> 38

atggacccat ggtcatggat atgtgagctt ccagaagatc ctgagttcag cgagtcctgat 60
 tcacacgcag tgtttcagct cgctggcgat ttgacacggt cgtacaaact tagagccgaa 120
 cggacttttg gttctgacca agaattcac tctctcacct ttacagtgtg agcagagggt 180
 tttaaccttc ttaagtcgtc gaccatttgg gtctccaaca catgtccctt gtcgtcggag 240
 aaacccgttc tccctcttgt tctccagctt ctccaagaac taatcacccg tccccctacc 300
 acacacgcag gcgctgtcac aaagtttgaa caacttgaaa tcaaaccaag tccagttagc 360
 tgggtcatgg actctcactc acctgaatcc tctctcatcag tctttaatct aatcctctctc 420
 acacgcctct tctggttgtg tgtgtttgac gggccaagcg aagtaggctc tttcttcttc 480
 caacacttac taggtccaca cgtgaacgcg ctatcatgtc aacatgcacc tgtcttacgg 540
 acgtttctcg tctctctcgg tgtagacgcc gagatttgta ttgtacgagc tgcttcgtat 600
 gccttatcca aatggatgat ctctaaagag ataggacttg ggaatcttgg ttgaaacag 660
 ttcagtagca gcctcatgcc acgtcattcg ttggggtttt cgtatgccac agaagctcat 720
 ggtctttgga tcttgaaagg ttatttccca atcttctcaa tgaacgtcac aaataatagc 780
 tctaacgagg ttcaacaaca gatcgtaagc ttccattcgg tagagctcaa agaagctgtc 840
 ctacgtttacg ctttgcgcga tcaacaagct caaatactag tacagtttga atactcgtt 900
 aagttctatg agaactacat aaaagtaaag ccaagtgtag acaacatcag catccacgtc 960
 tcgaagctag ggtttcacia aggaggagtt cggcgtggaga atcagatagc ggattgttac 1020
 tccaggagga ggtacttccc atcacgggta cgggtctggc tcgggccaga actcgggtcc 1080

047-E2F PROV.ST25

agccacgtat	cggggctaag	tctaggaagg	tcaacgaaga	acgaggagag	agatatcgag	1140
gtgactagag	tgctaaaggg	aaatttcgga	aaagg	tggtcccgag	agtcaaggca	1200
agagcaagaa	tggcaacaaa	gaggaagggt	aaagattgga	gaatagagca	ggaaagcgaa	1260
ggaaacgctg	cgttttttga	tgcggtgttg	taagatagag	agagcgggtc	agaagtgcaca	1320
aocgttaagc	cgaagccaaa	ccaagagggt	tttagaatg	tgtttacgaa	gagtggggggg	1380
atggtgtttg	gaagggatga	gtatggagat	gaagctgggt	ggagagtgg	gagagagatg	1440
gaaggaagtg	tgttgaagtg	gagactgggt	ggtaaaattt	ggctaactta	ttggccaaac	1500
aagttgaaca	ctttgtttta	tgagactaga	tgtgtagagt	ggtgtgatga	ggttgatttg	1560
ccgttgcttc	ctacttctta	g				1581

<210> 39

<211> 921

<212> DNA

<213> Arabidopsis thaliana

<400> 39		
atggagggtac	cggtgattaa tagaataaga gctttcgaag ttggtataaa ctcgattaat 60	
gaccccttctg	ttctttctcag atctgttgct gttcccgaa tcggaagact acaccaagct 120	
tatgggttttt	ggaaatgggg agctttgatt atcccatctc tagcttattt caccaacttt 180	
gttagtaaac	tcaacagtct agttgttagg ttaagaaaaa tagatgtctc tgtttcctct 240	
ccaactcttt	ttgatgatta cगतagcgat tccgatgttt cttgttcctc tacogtctcc 300	
tctgacgatg	aaaaagacga agaagatgag gctgatgatg aagatgagga tgttgactcg 360	
atctttaatc	gaagacgagt caacggaggt ttccgcgtta gaggatctga ttattacgat 420	
gatgatgatg	atcagggaga caatggtaat tgcacatgga tggggaggcg atatagtgg 480	
agttttggag	atttgttctc atggcctgat cttggtggga ttggttcgag tggagtcgtg 540	
aagctttggg	atcatttaga tatcgatggc gatgatcatg agaatgttgt ggcacagttt 600	
ctcaagaact	ataactcaac ctcgtcaccg tttttttggg cggcggagaa aaaagtggt 660	
gacgccgtta	aagtgaaggc gtgtgatcca cggcccggtt tccgatgcc ggccttgctc 720	
gcggagtgga	ggcagccggg gcggttgta cggcaataaa tcggagttag taccgtgggt 780	
gtggagaaa	tatacgtcag ggatgatgtt agcggagaga tagccgtggg agatttgagg 840	
aagtttaacy	gtgtgttgac ggacttgacg gaattggagg ctgagacttg gtgggacgct 900	
gacgtcctta	tctcgggctg a	921

047-22F PROV.ST25

<210> 40

<211> 999

<212> DNA

<213> Arabidopsis thaliana

<400> 40

```
atgattgcat tagctgettc ttcgttgggg aatcacacca ttgcttcgtt taacogtcatt 60
tttagattcc ggttacatcc acgaaacct ctgatacaag cagcgggttc accttcgtct 120
tcttctctt ctctactgc ttcactctgc tttagattga gttctctega atccgccatt 180
aacaagaaag atagtaatgg tgtaaggaa gctctcgata aattgagtga agaaggttgg 240
gctaagaaat ggagctccca gcggtatctt tccgcgcgta cgacatcact gcgggagctg 300
acaactctcg gtatcaagaa tgcagagact ctggccatcc ctagtgtcag gaacgatgcg 360
gtttttcttt tcacagtagt cggatcaact ggttccatag ctgtacttgc cggccaaatt 420
cccggggact ggggattctt tgtgccttac ttggttggga gcatttcgtt ggtagtttta 480
gcggtgggaa gcgtttcacc agggcttctt caagctgcga ttccgggtt ttccagcttc 540
ttccctgatt atcaagaacg aattgtctga caggaagcag cccacttctt agtggtctac 600
ttaatcgggc ttccaatctt cgggtactcg ttgacatcg gtaagaaca tgtcaatctc 660
attgacgaga gactagctaa actaatatac agtggcaagc ttgactcaa ggagctcgat 720
aggttggtct ctgttgcaat ggctggactt gcgcgcgagg gtctgaagta tgacaaagta 780
attggccaat ctgcagatct cttctctctt cagagattca taacagaag ccaacccaaa 840
atcagcaacg agcagcagca aaatctaaca agatgggtct tcttttactc tgcctctctt 900
ctcaaaaaa acaagaccat ccatgaagct caatgggtct caatgtccaa aaatgcatct 960
gttcttgaat gcattcaaac cattgagaca gttctctag 999
```

<210> 41

<211> 393

<212> DNA

<213> Arabidopsis thaliana

<400> 41

```
atggcgtcac caaagtcacc cacaagacca acccaacaaa acccacaacc caatttcac 60
gattttcttc ctaccatggc cggaaacctt gcgggtgaag gtctgatcgg agagctatgc 120
aacggcttcg agcttttgat ggacagagag aaagggttca tcaagttcga gagtctccga 180
cgtaacgctg cggcgggtct ggggttagga gatttgactg atgaagatgt cgggtgtatg 240
```


047-12F-PROV.ST25

attaaagaag gtgattttga ctgcgcagggt ggcctgaatc agatggagtt ttgtgtgttg	300
atgttttaggc ttagccctga ttgatggaa ggcctgcagggt gtctcgtcac ggaggctcatt	360
gaggaggagt ttggttcac ggcgcggcat tga	393

<210> 42

<211> 3267

<212> DNA

<213> Arabidopsis thaliana

<400> 42	
atgggtctgc ttaaaacttc atggcttcct cgcctctctc ggggtgtctc tccccctttg	60
tggttcagggt ttcattactg ttatgggtca ggcctctctg tgaagtctct gaaagcacct	120
cctactactt ctagatttac ttcagccaaa tctctctctc ttgcttttga ggatggaaac	180
agaacttggt caagctgcaa attcgttgc aagctagatg accgtattag ttggactgc	240
catcaaagaa aagtttctta ctogaagttg ctagatggag atcacact tgaggtttgc	300
gcaaatagga tgcattgatt tggctgcaat cactataatt ggactgttga tacggtttct	360
cctacagcct ttgtgactgc atcaatgcca ttatagaagt cacaaaacgt gtctgttaat	420
attactttta ctgagccatg tgttggtaga gaggatttgc gctgtctc tgtgaattcc	480
tcgacacctt ttgtctatgg tgcctggcaa gctatagct cttcatttac cgttcttgac	540
caatatctta gatattcact gcttgtggga ttatctctctg atgctcaata tggaggatt	600
gtgttggtga tgaataagag tgtttgttct gataagctg gtaacaattt taaagagct	660
ttgggttcgc gtttctttgt ccattttgat aagaagaatg ttttagtcaa tctacgaact	720
catgtaccag agaagttact taagctaaac aaccacta ggacggtgca ggcaaccaat	780
gataacaaca agttgaatgt ttaactgtat tctctgaac cggtagtgaa ttcttcggct	840
gaaattctca gacgactaaa cacaaaccaa gttgatttgc ttcctatga cggaaatacc	900
aacgggaatc gccgtttcgc gtttatggtc aaaaatgcat cgcggcgtgc aatagtcacg	960
gtgacccttg actcgaattc aattagaagc agacatggga cacctgcctc tccaactgca	1020
ccactcactt ttctttatga taccgagaga cctcatgtta tatgaacac aacatctggg	1080
atgaggacaa gaaagcacac catccctgtc tggatcaaat ccatgaagcc agtgtttggg	1140
tttaactcct catttgtatc aatctcaggt ggaatcttg atagctttga ggaactgagt	1200
ggaagcatat acattgtata tgtaaaagcc aacaccagta cactttctat taagattcct	1260
gaaaatgtta ctcaggatgt cgcgggaaac aaaaatcttg catccaatat cctaaaagtg	1320
aaacattatt ctgtgcctat gatattctct gtgatttctt gggtaacaac ttacattttc	1380

047-E2F-PROV.ST25

ttggtgacgt	ctttcggtgc	gggactcctc	actcttttcaa	ccacaagcct	ttattctott	1440
ggcgcattec	caagaccatc	tccttatctg	atctcagacc	ccacaggaaa	cctttttaga	1500
actgcctgtc	acattcagtt	ttttgcactc	acagatgggc	taccggtgac	attgcctggt	1560
gattactatg	aacttgtagg	agggatccag	tgaataatcc	cttattttcc	tctcccatgg	1620
gaaactaaga	tcaaggaaca	gatcatgggt	gcacaaatgc	cttacattgg	tcacactccc	1680
ttcattttcta	aaactcataa	caacatgatt	aaacttaaga	catcaaccaa	cgcggagtc	1740
gtattcggtg	tgccactcac	cgcaatggag	taagatctat	tctttgagac	ttcaaatctt	1800
aagccagaag	cagaacacgt	tcttgcccta	ccacattcaa	cagtgtggag	agatttcaat	1860
aggatcatgt	tttggaatgc	tataattgga	ggaagtctgg	tactactgca	tatagtcctc	1920
tctctgatac	tgaagttcaa	gaaagcacac	agtgagaaga	agaggagttt	tggtgcgttt	1980
gtcttcccaa	gattcgagct	gtttctcttc	actctgcctc	taccttcaat	ctgcaaaagt	2040
gcaaggagcc	ttatacaagg	ctatttttaa	ccccaaggag	ctgcagaagc	cagtgtcatt	2100
gttggtatcc	ttgtgctttg	cgtggtagct	actctgcttc	tgccattggt	tctcttcttc	2160
tcggctggga	taacgctttg	gaagttgtta	cagtataaag	agattcatca	agaagcccaa	2220
actttccact	ggtaccaaga	actcatccga	gtgacctgtg	gtcctggtaa	aagagcccaa	2280
tggaatcaga	aaacagagaa	ctctgtctat	ctaactaggt	taggtccagt	tttcgaagat	2340
ttaagggggtc	caccaaagta	catgctcaca	cagatttcag	gaagcaatcc	actcaagcaa	2400
caagatgacg	ggatcatcgc	atcagatgat	gaaaaagaa	atgctgaagc	tccttgcata	2460
cagaaactct	ttggaatcct	tagaattttc	tcacacttcc	tcgaaactgt	gaagaggggt	2520
tggtttggga	ttattgctgg	tgctttctct	gacaaatgaa	ctgcgaaaaa	tcgatagatg	2580
gtcttgttga	gcataccttc	ctttcagctg	cttttctctc	ttctgaagaa	gccattcatc	2640
aagaaaaagg	tacagcttgt	agagatcatc	cttatagcat	gtcaagtcgg	cgtattcgcc	2700
tcattgtctaa	tgctcttgcc	gaaagacttt	cccgaggcaa	gcggaagaaa	actcgggata	2760
ttcatggctg	tattgttctt	gattggatcc	attatgctga	tggtgcaacg	atggactcca	2820
ttgtacaaac	aaacaaagcg	gttagaccac	atcaacagat	ctttcttgag	tggtcttaag	2880
atgtttatca	ttggactttg	cgcgttaatc	ctacctcaga	aaatgatcaa	gaacaagatc	2940
cccggtggctc	aactagaagc	acgaagcagc	agcaatggag	gcacaacccc	agaattcagg	3000
tatagaaatt	cttcgggaag	cgaagctcgc	gttagcttgg	acaagccatg	gttgaaacag	3060
attagagaaa	tgccaaagtc	tagcttcaca	agagatagga	gcaatagtaa	ggttcttagt	3120
gatccttcgt	gtagcaaaag	cgtgtggagc	agtagtattt	ggggaacaaa	gacaagtggg	3180
agctcttcta	aggaatcatc	tcagatttac	aaatcagac	ctaagggact	ttacaagat	3240
ttagaggcca	tttttgcttc	aaagtaa				3267

047-E2F-PROV.ST25

<210> 43

<211> 816

<212> DNA

<213> Arabidopsis thaliana

<400> 43

atgggtctac tgtcacttga agacaccata aaagagaagc taaaggaccg caaaaaacyct	60
cacttcatgt tgggtgacgg aatgtctaag cacttgacgg aaaaagttaa gaattgtcag	120
tcattggatt tccaagtttc tgggtgtcaaa tggaggttgg ttatacgctt atctagggga	180
agaaaagacc atctatcttt tgttctggag atcactgatg aaaagtgtac cgggtctact	240
tgggacgtca aattcaactt caaaatcggc atagtccttc agactggacc agattattgc	300
ttcgttttgg tggggcatca aaacgaaaaa aaactgtgtc aagggttagc caacttcata	360
tcacacacgg atttgaagga gaggtttctt gtgaacgaca aagcgggggt ctatgccgag	420
ataagcgatg tccaaccaa cttccccgtt acccttatgc ctgaaacaat ggggacagca	480
gaacgcttta aactgataga gttttctccg aaaaactcca gattcacctg gaagatcacg	540
cagttttctt ccttcgatgg tgaagagcat tcttttaccg agttcacggt tggaccacgg	600
agatggaac tagtaatgta cccaaaagga aacggagatg gaaaaggaaa ttctgtgtct	660
ttgtatttgt ttgcatccga ttacgtcacc atcgggtcta aggggtggaac attggccatc	720
tataaattga gagtgttgga ccaactcaat cgaatcact gtgaaactgg tatgtgtata	780
tatacactta attcactaat ttatactttt tcttaa	816

<210> 44

<211> 414

<212> DNA

<213> Arabidopsis thaliana

<400> 44

atggaagacg tgaaaggga ggagattatt gatgatgctc ctattgacaa caaggtttca	60
gatgaaatgg agagtggaga aaatgcgatc aagaaaaagt atggaggatt gttgcctaag	120
aagattcctt tgatatctaa ggaccatgaa atgctctttt ttgactcagc tgattgggct	180
ttaggcaagc aaaanggaca gaagccgaaa gggcttttgg aagctctccg cccaaaactg	240
cagccaacc cgcaacagca accaagagca agacgaatgg ctatctctc aggcgaaact	300
gaagacactg agattgataa caacgaagct cggatgacc aagcctcgcc atcagctgtg	360

047-R2F-PROV.ST25

gatagtagca atttaaagga cgaaggaggc gaaagaca acatcaaatc atga 414

<210> 45

<211> 1023

<212> DNA

<213> Arabidopsis thaliana

<400> 45
 atgatgtttt cggtagcggg tgcgacgctt gctgtcctta ttggctacat ttaccgatca 60
 tttaagcctc caccaccgag aatctgcggc caccctaacg gtccctccgg tacttctccg 120
 agaatacagc tcagtgatgg aagatatctt gcttatagag aatctggggg tgatagagac 180
 aatgctaact acaagatcat tgcgttcat gcttccaca gctccaaaga cactgaattt 240
 cccatcccta aggatgtaat tgaggagctt cggatatact ttgtgttcta cgaatagaca 300
 ggatattggg aaagtatgcc acaccatca cggactgcta agagtgaagc ataccgactt 360
 caagaactcg ccgataaact caagatcgga ccaagttct atgttcttgg tatatcacta 420
 ggtgcttaact cgttttatag ttgctcaaaa taccatcccc acagactagc tggagcagtc 480
 ttaatggttc catttgtgaa ctattggtgg actaaatgac ctcaagaaaa attgagtaaa 540
 gcgttgaggc taatgccaaa gaaagaccaa tggagcttta aagtggctca ttatgttccg 600
 tggttgttat attggtggtt gacccaaaaa ctatttcgtt ctccagatgt ggtagcgggg 660
 aacaatgcgt tatgcagcga caaagatttg gtcgtcataa agaagaaaaa ggagaatcca 720
 cgccttggtt tggaaaaagt tagacaacaa ggagacatg aatgtcttca ccgggacatg 780
 atagccggat tcgcgacatg ggaattcgac ccgactgaat tagaaaaatcc gtttgcggaa 840
 ggcgaaggat cggtagcagt ttggcaaggg aaggagaca gaatcattcc ataccgaatt 900
 aatcgatata tatcagagaa gcttccatgg attagttacc atgaggtctt aggttatgga 960
 catcttctaa acgccgagga ggagaaatgc aaagacatta tcaaggcact tctgtcaac 1020
 tga 1023

<210> 46

<211> 981

<212> DNA

<213> Arabidopsis thaliana

<400> 46
 atgactaatg gcggtagagg ttccggcggc ggtggggtg gcggcggcag ggagtcaggc 60

047-32P-PROV.ST25

ggctcgtgatt tggaaattag acctggtggt atgttgggttc agaaacgtaa cccggatttg	120
gatectgtcg gacctccacc accaccgatg atcagaggtta gaatcaagta cgggtgcgctc	180
taccatgaga tcaatattag tctcaagct tctttgggg agctaaagaa gatgttgact	240
ggaccaacgg gtattcatca tcaagatcag aagctaatgt ataaagataa agagaggggat	300
tcaagggcgt tctcgtatgt ttcgggagtg aaagataaat ctaagatggt gcttatagaa	360
gacctcgcta gccaaagaaa acgggtttttg gagatcagga agattgcata aacggaaaag	420
gcgtctaaag cgatacggga tattagcctt gaagtctgata ggctcgccgg acgagtttcg	480
gcttttgaga tggttaactaa aaaaggaggg aagatcgcc agaaagatct tgtaacgggt	540
atcgaattgc tgatgaatga gttgattaag ttggatcgga ttgtagctga aggagatgtc	600
aagttcaaaa gaaagatgca ggtgaagaga gtcgagaatt atgtggaaac actcgatgcc	660
ttgaagggtga aaaactccat ggctaattggg caacagaaac agtcaagtac tgctcagaga	720
cttcgaccga ttcaagaaca taacaatgaa gaggagcag aacgaaacc gatacaatcg	780
ctcatggaca tgcgataca atacaaagag aagagcgag agattgaaga ggagcctagg	840
aattcagggg aaggaccatt tgtgttagat tctctctcta aatgggaaac attcgatcat	900
catcccgta cgcattgag ctcgactact gcaaaacta acgcgatccc gccacggttt	960
aattgggaat tctttgattg a	981

<210> 47

<211> 570

<212> DNA

<213> Arabidopsis thaliana

<400> 47

atggcgaaat ctccggtgga agtgaatttg attctatcg aagctactcc ggagaaacttc	60
gcagagtatg gtcaagtcatt tgaagcctct ctgtgtgtg ctggtttcgg tccccacgac	120
gctcaactag atctctctag aggaacccca tggctctata tacttaggtc gaaagaacaa	180
cccttagggt ttttcaagat cacacatcac gcaagctga caccgtgtct aggatcaata	240
ggaggtgatg ttttggtatat gggagtggtc aagcctcttc ttattgaaga tgatgacgat	300
gatggaagga gcgtagatac agtaaaatca aagttctgtc acttatacat tccacctgag	360
tggaagaga ttcgcgtctt caggttctcg ggaacaaagt ttgtgaaact gcaccgtggt	420
acatggcatg ctggaccctt gtttagtggc agctctctca tggatttcta caacttagag	480
ctcagcaaca caaatgtggt ggatcacacg tcaatgatt tcaccaagaa taatggagtc	540
agcttcggat ttgaacatt gtcttctag	570

047-B2F-PROV.ST25

<210> 48
<211> 549
<212> DNA
<213> *Arabidopsis thaliana*

<400> 48
atggcgctcgt cgctgcaaag ctgggggatg ttgacgaaag agcaaatggt ttatctcttt 60
gatcgattcg attacttgac ttcacaatct gatgtgaaga aacgaatctc cgacgctgtg 120
gatgacaaac aggaagctgt agcggtaaca actgctattc aagaggagat attcttggag 180
atgggggattg acccgggatt tggatttggc tgcttgggaa agctgaactc tgcatacgaa 240
aacgataaag agttgatgat tggtttctac aagtttctcg caaaggagga gatggcatgt 300
gaagaagctg agcttggaca agatggattt gaacagaaaa tgaaagcact acaacaatta 360
caagaacagc aactagagat gcttaagtat atgcgtaaat tctctctgga tgatcaatct 420
gctatccttc aaaagcttca gaagcaatta gaaaatgctg gttttgagcc ggaggcgtct 480
cttttgcag gagaggaaat ggaggaagct ggaagaagaa gagtttcacc tgtttttgga 540
agcagatag 549

<210> 49
<211> 327
<212> DNA
<213> *Arabidopsis thaliana*

<400> 49
atggctatca tcgcaagcac gtccggcacg gggctaagtt acgccgggga gcttccattc 60
aagccagtc cggggggaga ggtgggacga aagcagcaga gaatggtggt ggtgagagca 120
gaaggcgggt gaggtatcaa tcgggagatc agaaagaacg aagataaggt tgttgactcc 180
gtcgttgtca cagagcttcc caagaacata actccctatt gcagggtgtg gaggtcgggg 240
acgtttccat tgtgtgatgg gagtcatgtg aagcacaaca aagctaattg agataacggt 300
ggccctcttc ttctcaagaa acagtag 327

<210> 50
<211> 558
<212> DNA

047-E2F-PROV.ST25

<213> Arabidopsis thaliana

```

<400> 50
atgggttttaa ttctcaacc acaagaatcg atccaagaat ctctacta cacacataaa      60
ctctctctca ctgcaaaact cgtctctctc ggtgcatcgt caagctgcat ctctctcact      120
ctctctctcc gtctaatacc ttcaactctgc ggtttcttcc tcatctctct tcacgccacc      180
acgatcgcat cgcgcgtctc aggctgtgca gccgcactct atggtaagaa cgggtggtac      240
gcagctcaca tgatcgcaac tgtcttacc gccattttcc aaggctcagt ctctgttctc      300
atctttacca acacttcgaa ttctctcgag agccttaact ctacgtccg tgagaaagaa      360
gcgtctatga tcttgaaact agctggtggg ctctgtgttg taatcttttg ccttgagtgg      420
atcgttcttg ttctgcctt ttcttgaaag tactacgctt atgtcgatgg tgataacaat      480
ggagtgtcta tgaaaaggac tggtaaggtt cagagtgaag agactctcaa aaattcccca      540
tgggcggtcc aagtttga
                                                    558

```

<210> 51

<211> 546

<212> DNA

<213> Arabidopsis thaliana

```

<400> 51
atggctcgta cggatgttct cctcccttct ctctctcttc tggccacgt ctccgcgta      60
gttttcgctg aagatgatcc agactgtgta tacacattct acctcagaac cggatcgatc      120
tggaagcggc gaacogattc gatcatcagc gcaagaatct acgataagga cggtgactac      180
atcggaaatca aaaaccttca agcttgggct ggattaatgg gacctgatta caattacttc      240
gagaggggta atctcgacat ttctagtga agagcaccgt gtttacctag tccgatctgt      300
gccttaaac taacctccga tggctcgggc gatcaccatg gttggtacgt taattacgtt      360
gagatcaoga cggctggtgt tcacgcacag tgcctgacgc aggatattga gattgagcaa      420
tggctcgcta ctgatacttc tccttatgag ctccaccgct tacggaacaa ttgtccggtc      480
aagcttaggg atagtgttag tcgggtcggg tctgagatcc ggaaaaagct ttcttgggtc      540
gtttaa
                                                    546

```

<210> 52

<211> 1110

<212> DNA

047-E2F-PROV.ST25

<213> Arabidopsis thaliana

<400> 52
 atgttggttg ctggatttca gttgacgaga ggcagacaag ggcagatcc ttctacact 60
 tccgcaaaaa ctgcagggc caatcagcgc atcgatcagc tccgtagagc tcagagcgac 120
 gtctctaacg ttccatcacc agctcctctc ccgcataaac aacaactcga gcgtccgat 180
 ttatcttcca gtaatctaga tcggttttta gactcggtga caccatccgt accggctcag 240
 tttttatcca agacattgct acgagaaaga agagcagatg atgattataa taaacttggtg 300
 ccttattttg tgcttggtga tatatgggac tcatttgagc agtggagtgc ttacggcacc 360
 ggtgtgcctc ttgttttgaa taacaacaag gatcgtgtta tccaatacta tgcctctctc 420
 ttgtcagcca ttcaaatcta tgctcattct catgccttgg attcatctct taaatcaagg 480
 cgtcctggtg atagtagcga cagtgtttt cgggattcaa gtacgagatg tagcagcgat 540
 agtgattccg agcgggttct tgctagagta gactgtatct cattgagga tcaacatcag 600
 gaagactctt ccagtgtatg tggcgaacct ttaggctctc aaggctgtt gatgtttgag 660
 tatcttgaaa gagaccttcc atacatccgt gaaccttttg ctgataaggt cttggacctc 720
 gcagctcagt ttcccgagct aatgacgctg agaagctgtg acttacttcc gtcaagctgg 780
 ttttctgttg catgttacct aatttacaga ataccacag gaccgacct gaaggacctg 840
 gatgcttgtt tcttgacgta tcattcccta cacacatctt ttggagggtga aggcagtga 900
 caatcaatga gccttacgca accaaggag agcgagaaga tgcattgcc tgtgtttggg 960
 cttgcttcat acaagttcag aggttcatta tggcaccca ttgggggttc ggagcaccag 1020
 ctctgtaact ctctgttcca agcctgtgac aaatggctgc attcttgta tgcagccac 1080
 cctgatttcc tcttcttctg ccgtcgttga 1110

<210> 53

<211> 362

<212> PRT

<213> Arabidopsis thaliana

<400> 53

Met Pro Leu Thr Lys Leu Val Pro Asp Ala Phe Gly Val Val Thr Ile
 1 5 10 15
 Cys Leu Val Ala Leu Leu Val Leu Leu Gly Leu Leu Cys Ile Ala Tyr
 20 25 30

047-E2F-PROV.ST25

Ser Phe Tyr Phe Gln Ser His Val Arg Lys Gln Gly Tyr Ile Gln Leu
 35 40 45

Gly Tyr Phe Ser Gly Pro Trp Ile Ile Arg Ile Thr Phe Ile Leu Phe
 50 55 60

Ala Ile Trp Trp Ala Val Gly Glu Ile Phe Arg Leu Ser Leu Leu Arg
 65 70 75 80

Arg His Arg Arg Leu Leu Ser Gly Leu Asp Leu Arg Trp Gln Glu Asn
 85 90 95

Val Cys Lys Trp Tyr Ile Val Ser Asn Leu Gly Phe Ala Glu Pro Cys
 100 105 110

Leu Phe Leu Thr Leu Met Phe Leu Leu Arg Ala Pro Leu Lys Met Glu
 115 120 125

Ser Gly Ala Leu Ser Gly Lys Trp Asn Arg Asp Thr Ala Gly Tyr Ile
 130 135 140

Ile Leu Tyr Cys Leu Pro Met Leu Ala Leu Gln Leu Ala Val Val Leu
 145 150 155 160

Ser Glu Ser Arg Leu Asn Gly Gly Ser Gly Ser Tyr Val Lys Leu Pro
 165 170 175

His Asp Phe Thr Arg Thr Tyr Ser Arg Val Ile Ile Asp His Asp Glu
 180 185 190

Val Ala Leu Cys Thr Tyr Pro Leu Leu Ser Thr Ile Leu Leu Gly Val
 195 200 205

Phe Ala Ala Val Leu Thr Ala Tyr Leu Phe Trp Leu Gly Arg Gln Ile
 210 215 220

Leu Lys Leu Val Ile Asn Lys Arg Leu Gln Lys Arg Val Tyr Thr Leu
 225 230 235 240

Ile Phe Ser Val Ser Ser Phe Leu Pro Leu Arg Ile Val Met Leu Cys
 245 250 255

Leu Ser Val Leu Thr Ala Ala Asp Lys Ile Ile Phe Glu Ala Leu Ser
 260 265 270

Phe Leu Ala Phe Leu Ser Leu Phe Cys Phe Cys Val Val Ser Ile Cys
 275 280 285

047-E2F-PROV.ST25

Leu Leu Val Tyr Phe Pro Val Ser Asp Ser Met Ala Leu Arg Gly Leu
 290 295 300

Arg Asp Thr Asp Asp Glu Asp Thr Ala Val Thr Glu Glu Arg Ser Gly
 305 310 315 320

Ala Leu Leu Leu Ala Pro Asn Ser Ser Gln Thr Asp Glu Gly Leu Ser
 325 330 335

Leu Arg Gly Arg Arg Asp Ser Gly Ser Ser Thr Gln Glu Arg Tyr Val
 340 345 350

Glu Leu Ser Leu Phe Leu Glu Ala Glu Asn
 355 360

<210> 54

<211> 72

<212> PRT

<213> Arabidopsis thaliana

<400> 54

Met Glu Leu Pro Ser Pro Tyr Ser Ser Arg Lys Glu Glu Ser Thr Val
 1 5 10 15

Pro Pro Lys Arg Gly Arg Val Lys Ile Met Ile Phe Arg Asp Leu Val
 20 25 30

Arg Ser Glu Thr Ser Met Ala Pro Thr Pro Arg Arg Gly Arg Ile Lys
 35 40 45

Lys Met Ile Ala Gly Asp Leu Val Gly Ser Gly Lys Gln Asn Asn Tyr
 50 55 60

Asp Gly Asp Gly Lys Arg Gly Gly
 65 70

<210> 55

<211> 263

<212> PRT

<213> Arabidopsis thaliana

<400> 55

047-E2F-PROV.ST25

Met Arg Met Ser Cys Asn Gly Cys Arg Val Leu Arg Lys Gly Cys Ser
 1 5 10 15

Glu Asp Cys Ser Ile Arg Pro Cys Leu Ala Trp Ile Lys Ser Pro Glu
 20 25 30

Ala Gln Ala Asn Ala Thr Val Phe Leu Ala Lys Phe Tyr Gly Arg Ala
 35 40 45

Gly Leu Met Asn Leu Ile Asn Ala Gly Pro Asn His Leu Arg Pro Gly
 50 55 60

Ile Phe Arg Ser Leu Leu His Glu Ala Cys Gly Arg Ile Val Asn Pro
 65 70 75 80

Ile Tyr Gly Ser Val Gly Leu Leu Trp Ser Gly Asn Trp Gln Leu Cys
 85 90 95

Gln Asp Ala Val Glu Ala Val Met Lys Gly Glu Pro Val Lys Glu Ile
 100 105 110

Ala Thr Asp Ala Ala Thr Ile Gly Gln Gly Pro Pro Leu Lys Ile Tyr
 115 120 125

Asp Ile Arg His Ile Ser Lys Asp Asp Asn Ser Ala Ala Ala Thr
 130 135 140

Gly Ser Thr Asp Leu Lys Leu Ala Lys Thr Arg Arg Ala Lys Arg Val
 145 150 155 160

Ser Thr Val Ala Ile Gln Ala Glu Ser Glu Gly Lys Ser Asp Glu Ala
 165 170 175

Ser His Asp Ser Ser Leu Ser His Gln Ser Glu Ile Val Ala Ala His
 180 185 190

Glu Gly Glu Ser Lys Glu Ser Glu Ser Asn Val Ser Glu Val Leu Ala
 195 200 205

Phe Ser Pro Pro Ala Val Lys Gly Ser Gly Glu Ile Lys Leu Asp Leu
 210 215 220

Thr Leu Arg Leu Glu Pro Val Ser Arg Ala Tyr His Val Val Pro Val
 225 230 235 240

Lys Lys Arg Arg Ile Gly Val Phe Gly Thr Cys Gln Lys Glu Ser Thr
 245 250 255

047-E2F-PROV.ST25

Cys Lys Thr Glu Leu Met Leu
260

<210> 56

<211> 156

<212> PRT

<213> Arabidopsis thaliana

<400> 56

Met Gly Ala Cys Ala Ser Arg Glu Ser Leu Arg Ser Asp Ser Ala Lys
1 5 10 15

Leu Ile Leu Leu Asp Gly Thr Leu Gln Glu Phe Ser Ser Pro Val Lys
20 25 30

Val Trp Gln Ile Leu Gln Lys Asn Pro Thr Ser Phe Val Cys Asn Ser
35 40 45

Asp Glu Met Asp Phe Asp Asp Ala Val Ser Ala Val Ala Gly Asn Glu
50 55 60

Glu Leu Arg Ser Gly Gln Leu Tyr Phe Val Leu Pro Leu Thr Trp Leu
65 70 75 80

Asn His Pro Leu Arg Ala Glu Glu Met Ala Ala Leu Ala Val Lys Ala
85 90 95

Ser Ser Ala Leu Thr Lys Ser Gly Gly Val Gly Trp Val Ser Gly Asp
100 105 110

Asp Asp Val Thr Thr Ser Glu Lys Thr Tyr Gln Lys Lys Asn Ile Ala
115 120 125

Gly Val Lys Thr Asn Gly Gly Gly Gly Arg Gly Cys Gly Lys Gly Lys
130 135 140

Arg Arg Phe Thr Ala Asn Leu Ser Thr Ile Ala Glu
145 150 155

<210> 57

<211> 207

<212> PRT

<213> Arabidopsis thaliana

047-E2F-PROV.ST25

<400> 57

Met Leu Ala Val His Arg Pro Ser Ser Ala Val Ser Asp Gly Asp Ser
 1 5 10 15

Val Gln Ile Pro Met Met Ile Ala Ser Phe Gln Lys Arg Phe Pro Ser
 20 25 30

Leu Ser Arg Asp Ser Thr Ala Ala Arg Phe His Thr His Glu Val Gly
 35 40 45

Pro Asn Gln Cys Cys Ser Ala Val Ile Gln Glu Ile Ser Ala Pro Ile
 50 55 60

Ser Thr Val Trp Ser Val Val Arg Arg Phe Asp Asn Pro Gln Ala Tyr
 65 70 75 80

Lys His Phe Leu Lys Ser Cys Ser Val Ile Gly Gly Asp Gly Asp Asn
 85 90 95

Val Gly Ser Leu Arg Gln Val His Val Val Ser Gly Leu Pro Ala Ala
 100 105 110

Ser Ser Thr Glu Arg Leu Asp Ile Leu Asp Asp Glu Arg His Val Ile
 115 120 125

Ser Phe Ser Val Val Gly Gly Asp His Arg Leu Ser Asn Tyr Arg Ser
 130 135 140

Val Thr Thr Leu His Pro Ser Pro Ile Ser Gly Thr Val Val Val Glu
 145 150 155 160

Ser Tyr Val Val Asp Val Pro Pro Gly Asn Thr Lys Glu Glu Thr Cys
 165 170 175

Asp Phe Val Asp Val Ile Val Arg Cys Asn Leu Gln Ser Leu Ala Lys
 180 185 190

Ile Ala Glu Asn Thr Ala Ala Glu Ser Lys Lys Lys Met Ser Leu
 195 200 205

<210> 58

<211> 190

<212> PRT

<213> Arabidopsis thaliana

047-E2F-PROV.ST25

<400> 58

Met Ser Glu Gly Ser Glu Asp Thr Lys Thr Lys Leu Asp Ser Ala Gly
 1 5 10 15

Glu Leu Ser Asp Val Asp Asn Glu Asn Cys Ser Ser Ser Gly Ser Gly
 20 25 30

Gly Gly Ser Ser Ser Gly Asp Thr Lys Arg Thr Cys Val Asp Cys Gly
 35 40 45

Thr Ile Arg Thr Pro Leu Trp Arg Gly Gly Pro Ala Gly Pro Lys Ser
 50 55 60

Leu Cys Asn Ala Cys Gly Ile Lys Ser Arg Lys Lys Arg Gln Ala Ala
 65 70 75 80

Leu Gly Met Arg Ser Glu Glu Lys Lys Lys Asn Arg Lys Ser Asn Cys
 85 90 95

Asn Asn Asp Leu Asn Leu Asp His Arg Asn Ala Lys Lys Tyr Lys Ile
 100 105 110

Asn Ile Val Asp Asp Gly Lys Ile Asp Ile Asp Asp Pro Lys Ile
 115 120 125

Cys Asn Asn Lys Arg Ser Ser Ser Ser Ser Asn Lys Gly Val Ser
 130 135 140

Lys Phe Leu Asp Leu Gly Phe Lys Val Pro Val Met Lys Arg Ser Ala
 145 150 155 160

Val Glu Lys Lys Arg Leu Trp Arg Lys Leu Gly Glu Glu Glu Arg Ala
 165 170 175

Ala Val Leu Leu Met Ala Leu Ser Cys Ser Ser Val Tyr Ala
 180 185 190

<210> 59

<211> 526

<212> PRT

<213> Arabidopsis thaliana

<400> 59

047-E2F-PROV.ST25

Met Ala Val Tyr Pro Asn Val Asn Gly Asp Lys Lys His Trp Trp Phe
 1 5 10 15

Thr His Arg Lys Leu Val Asp Lys Tyr Ile Lys Asp Ala Thr Thr Leu
 20 25 30

Met Ala Ser Glu Glu Ala Asn Asp Val Ala Ser Ala Leu His Leu Leu
 35 40 45

Asp Ala Ala Leu Ser Ile Ser Pro Arg Leu Glu Thr Ala Leu Glu Leu
 50 55 60

Lys Ala Arg Ser Leu Leu Phe Leu Arg Arg Phe Lys Asp Val Ala Asp
 65 70 75 80

Met Leu Gln Asp Tyr Ile Pro Ser Leu Lys Leu Asp Asp Glu Gly Ser
 85 90 95

Ala Ser Ser Gln Gly Ser Ser Ser Ser Asp Gly Ile Asn Leu Leu Ser
 100 105 110

Asp Ala Ser Ser Pro Gly Ser Phe Lys Cys Phe Ser Val Ser Asp Leu
 115 120 125

Lys Lys Lys Val Met Ala Gly Ile Cys Lys Lys Cys Asp Lys Glu Gly
 130 135 140

Gln Trp Arg Tyr Val Val Leu Gly Gln Ala Cys Cys His Leu Gly Leu
 145 150 155 160

Met Glu Asp Ala Met Val Leu Leu Gln Thr Gly Lys Arg Leu Ala Ser
 165 170 175

Ala Glu Phe Arg Arg Arg Ser Ile Cys Trp Ser Asp Asp Ser Phe Leu
 180 185 190

Leu Leu Ser Glu Ser Ser Ser Ala Ser Ser Pro Pro Pro Glu Ser Glu
 195 200 205

Asn Phe Thr His Leu Leu Ala His Ile Lys Leu Leu Leu Arg Arg Arg
 210 215 220

Ala Ala Ala Ile Ala Ala Leu Asp Ala Gly Leu Phe Ser Glu Ser Ile
 225 230 235 240

Arg His Phe Ser Lys Ile Val Asp Gly Arg Arg Pro Ala Pro Gln Gly
 245 250 255

047-52F-PROV.ST25

Phe	Leu	Ala	Glu	Cys	Tyr	Met	His	Arg	Ala	Ala	Ala	Tyr	Arg	Ser	Ala
			260						265					270	
Gly	Arg	Ile	Ala	Glu	Ala	Ile	Ala	Asp	Cys	Asn	Lys	Thr	Leu	Ala	Leu
		275						280					285		
Glu	Pro	Ser	Cys	Ile	Gln	Ala	Leu	Glu	Thr	Arg	Ala	Ala	Leu	Leu	Glu
		290					295				300				
Thr	Val	Arg	Cys	Phe	Pro	Asp	Ser	Leu	His	Asp	Leu	Glu	His	Leu	Lys
305					310					315					320
Leu	Leu	Tyr	Asn	Thr	Ile	Leu	Arg	Asp	Arg	Lys	Leu	Pro	Gly	Pro	Val
				325					330					335	
Trp	Lys	Arg	His	Asn	Val	Lys	Tyr	Arg	Glu	Ile	Pro	Gly	Lys	Leu	Cys
			340					345					350		
Val	Leu	Thr	Thr	Lys	Thr	Gln	Lys	Leu	Lys	Gln	Lys	Ile	Ala	Asn	Gly
		355					360					365			
Glu	Thr	Gly	Asn	Val	Asp	Tyr	Tyr	Gly	Leu	Ile	Gly	Val	Arg	Arg	Gly
		370					375				380				
Cys	Thr	Arg	Ser	Glu	Leu	Asp	Arg	Ala	His	Leu	Leu	Leu	Cys	Leu	Arg
385					390					395					400
Tyr	Lys	Pro	Asp	Arg	Ala	Ser	Ser	Phe	Ile	Glu	Arg	Cys	Glu	Phe	Thr
				405					410					415	
Asp	Gln	Asn	Asp	Val	Asp	Ser	Val	Arg	Asp	Arg	Ala	Lys	Met	Ser	Ser
			420					425					430		
Leu	Leu	Leu	Tyr	Arg	Leu	Ile	Gln	Lys	Gly	Tyr	Thr	Ala	Val	Thr	Ala
		435					440					445			
Ile	Ile	Ala	Glu	Glu	Gln	Arg	Lys	Asn	Ala	Ile	Ala	His	Ala	Gln	Lys
		450					455				460				
Ile	Glu	Glu	Arg	Lys	Pro	Val	Glu	Lys	Ser	Gly	Ser	Ile	Lys	Arg	Thr
465					470					475					480
Gly	Asn	Ala	Glu	Thr	Lys	Pro	Val	Asn	Ser	Asn	Ala	Tyr	Gln	Gly	Val
				485					490					495	
Phe	Cys	Arg	Asp	Leu	Ala	Ala	Val	Gly	Asn	Leu	Leu	Thr	Arg	Ala	Gly
			500					505					510		

047-E2F-PROV.ST25

Phe Asn His Pro Ile Pro Val Lys Tyr Glu Ala Leu Thr Cys
 515 520 525

<210> 60

<211> 387

<212> PRT

<213> Arabidopsis thaliana

<400> 60

Met Ile Ser Leu Arg Leu Phe Glu Ser Phe Ser Gln Ala Lys Glu Ala
 1 5 10 15

Val Lys Val Leu Lys Lys Arg Leu Gly Ser Lys Asn Ser Lys Val Gln
 20 25 30

Ile Leu Ala Leu Tyr Pro Glu Leu Asn Val Arg Glu Lys Ile Leu Thr
 35 40 45

Leu Leu Asp Thr Trp Gln Glu Ala Phe Gly Gly Arg Gly Gly Arg Tyr
 50 55 60

Pro Gln Tyr Tyr Asn Ala Tyr Asn Asp Leu Arg Ser Ala Gly Ile Glu
 65 70 75 80

Phe Pro Pro Arg Thr Glu Ser Ser Leu Ser Phe Phe Thr Pro Pro Gln
 85 90 95

Thr Gln Pro Asp Glu Asp Ala Ala Ile Gln Ala Ser Leu Gln Gly Asp
 100 105 110

Asp Ala Ser Ser Leu Ser Leu Glu Glu Ile Gln Ser Ala Glu Gly Ser
 115 120

Val Asp Val Leu Met Asp Met Leu Gly Ala His Asp Pro Gly Asn Pro
 130 135 140

Glu Ser Leu Lys Glu Glu Val Ile Val Asp Leu Val Glu Gln Cys Arg
 145 150 155 160

Thr Tyr Gln Arg Arg Val Met Thr Leu Val Asn Thr Thr Thr Asp Glu
 165 170 175

Glu Leu Leu Cys Gln Gly Leu Ala Leu Asn Asp Asn Leu Gln His Val
 180 185 190

047-B2F-PROV-ST25

Leu Gln Arg His Asp Asp Ile Ala Asn Val Gly Ser Val Pro Ser Asn
195 200 205

Gly Arg Asn Thr Arg Ala Pro Pro Pro Val Gln Ile Val Asp Ile Asn
210 215 220

His Asp Asp Glu Asp Asp Glu Ser Asp Asp Glu Phe Ala Arg Leu Ala
225 230 235 240

His Arg Ser Ser Thr Pro Thr Arg Arg Pro Val His Gly Ser Asp Ser
245 250 255

Gly Met Val Asp Ile Leu Ser Gly Asp Val Tyr Lys Pro Gln Gly Asn
260 265 270

Ser Ser Ser Gln Gly Val Lys Lys Pro Pro Pro Pro Pro Pro His Thr
275 280 285

Ser Ser Ser Ser Ser Ser Pro Val Phe Asp Asp Ala Ser Pro Gln Gln
290 295 300

Ser Lys Ser Ser Glu Val Ile Arg Asn Leu Pro Pro Pro Pro Ser Arg
305 310 315 320

His Asn Gln Arg Gln Gln Phe Phe Glu His His His Ser Ser Ser Gly
325 330 335

Ser Asp Ser Ser Tyr Glu Gly Gln Thr Arg Asn Leu Ser Leu Thr Ser
340 345 350

Ser Glu Pro Gln Lys Glu Glu Lys Pro Glu Asp Leu Leu Phe Lys Asp
355 360 365

Leu Val Glu Phe Ala Lys Thr Arg Ser Ser Lys Ala Asn Asn Asn Asn
370 375 380

Arg Ser Leu
385

<210> 61

<211> 650

<212> PRT

<213> Arabidopsis thaliana

<400> 61

047-E2F PROV.ST25

Met Glu Gly Gly Ser Val Asn Glu Ser His Ser Asn Ala Asp Gln Met
1 5 10 15

Phe Asp Thr Thr Ile Glu Glu Leu Cys Lys Asn Leu Cys Glu Leu Gln
20 25 30

Ser Ser Asn Gln Ser Pro Ser Arg Gln Ser Phe Gly Ser Tyr Gly Asp
35 40 45

Glu Ser Lys Ile Asp Ser Asp Leu Gln His Leu Ala Leu Gly Glu Met
50 55 60

Arg Asp Ile Asp Ile Leu Glu Asp Glu Gly Asp Glu Asp Glu Val Ala
65 70 75 80

Lys Pro Glu Glu Phe Asp Val Lys Ser Asn Ser Ser Asn Leu Asp Leu
85 90 95

Glu Val Met Pro Arg Asp Met Glu Lys Gln Thr Gly Lys Lys Asn Val
100 105 110

Thr Lys Ser Asn Val Gly Val Gly Met Arg Lys Lys Lys Val Gly
115 120 125

Gly Thr Lys Leu Gln Asn Gly Asn Glu Glu Pro Ser Ser Glu Asn Val
130 135 140

Glu Leu Ala Arg Phe Leu Leu Asn Gln Ala Arg Asn Leu Val Ser Ser
145 150 155 160

Gly Asp Ser Thr His Lys Ala Leu Glu Leu Thr His Arg Ala Ala Lys
165 170 175

Leu Phe Glu Ala Ser Ala Glu Asn Gly Lys Pro Cys Leu Glu Trp Ile
180 185 190

Met Cys Leu His Val Thr Ala Ala Val His Cys Lys Leu Lys Glu Tyr
195 200 205

Asn Glu Ala Ile Pro Val Leu Gln Arg Ser Val Glu Ile Pro Val Val
210 215 220

Glu Glu Gly Glu Glu His Ala Leu Ala Lys Phe Ala Gly Leu Met Gln
225 230 235 240

Leu Gly Asp Thr Tyr Ala Met Val Gly Gln Leu Glu Ser Ser Ile Ser
245 250 255

047-E2F-PROV.ST25

Cys Tyr Thr Glu Gly Leu Asn Ile Gln Lys Lys Val Leu Gly Glu Asn
 260 265 270

Asp Pro Arg Val Gly Glu Thr Cys Arg Tyr Leu Ala Glu Ala Leu Val
 275 280 285

Gln Ala Leu Arg Phe Asp Glu Ala Gln Gln Val Cys Glu Thr Ala Leu
 290 295 300

Ser Ile His Arg Glu Ser Gly Leu Pro Gly Ser Ile Ala Glu Ala Ala
 305 310 315 320

Asp Arg Arg Leu Met Gly Leu Ile Cys Glu Thr Lys Gly Asp His Glu
 325 330 335

Asn Ala Leu Glu His Leu Val Leu Ala Ser Met Ala Met Ala Ala Asn
 340 345 350

Gly Gln Glu Ser Glu Val Ala Phe Val Asp Thr Ser Ile Gly Asp Ser
 355 360 365

Tyr Leu Ser Leu Ser Arg Phe Asp Glu Ala Ile Cys Ala Tyr Gln Lys
 370 375 380

Ser Leu Thr Ala Leu Lys Thr Ala Lys Gly Glu Asn His Pro Ala Val
 385 390 395 400

Gly Ser Val Tyr Ile Arg Leu Ala Asp Leu Tyr Asn Arg Thr Gly Lys
 405 410 415

Val Arg Glu Ala Lys Ser Tyr Cys Glu Asn Ala Leu Arg Ile Tyr Glu
 420 425 430

Ser His Asn Leu Glu Ile Ser Pro Glu Glu Ile Ala Ser Gly Leu Thr
 435 440 445

Asp Ile Ser Val Ile Cys Glu Ser Met Asn Glu Val Glu Gln Ala Ile
 450 455 460

Thr Leu Leu Gln Lys Ala Leu Lys Ile Tyr Ala Asp Ser Pro Gly Gln
 465 470 475 480

Lys Ile Met Ile Ala Gly Ile Glu Ala Gln Met Gly Val Leu Tyr Tyr
 485 490 495

Met Met Gly Lys Tyr Met Glu Ser Tyr Asn Thr Phe Lys Ser Ala Ile
 500 505 510

047-B2F-PROV-ST25

Ser Lys Leu Arg Ala Thr Gly Lys Lys Gln Ser Thr Phe Phe Gly Ile
 515 520 525

Ala Leu Asn Gln Met Gly Leu Ala Cys Ile Gln Leu Asp Ala Ile Glu
 530 535 540

Glu Ala Val Glu Leu Phe Glu Glu Ala Lys Cys Ile Leu Glu Gln Glu
 545 550 555 560

Cys Gly Pro Tyr His Pro Glu Thr Leu Gly Leu Tyr Ser Asn Leu Ala
 565 570 575

Gly Ala Tyr Asp Ala Ile Gly Arg Leu Asp Asp Ala Ile Lys Leu Leu
 580 585 590

Gly His Val Val Gly Val Arg Glu Glu Lys Leu Gly Thr Ala Asn Pro
 595 600 605

Val Thr Glu Asp Glu Lys Arg Arg Leu Ala Gln Leu Leu Lys Glu Ala
 610 615 620

Gly Asn Val Thr Gly Arg Lys Ala Lys Ser Leu Lys Thr Leu Ile Asp
 625 630 635 640

Ser Asp Leu Thr Ser Ser Ser Ala Leu Arg
 645 650

<210> 62

<211> 374

<212> PRT

<213> Arabidopsis thaliana

<400> 62

Met Gly Leu Glu Val Gly Ser Leu Cys Phe Lys Leu Lys Asp Gly Gly
 1 5 10 15

Leu Thr Ser Arg Thr Asn Ser Phe Lys Arg Asp Asp Thr Asn Arg His
 20 25 30

Gln Asn Ser Pro Lys Ser Thr Met Glu Arg Ser Leu Ser Phe Asn Ser
 35 40 45

Trp Glu Val Pro Lys Glu Thr Lys Thr Asp Ser Asp Phe Glu Val Leu
 50 55 60

047-52F-PROV.ST25

Glu	Thr	Lys	Lys	Ser	Thr	Pro	Asn	Thr	Leu	Asn	Gly	Arg	Asn	Cys	Glu	65	70	75	80
Arg	Ile	Gln	Ile	Lys	Lys	Pro	Thr	Val	Thr	Pro	Pro	Glu	Pro	Phe	Val	85	90	95	
Phe	Phe	Ser	Pro	Arg	Pro	Val	Thr	Glu	Leu	Asp	Ala	Ala	Ala	Thr	Thr	100	105	110	
Leu	Gln	Lys	Val	Tyr	Lys	Ser	Tyr	Arg	Thr	Arg	Arg	Asn	Leu	Ala	Asp	115	120	125	
Cys	Ala	Val	Val	Val	Glu	Glu	Leu	Trp	Trp	Arg	Thr	Leu	Glu	Gly	Ala	130	135	140	
Ala	Leu	Asp	Leu	Ser	Ser	Val	Ser	Phe	Phe	Gly	Glu	Glu	Lys	His	Glu	145	150	155	160
Thr	Ala	Val	Ser	Lys	Trp	Ala	Arg	Ala	Arg	Lys	Arg	Ala	Ala	Lys	Val	165	170	175	
Gly	Lys	Gly	Leu	Ser	Lys	Asp	Glu	Lys	Ala	Gln	Lys	Leu	Ala	Leu	Gln	180	185	190	
His	Trp	Leu	Glu	Ala	Val	Ser	Pro	His	Asn	Leu	Asn	Ile	Phe	Val	Thr	195	200	205	
Ser	Tyr	Gln	Arg	Gln	Val	Pro	Tyr	Leu	Thr	Ser	Lys	Ala	Ile	Ile	Glu	210	215	220	
Tyr	Thr	Leu	Met	Ile	His	Leu	Leu	Lys	Leu	Gln	Ile	Asp	Pro	Arg	His	225	230	235	240
Arg	Tyr	Gly	His	Asn	Leu	His	Phe	Tyr	Tyr	Asp	Val	Trp	Ser	Ala	Ser	245	250	255	
Lys	Ser	Thr	Gln	Pro	Phe	Phe	Tyr	Trp	Leu	Asp	Ile	Gly	Asp	Gly	Lys	260	265	270	
Asp	Val	Asn	Leu	Glu	Lys	His	Pro	Arg	Ser	Val	Leu	Gln	Lys	Gln	Cys	275	280	285	
Ile	Arg	Tyr	Leu	Gly	Pro	Met	Glu	Arg	Glu	Ala	Tyr	Glu	Val	Ile	Val	290	295	300	
Glu	Asp	Gly	Arg	Leu	Met	Tyr	Lys	Gln	Gly	Met	Thr	Leu	Ile	Asn	Ser	305	310	315	320

047-E2F-PROV.ST25

Thr Glu Glu Ala Lys Ser Ile Phe Val Leu Ser Thr Thr Arg Asn Leu
325 330 335

Tyr Val Gly Ile Lys Lys Lys Gly Leu Phe Gln His Ser Ser Phe Leu
340 345 350

Ser Gly Gly Ala Thr Thr Ala Ala Gly Arg Leu Val Ala Arg Asp Gly
355 360 365

Ile Leu Glu Val Leu Glu
370

<210> 63

<211> 324

<212> PRT

<213> Arabidopsis thaliana

<400> 63

Met Glu Cys Arg Ser Leu Asp Leu Thr Ile Ile Ser Ala Glu Asp Leu
1 5 10 15

Lys Asp Val Gln Leu Ile Gly Lys Gln Asp Leu Tyr Ala Val Val Ser
20 25 30

Ile Asn Gly Asp Ala Arg Thr Lys Gln Lys Thr Lys Val Asp Lys Asp
35 40 45

Cys Gly Thr Lys Pro Lys Trp Lys His Gln Met Lys Leu Thr Val Asp
50 55 60

Asp Ala Ala Ala Arg Asp Asn Arg Leu Thr Leu Val Phe Glu Ile Val
65 70 75 80

Ala Asp Arg Pro Ile Ala Gly Asp Lys Pro Val Gly Glu Val Ser Val
85 90 95

Pro Val Lys Glu Leu Leu Asp Gln Asn Lys Gly Asp Glu Glu Lys Thr
100 105 110

Val Thr Tyr Ala Val Arg Leu Pro Asn Gly Lys Ala Lys Gly Ser Leu
115 120 125

Lys Phe Ser Phe Lys Phe Gly Glu Lys Tyr Thr Tyr Gly Ser Ser Ser
130 135 140

047-E2F-PROV.ST25

Gly Pro His Ala Pro Val Pro Ser Ala Met Asp His Lys Thr Met Asp
145 150 155 160

Gln Pro Val Thr Ala Tyr Pro Pro Gly His Gly Ala Pro Ser Ala Tyr
165 170 175

Pro Ala Pro Pro Ala Gly Pro Ser Ser Gly Tyr Pro Pro Gln Gly His
180 185 190

Asp Asp Lys His Asp Gly Val Tyr Gly Tyr Pro Gln Gln Ala Gly Tyr
195 200 205

Pro Ala Gly Thr Gly Gly Tyr Pro Pro Pro Gly Ala Tyr Pro Gln Gln
210 215 220

Gly Gly Tyr Pro Gly Tyr Pro Pro Gln Gln Gly Gly Tyr Pro Gly
225 230 235 240

Tyr Pro Pro Gln Gly Pro Tyr Gly Tyr Pro Gln Gln Gly Tyr Pro
245 250 255

Gln Gly Pro Tyr Gly Tyr Pro Gln Gln Gln Ala His Gly Lys Pro Gln
260 265 270

Lys Pro Lys Lys His Gly Lys Ala Gly Ala Gly Met Gly Leu Gly Leu
275 280 285

Gly Leu Gly Ala Gly Leu Leu Gly Gly Leu Leu Val Gly Glu Ala Val
290 295 300

Ser Asp Ile Ala Asp Met Gly Asp Met Gly Asp Met Gly
305 310 315 320

Gly Phe Asp Phe

<210> 64

<211> 539

<212> PRT

<213> Arabidopsis thaliana

<400> 64

Met Ser Lys Asp Lys Val Ser Ser Pro Thr Ala Asp Leu Ile Pro Gln
1 5 10 15

047-P2F-PROV.ST25

Leu Ala Ala Thr Leu Val Ala Ala Leu Gly Ala Gln Cys Tyr Arg Leu
 20 25 30

Thr Leu Pro Pro Ser Pro Pro Pro Arg Ile Leu Thr Pro Gln Val Pro
 35 40 45

Pro Ser Ser Ala Thr Met Ala Ser Ser Phe Asn Pro Thr Arg Ile Leu
 50 55 60

Asp His Arg Ala Ser Ser His Arg Asn Arg Arg Gly Ala Phe Pro Ala
 65 70 75 80

Ser Lys Arg Arg Arg Leu Val Asp Glu Pro Ile Asp Tyr Pro Asp Leu
 85 90 95

Ser Asn Pro Ala Tyr Gln Val Leu Ser Thr Pro Leu Phe Ala Ser Gly
 100 105 110

Ile Gly Ser Ile Arg Glu Leu Leu Ser Ser Ser Pro Pro Pro Thr Thr
 115 120 125

Ser Ser Gln Pro Pro Ser Val Ser Ile Pro Pro Pro Ser Ala Pro Pro
 130 135 140

Leu Val Leu Ser Asp Ser Lys Asp Ala Glu Pro Ala Gly Leu Thr Asn
 145 150 155 160

Pro Ser Ala Pro Pro Ser Pro Leu Ala Pro Lys Asn Ile Thr Pro Val
 165 170 175

Ala Ser Pro Val Ala Asp Val Pro Met Pro Asp Pro Leu Ile Ser Pro
 180 185 190

Thr Ala Glu Thr Ala Glu Gly Ala Ser Val Pro Asp Ala Ala Val Ser
 195 200 205

Tyr Ala Ala Arg Ala Ala Ala His Arg Gln Val Phe Ala Glu Arg Asp
 210 215 220

Glu Leu Asp Arg Thr Leu Arg Arg Pro Leu Val Pro Pro His Thr Lys
 225 230 235 240

Arg Phe Leu Ser Ala Ala Ala Ala Glu Arg Tyr Lys His Ile Ala Lys
 245 250 255

Arg Asp Phe Ile Phe Gln Lys Thr Leu Pro Leu Asp Pro Glu Val Leu
 260 265 270

047-E2F-PROV.ST25

Thr Ala Thr Lys Tyr Phe Leu Glu His Ser Gly Met Ala Gln Thr Val
 275 280 285

Val Ala Val Glu Gln Phe Val Pro Glu Val Val Arg Glu Phe Tyr Ala
 290 295 300

Asn Leu Pro Glu Met Glu Tyr Arg Glu Cys Gly Leu Asp Leu Val Tyr
 305 310 315 320

Val Arg Gly Lys Met Tyr Glu Phe Ser Pro Ala Leu Ile Asn His Met
 325 330 335

Phe Ser Ile Asp Asp Ser Ala Leu Asp Pro Glu Ala Pro Val Thr Leu
 340 345 350

Ser Thr Ala Ser Arg Asp Asp Leu Ala Leu Met Met Thr Gly Gly Thr
 355 360 365

Thr Arg Arg Trp Leu Arg Leu Gln Pro Ala Asp His Leu Asp Thr Met
 370 375 380

Lys Met Leu His Lys Val Cys Cys Gly Asn Trp Phe Pro Thr Thr Asn
 385 390 395 400

Thr Ser Thr Leu Arg Val Asp Arg Leu Arg Leu Ile Asp Met Gly Thr
 405 410 415

His Gly Lys Ser Phe Asn Leu Gly Lys Leu Val Val Thr His Thr Met
 420 425 430

Ser Leu Ala Arg Leu Gly Pro Leu Ser Ser His Arg Leu Ala Tyr Pro
 435 440 445

Asn Leu Ile Tyr Gln Leu Leu Thr Phe Gln Arg Asp Val Arg Ser Arg
 450 455 460

Pro Arg Asp Thr Leu Ser Asp Glu Pro Gly Val Phe Val Asn Asp Pro
 465 470 475 480

Pro Pro Thr Gln Pro Thr Gln Ala Pro Pro Met Gly His Lys Leu
 485 490 495

Leu Leu Glu Asp Ile Asn Asp Leu Leu Glu Ile Gly Lys Arg Ile Arg
 500 505 510

Arg Arg Leu Thr Gly Lys Leu Phe Ser Cys Phe Met Trp Cys Phe Ala
 515 520 525

047-22F-PROV.ST25

Tyr Cys Val Leu Ala Leu Cys Phe Leu Glu Phe
 530 535

<210> 65

<211> 632

<212> PRT

<213> Arabidopsis thaliana

<400> 65

Met Ala Asp Glu Ser Gln Tyr Ser Ser Asn Thr Tyr Ser Asn Lys Arg
 1 5 10 15

Lys Tyr Glu Glu Pro Thr Ala Pro Pro Ser Thr Arg Arg Pro Thr
 20 25 30

Gly Phe Ser Ser Gly Pro Ile Pro Ser Ala Ser Val Asp Pro Thr Ala
 35 40 45

Pro Thr Gly Leu Pro Pro Ser Ser Tyr Asn Ser Val Pro Pro Pro Met
 50 55 60

Asp Glu Ile Gln Ile Ala Lys Gln Lys Ala Gln Glu Ile Ala Ala Arg
 65 70 75 80

Leu Leu Asn Ser Ala Asp Ala Lys Arg Pro Arg Val Asp Asn Gly Ala
 85 90 95

Ser Tyr Asp Tyr Gly Asp Asn Lys Gly Phe Ser Ser Tyr Pro Ser Glu
 100 105 110

Gly Lys Gln Met Ser Gly Thr Val Pro Ser Ser Ile Pro Val Ser Tyr
 115 120 125

Gly Ser Phe Gln Gly Thr Thr Lys Lys Ile Asp Ile Pro Asn Met Arg
 130 135 140

Val Gly Val Ile Ile Gly Lys Gly Gly Glu Thr Ile Lys Tyr Leu Gln
 145 150 155 160

Leu Gln Ser Gly Ala Lys Ile Gln Val Thr Arg Asp Met Asp Ala Asp
 165 170 175

Pro Asn Cys Ala Thr Arg Thr Val Asp Leu Thr Gly Thr Pro Asp Gln
 180 185 190

047-E2F-PROV.ST25

Ile Ser Lys Ala Glu Gln Leu Ile Thr Asn Val Leu Gln Glu Ala Glu
 195 200 205

Ala Gly Asn Thr Ala Gly Ser Gly Gly Gly Gly Gly Arg Arg Met Gly
 210 215 220

Gly Gln Ala Gly Ala Asp Gln Phe Val Met Lys Ile Pro Asn Asn Lys
 225 230 235 240

Val Gly Leu Ile Ile Gly Lys Gly Gly Gly Thr Ile Lys Ser Met Gln
 245 250 255

Ala Lys Thr Gly Ala Arg Ile Gln Val Ile Pro Leu His Leu Pro Pro
 260 265 270

Gly Asp Pro Thr Pro Glu Arg Thr Leu Gln Ile Asp Gly Ile Thr Glu
 275 280 285

Gln Ile Glu His Ala Lys Gln Leu Val Asn Glu Ile Ile Ser Gly Glu
 290 295 300

Asn Arg Met Arg Asn Ser Ala Met Gly Gly Gly Tyr Pro Gln Gln Gly
 305 310 315 320

Gly Tyr Gln Ala Arg Pro Pro Ser Ser Tyr Ala Pro Pro Gly Gly Pro
 325 330 335

Pro Ala Gln Pro Gly Tyr Gly Gly Tyr Met Gln Pro Gly Ala Tyr Pro
 340 345 350

Gly Pro Pro Gln Tyr Gly Gln Ser Pro Tyr Gly Ser Tyr Pro Gln Gln
 355 360 365

Thr Ser Ala Gly Tyr Tyr Asp Gln Ser Ser Val Pro Pro Ser Gln Gln
 370 375 380

Ser Ala Gln Gly Glu Tyr Asp Tyr Tyr Gly Gln Gln Gln Ser Gln Gln
 385 390 395 400

Pro Ser Ser Gly Gly Ser Ser Ala Pro Pro Thr Asp Thr Thr Gly Tyr
 405 410 415

Asn Tyr Tyr Gln His Ala Ser Gly Tyr Gly Gln Ala Gly Gln Gly Tyr
 420 425 430

Gln Gln Asp Gly Tyr Gly Ala Tyr Asn Ala Ser Gln Gln Ser Gly Tyr
 435 440 445

047-22F-PROV.ST25

Gly Gln Ala Ala Gly Tyr Asp Gln Gln Gly Tyr Gly Ser Thr Thr
450 455 460

Asn Pro Ser Gln Glu Glu Asp Ala Ser Gln Ala Ala Pro Pro Ser Ser
465 470 475 480

Ala Gln Ser Gly Gln Ala Gly Tyr Gly Thr Thr Gly Gln Gln Pro Pro
485 490 495

Ala Gln Gly Ser Thr Gly Gln Ala Gly Tyr Gly Ala Pro Pro Thr Ser
500 505 510

Gln Ala Gly Tyr Ser Ser Gln Pro Ala Ala Ala Tyr Asn Ser Gly Tyr
515 520 525

Gly Ala Pro Pro Pro Ala Ser Lys Pro Pro Thr Tyr Gly Gln Ser Gln
530 535 540

Gln Ser Pro Gly Ala Pro Gly Ser Tyr Gly Ser Gln Ser Gly Tyr Ala
545 550 555 560

Gln Pro Ala Ala Ser Gly Tyr Gly Gln Pro Pro Ala Tyr Gly Tyr Gly
565 570 575

Gln Ala Pro Gln Gly Tyr Gly Ser Tyr Gly Gly Tyr Thr Gln Pro Ala
580 585 590

Ala Gly Gly Gly Tyr Ser Ser Asp Gly Ser Ala Gly Ala Thr Ala Gly
595 600 605

Gly Gly Gly Gly Thr Pro Ala Ser Gln Ser Ala Ala Pro Pro Ala Gly
610 615 620

Pro Pro Lys Ala Ser Pro Lys Ser
625 630

<210> 66

<211> 704

<212> PRT

<213> Arabidopsis thaliana

<400> 66

Met Ala Trp Ser Ser Glu Thr Pro Ser Tyr Cys Gly Trp Asn Glu Arg
1 5 10 15

047-E2F-PROV.ST25

His Val Lys Asn Thr Lys Glu Lys Met Glu Val His Tyr Tyr Leu Glu
20 25 30

Arg Lys Asp Gly Ile Ala Asp Leu Ala Val Ile Gly Arg Leu Lys Asn
35 40 45

Ser Lys Arg Met Ser Phe Arg Tyr Ala Leu Lys Lys Asn Arg Ser Val
50 55 60

Leu Lys Lys Leu Asn Ser Lys Asp Asp Val Ala Leu Trp Leu Asp Ser
65 70 75 80

Ile Val Ser Gly Glu Ile Pro His Val Ala Asp Val Pro Ala Thr Val
85 90 95

Met Thr Glu Lys Asp Ala Gly Gly Phe Asn Met Ser Thr Phe Met Asn
100 105 110

Arg Lys Phe Gln Glu Pro Ile Gln Gln Ile Lys Thr Phe Ser Trp Met
115 120 125

Gly Phe Ser Trp Thr Cys Arg Lys Arg Arg Lys His Tyr Gln Ser Tyr
130 135 140

Leu Arg Asn Gly Val Arg Ile Ser Val Asn Asp Phe Val Tyr Val Leu
145 150 155 160

Ala Glu Gln His Lys Arg Leu Val Ala Tyr Ile Glu Asp Leu Tyr Glu
165 170 175

Asp Ser Lys Gly Lys Lys Met Val Val Val Arg Trp Phe His Lys Thr
180 185 190

Glu Glu Val Gly Ser Val Leu Ser Asp Asp Asp Asn Asp Arg Glu Ile
195 200 205

Phe Phe Ser Leu Asn Arg Gln Asp Ile Ser Ile Glu Cys Ile Asp Tyr
210 215 220

Leu Ala Thr Val Leu Ser Pro Gln His Tyr Glu Lys Phe Leu Lys Val
225 230 235 240

Pro Met His Val Gln Thr Val Ala Phe Phe Cys Gln Lys Leu Tyr Gly
245 250 255

Asp Asp Gly Leu Lys Pro Tyr Asp Ile Thr Gln Leu Glu Gly Tyr Trp
260 265 270

047-E2F PROV-ST25

Arg Gln Glu Met Leu Arg Tyr Leu Asn Val Ser Ile Leu Lys Ser Phe
 275 280 285

Glu Gly Ala Gln Ala Pro Gly Thr Asp Pro Gly Leu Lys Ala Pro Leu
 290 295 300

Val Gly Cys Val Gly Ile Arg Ser Arg Lys Arg Arg Arg Pro Ser Pro
 305 310 315 320

Val Gly Thr Leu Asn Val Ser Tyr Ala Gly Asp Met Lys Gly Asp Cys
 325 330 335

Lys Ser Ser Pro Asp Ser Val Leu Ala Val Thr Asp Ala Ser Ile Phe
 340 345 350

Lys Gly Asp Glu Asp Gly Ser Ser His His Ile Lys Lys Gly Ser Leu
 355 360 365

Ile Glu Val Leu Ser Glu Asp Ser Gly Ile Arg Gly Cys Trp Phe Lys
 370 375 380

Ala Leu Val Leu Lys Lys His Lys Asp Lys Val Lys Val Gln Tyr Gln
 385 390 395 400

Asp Ile Gln Asp Ala Asp Asp Glu Ser Lys Lys Leu Glu Glu Trp Ile
 405 410 415

Leu Thr Ser Arg Val Ala Ala Gly Asp His Leu Gly Asp Leu Arg Ile
 420 425 430

Lys Gly Arg Lys Val Val Arg Pro Met Leu Lys Pro Ser Lys Glu Asn
 435 440 445

Asp Val Cys Val Ile Gly Val Gly Met Pro Val Asp Val Trp Trp Cys
 450 455 460

Asp Gly Trp Trp Glu Gly Ile Val Val Gln Glu Val Ser Glu Glu Lys
 465 470 475 480

Phe Glu Val Tyr Leu Pro Gly Glu Lys Lys Met Ser Ala Phe His Arg
 485 490 495

Asn Asp Leu Arg Gln Ser Arg Glu Trp Leu Asp Asp Glu Trp Leu Asn
 500 505 510

Ile Arg Ser Arg Ser Asp Ile Val Ser Ser Val Leu Ser Leu Thr Lys
 515 520 525

047-22F-RCV ST25
 Lys Lys Glu Met Glu Val Lys His Asp Glu Lys Ser Ser Asp Val Gly
 530 535 540

Val Cys Asn Gly Arg Met Ser Pro Lys Thr Glu Ala Lys Arg Thr Ile
 545 550 555 560

Ser Leu Pro Val Ala Thr Thr Lys Lys Ser Leu Pro Lys Arg Pro Ile
 565 570 575

Pro Asp Leu Leu Lys Asp Val Leu Val Thr Ser Asp Leu Lys Trp Lys
 580 585 590

Lys Ser Ser Arg Lys Arg Asn Arg Val Val Ser Cys Cys Pro His Asp
 595 600 605

Pro Ser Leu Asn Asp Gly Phe Ser Ser Glu Arg Ser Leu Asp Cys Glu
 610 615 620

Asn Cys Lys Phe Met Glu Asp Thr Phe Glu Ser Ser Asp Gly Gln His
 625 630 635 640

Leu Thr Gly Thr Tyr Tyr Pro Asp Gly His Leu Leu Asn Ala Ile Leu
 645 650 655

Gly Phe Lys Ile Thr Gly Asn Ser Glu Ala Phe Leu Gly Trp Ile Ile
 660 665 670

Gly Leu Ala Arg Asn Gly Ile Gln Ile Arg Leu Cys Thr Tyr Val Val
 675 680 685

Thr Val Gly His Ser Ala Leu Ile Gln Ser Ala Lys Phe Trp Met Gln
 690 695 700

<210> 67

<211> 468

<212> PRT

<213> Arabidopsis thaliana

<400> 67

Met Gly Thr Gly Asn Ser Lys Glu Asn Trp Arg Gln Ser Ser Phe Arg
 1 5 10 15

Ser Thr Ser Ala Ser Ser Ala Ser Pro Ser Ser Ser Ser Trp Ala Ser
 20 25 30

047-E2F PROV ST25
 Gln Gln Ser Tyr Pro Gln Tyr Gly Ala Glu Ser Tyr Asn Tyr Pro Pro
 35 40 45
 Pro Pro Ser Tyr Ala Gln Pro Pro Glu Tyr Thr Gln Pro Pro Pro Pro
 50 55 60
 Leu Tyr Ser Thr Gln Pro Tyr Ser Ala Pro Ser Tyr Ser Ala Pro Pro
 65 70 75 80
 Ser Gln Ser Tyr Gly Ser Asp Asn Lys Lys Arg Leu Glu Arg Lys Tyr
 85 90 95
 Ser Lys Ile Ser Asp Asp Tyr Ser Ser Lys Glu Gln Val Thr Glu Ala
 100 105 110
 Leu Ala Arg Ala Gly Leu Glu Ser Ser Asn Leu Ile Val Gly Ile Asp
 115 120 125
 Phe Thr Lys Ser Asn Glu Trp Thr Gly Ala Arg Ser Phe Asn Arg Lys
 130 135 140
 Ser Leu His Phe Ile Gly Ser Ser Pro Asn Pro Tyr Glu Gln Ala Ile
 145 150 155 160
 Thr Ile Ile Gly Arg Thr Leu Ala Ala Phe Asp Glu Asp Asn Leu Ile
 165 170 175
 Pro Cys Tyr Gly Phe Gly Asp Ala Ser Thr His Asp Gln Asp Val Phe
 180 185 190
 Ser Phe Asn Ser Glu Asp Arg Phe Cys Asn Gly Phe Glu Glu Val Leu
 195 200 205
 Ser Arg Tyr Lys Glu Ile Val Pro Gln Leu Lys Leu Ala Gly Pro Thr
 210 215 220
 Ser Phe Ala Pro Ile Ile Asp Met Ala Met Thr Ile Val Glu Gln Ser
 225 230 235 240
 Gly Gly Gln Tyr His Val Leu Val Ile Phe Ala Asp Gly Gln Val Thr
 245 250 255
 Arg Ser Val Asp Thr Glu Asn Gly Gln Leu Ser Pro Gln Glu Gln Lys
 260 265 270
 Thr Val Asp Ala Ile Val Gln Ala Ser Lys Leu Pro Leu Ser Ile Val
 275 280 285

047-E2F PROV.ST25

Leu Val Gly Val Gly Asp Gly Pro Trp Asp Met Met Arg Glu Phe Asp
290 295 300

Asp Asn Ile Pro Ala Arg Ala Phe Asp Asn Phe Gln Phe Val Asn Phe
305 310 315 320

Thr Glu Ile Met Ala Lys Asn Lys Ala Glu Ser Leu Lys Glu Thr Glu
325 330 335

Phe Ala Leu Ser Ala Leu Met Glu Ile Pro Gln Gln Tyr Lys Ala Thr
340 345 350

Ile Glu Leu Asn Leu Leu Gly Arg Arg Gly Tyr Ile Pro Glu Arg
355 360 365

Phe Pro Leu Pro Pro Pro Met Arg Gly Gly Ser Ser Ser Tyr Asn Ser
370 375 380

Pro Lys Pro Ser Arg Leu Pro Ser Phe Lys Pro Ser Val Pro Pro His
385 390 395 400

Pro Thr Glu Gly Tyr His Val Arg Ser Ser Pro Val Pro Pro Pro Thr
405 410 415

Ser Ser Ala Ser Asp Asn Gln Leu Cys Pro Ile Cys Leu Ser Asn Pro
420 425 430

Lys Asp Met Ala Phe Gly Cys Gly His Glu Thr Cys Cys Glu Cys Gly
435 440 445

Pro Asp Leu Gln Met Cys Pro Ile Cys Arg Ala Pro Ile Gln Thr Arg
450 455 460

Ile Lys Leu Tyr
465

<210> 68

<211> 390

<212> PRT

<213> Arabidopsis thaliana

<400> 68

Met Glu Met Thr Glu Ala Ser Lys Gln Thr Thr Ala Glu Gly Ser Ala
1 5 10 15

047-E2F PROV.ST25

Asn Pro Glu Pro Asp Gln Ile Leu Ser Pro Arg Arg Ser Leu Glu Leu
20 25 30

Lys Gln Lys Lys Trp Trp Ile Ser Val Ser Leu Cys Ile Phe Leu Val
35 40 45

Leu Leu Gly Asp Ser Leu Val Met Leu Leu Leu Asn Phe Phe Tyr Val
50 55 60

Gln Asp Asn Arg Glu Asp Ser Asp Gln Asp Leu Gln Tyr Arg Gly Thr
65 70 75 80

Trp Leu Gln Ala Leu Val Gln Asn Ala Ala Phe Pro Leu Leu Ile Pro
85 90 95

Leu Phe Phe Ile Phe Pro Ser Pro Lys Gln Asn Gln Glu Thr Thr Asn
100 105 110

Thr Arg Phe Leu Ser Phe Arg Leu Ile Leu Leu Tyr Ile Ser Leu Gly
115 120 125

Val Leu Val Ala Ala His Ser Lys Leu Phe Ala Leu Gly Lys Leu Tyr
130 135 140

Ala Asn Phe Gly Val Phe Thr Leu Ile Ser Ala Thr Gln Leu Ile Phe
145 150 155 160

Thr Ala Ile Phe Ala Ala Ile Ile Asn Arg Phe Lys Phe Thr Arg Trp
165 170 175

Ile Ile Leu Ser Ile Ile Gly Ser Ile Ile Ile Tyr Val Phe Gly Ser
180 185 190

Pro Glu Phe Gly Gly Glu Pro Asp Glu Asn Glu Glu Phe Tyr Ser Ile
195 200 205

Gln Ala Trp Leu Thr Phe Ala Ala Ser Val Ala Phe Ala Leu Ser Leu
210 215 220

Cys Leu Phe Gln Leu Cys Phe Glu Lys Val Leu Val Lys Thr Lys Arg
225 230 235 240

Tyr Gly Asn Lys Lys Val Phe Arg Met Val Ile Glu Met Gln Ile Cys
245 250 255

Val Ser Phe Val Ala Thr Val Val Cys Leu Val Gly Leu Phe Ala Ser
260 265 270

047-E2F PROV.ST25

Gly Glu Asn Lys Glu Leu Gln Gly Asp Ser His Arg Phe Lys Lys Gly
 275 280 285

Glu Thr Tyr Tyr Val Leu Ser Leu Ile Gly Leu Ala Leu Ser Trp Gln
 290 295 300

Val Trp Ala Val Gly Leu Met Gly Leu Val Leu Tyr Val Ser Gly Val
 305 310 315 320

Phe Gly Asp Val Val His Met Cys Thr Ser Pro Leu Val Ala Leu Phe
 325 330 335

Val Val Leu Ala Phe Asp Phe Met Asp Asp Glu Phe Ser Trp Pro Arg
 340 345 350

Ile Gly Thr Leu Ile Ala Thr Val Ala Leu Gly Ser Tyr Phe Tyr
 355 360 365

Thr Leu His Lys Arg Asn Lys Lys Lys Met Val Glu Leu Tyr Gln Thr
 370 375 380

Glu Asn Asn Ile Asp Val
 385 390

<210> 69

<211> 275

<212> PRT

<213> Arabidopsis thaliana

<400> 69

Met Gln Leu Gly Ile Ser Ile Ile Arg Ser Ala Pro Asp Ala Ser Glu
 1 5 15

Asp Asn Arg Ser Arg Gln Ser Arg Ser Ser Arg Thr Val Met Val His
 20 25 30

Gln Pro Gly Phe Arg Ala Cys Leu Leu Arg Asn Gln Gly Asn Arg Asp
 35 40 45

Leu Thr Ser Leu Ser Asp Cys Ile Ala Ala Arg Cys Asp Ser Leu Leu
 50 55 60

Leu Gly Lys Ser His Ile Ile Asn Leu Ser Lys Asn Arg Arg Met Pro
 65 70 75 80

047-E2F PROV.ST25

Phe Lys Ser Arg Glu Asn Thr Ile Phe Phe Ser Lys Arg Arg Lys Asn
85 90 95

Ser Ser Leu Cys Pro His Cys Thr Ala Pro Pro Phe Gln Leu Ser Pro
100 105 110

Thr Met Leu Leu Met Phe Cys His Asp Glu Ala Arg Leu Lys Gly Met
115 120 125

Asn Pro Arg Asn Ala Glu Glu Arg Lys Tyr Arg Gln Ala Glu Gly Leu
130 135 140

Val Thr Pro Gln Phe Leu Ser Ile Pro Gly Ser Pro Ile Asp Leu Thr
145 150 155 160

Lys Cys Trp Ser Ser Leu Leu Asn Ile Gln Gly Cys Lys Ile Glu Ile
165 170 175

Phe Lys Ser Val Phe Lys Trp Asn Val Leu Leu Ser Thr Gln Pro Leu
180 185 190

Leu His Thr Asn Glu Ser Asn Tyr Lys Thr Cys Gln Thr Ala Val Arg
195 200 205

Pro Pro Gln Gln Gly Arg Thr Glu Pro Ser Asn Asp Pro Leu Gln His
210 215 220

Arg Met Arg Pro Arg Thr Ile Val Ala Val Asn His Ala Leu Ala Ala
225 230 235 240

Arg Ser Trp Phe Ile Asn Gln Gly Glu Asp Gly Ala Ser Asp Gly Gly
245 250 255

Asn Glu Asn Asp Glu Asp Val Gly Met His Arg Asp Gly Gly Tyr Val
260 265 270

Ile Val Ser
275

<210> 70

<211> 459

<212> PRT

<213> Arabidopsis thaliana

<400> 70

047-EZF-PROV.ST25

Met Asp Asn Gly Asp Ile Ala Cys Asp Gly Tyr His Lys Tyr Lys Glu
 1 5 10 15

Asp Val Gln Leu Met Ala Glu Thr Gly Leu His Thr Phe Arg Phe Ser
 20 25 30

Ile Ser Trp Ser Arg Leu Ile Ser Asn Gly Arg Gly Ser Ile Asn Pro
 35 40 45

Lys Gly Leu Gln Phe Tyr Lys Asn Phe Ile Gln Glu Leu Val Lys His
 50 55 60

Gly Ile Glu Pro His Val Thr Leu His His Tyr Asp Phe Pro Gln Tyr
 65 70 75 80

Leu Glu Asp Asp Tyr Gly Gly Trp Thr Asn Arg Lys Ile Ile Lys Asp
 85 90 95

Phe Thr Ala Tyr Ala Asp Val Cys Phe Arg Glu Phe Gly Asn His Val
 100 105 110

Lys Phe Trp Thr Thr Ile Asn Glu Ala Asn Ile Phe Thr Ile Gly Gly
 115 120 125

Tyr Asn Asp Gly Asn Ser Pro Pro Gly Arg Cys Ser Phe Pro Gly Arg
 130 135 140

Asn Cys Thr Leu Gly Asn Ser Ser Thr Glu Thr Tyr Ile Val Gly His
 145 150 155 160

Asn Leu Leu Leu Ala His Ala Ser Val Ser Arg Leu Tyr Lys Gln Lys
 165 170 175

Tyr Lys Asp Ile Gln Gly Gly Ser Val Gly Phe Ser Leu Phe Ala Met
 180 185 190

Asn Phe Thr Pro Ser Thr Asn Ser Lys Asp Asp Glu Ile Ala Thr Lys
 195 200 205

Arg Ala Asn Asp Phe Tyr Leu Gly Trp Met Leu Glu Pro Leu Ile Tyr
 210 215 220

Gly Asp Tyr Pro Asp Val Met Lys Arg Thr Ile Gly Ser Arg Leu Pro
 225 230 235 240

Val Phe Ser Lys Glu Glu Ser Glu Glu Val Lys Gly Ser Ser Asp Phe
 245 250 255

047-EZF-PROV.ST25

Ile Gly Val Ile His Tyr Leu Thr Ala Leu Val Thr Asn Ile Asp Ile
 260 265 270

Asn Pro Ser Leu Ser Gly Ile Pro Asp Phe Asn Ser Asp Met Val Pro
 275 280 285

Asn Ile Leu Tyr Asn Phe Lys Tyr Ser Gln Ser Ile Phe Thr Ser Cys
 290 295 300

Gly Val Cys Phe Cys Leu Asp Lys Ser Val Val Ser Pro Trp Ala Met
 305 310 315 320

Glu Gly Ile Leu Glu Tyr Ile Lys Gln Ser Tyr Gly Asn Pro Pro Val
 325 330 335

Tyr Ile Leu Glu Asn Gly Lys Thr Met Asn Gln Asp Leu Glu Leu Gln
 340 345 350

Gln Lys Asp Thr Pro Arg Ile Glu Tyr Leu Asp Ala Tyr Ile Gly Ala
 355 360 365

Val Leu Lys Ala Val Arg Asn Lys Asp Met Thr Thr Cys Arg Asn Gly
 370 375 380

Ser Asp Thr Arg Gly Tyr Phe Val Trp Ser Phe Met Asp Leu Tyr Glu
 385 390 395 400

Leu Leu Asn Gly Tyr Lys Ser Ser Phe Gly Leu Tyr Ser Val Asn Phe
 405 410 415

Ser Asp Pro His Arg Lys Arg Ser Pro Lys Leu Ser Ala His Trp Tyr
 420 425 430

Ser Gly Phe Leu Lys Gly Lys Pro Thr Phe Leu Gly Ser Gln Gly Ile
 435 440 445

Thr Gln Leu His Ser Asn Phe Ser Ser Ser Arg
 450 455

<210> 71

<211> 173

<212> PRT

<213> Arabidopsis thaliana

<400> 71

047-EXP-PROV-ST25

Met Gly Phe Arg Ala Leu Pro Leu Gln Ile Ser Ser Gly Phe Ile Ser
1 5 10 15

Thr Thr Lys Val Ser Ile Ser Arg Thr Ser Pro Arg Ile Phe Arg Asn
20 25 30

Pro Arg Trp Val Val Val Ser Ala Lys Gln Glu Lys Asp Glu Asp Lys
35 40 45

Lys Lys Asn Glu Glu Glu Thr Ser Leu Phe Thr Gln Leu Thr Asp Ala
50 55 60

Leu Asp Phe Ser Gln Val Arg Ser Glu Lys Asp Ala Glu Leu Leu Tyr
65 70 75 80

Glu Ala Arg Glu Ala Thr Lys Ser Gly Arg Lys Met Thr Gln Glu Gln
85 90 95

Tyr Gly Ala Leu Arg Arg Lys Ile Gly Gly Thr Tyr Lys Asp Phe Phe
100 105 110

Lys Ser Tyr Val Glu Val Asp Gly Gln Tyr Val Glu Glu Gly Trp Val
115 120 125

Asp Lys Thr Cys Lys Ile Cys Lys Lys Asp Thr Lys Gly Glu Ala Arg
130 135 140

Gln Val Asp Lys Leu Gly Arg Tyr Ala His Val Ser Cys Leu Gln Asn
145 150 155 160

Pro Pro Ser Gly Asn Phe Phe Thr Arg Leu Phe Ser Arg
165 170

<210> 72

<211> 442

<212> PRT

<213> Arabidopsis thaliana

<400> 72

Met Leu Lys Ile Lys Arg Val Pro Thr Val Val Ser Asn Tyr Gln Lys
1 5 10 15

Asp Asp Gly Ala Glu Asp Pro Val Gly Cys Gly Arg Asn Cys Leu Gly
20 25 30

047-52F PROV. ST25

Ala Cys Cys Leu Asn Gly Ala Arg Leu Pro Leu Tyr Ala Cys Lys Asn
35 40 45

Leu Val Lys Ser Gly Glu Lys Leu Val Ile Ser His Glu Ala Ile Glu
50 55 60

Pro Pro Val Ala Phe Leu Glu Ser Leu Val Leu Gly Glu Trp Glu Asp
65 70 75 80

Arg Phe Gln Arg Gly Leu Phe Arg Tyr Asp Val Thr Ala Cys Glu Thr
85 90 95

Lys Val Ile Pro Gly Lys Tyr Gly Phe Val Ala Gln Leu Asn Glu Gly
100 105 110

Arg His Leu Lys Lys Arg Pro Thr Glu Phe Arg Val Asp Lys Val Leu
115 120 125

Gln Ser Phe Asp Gly Ser Lys Phe Asn Phe Thr Lys Val Gly Gln Glu
130 135 140

Glu Leu Leu Phe Gln Phe Glu Ala Gly Glu Asp Ala Gln Val Gln Phe
145 150 155 160

Phe Pro Cys Met Pro Ile Asp Pro Glu Asn Ser Pro Ser Val Val Ala
165 170 175

Ile Asn Val Ser Pro Ile Glu Tyr Gly His Val Leu Leu Ile Pro Arg
180 185 190

Val Leu Asp Cys Leu Pro Gln Arg Ile Asp His Lys Ser Leu Leu Leu
195 200 205

Ala Val His Met Ala Ala Glu Ala Ala Asn Pro Tyr Phe Arg Leu Gly
210 215 220

Tyr Asn Ser Leu Gly Ala Phe Ala Thr Ile Asn His Leu His Phe Gln
225 230 235 240

Ala Tyr Tyr Leu Ala Met Pro Phe Pro Leu Glu Lys Ala Pro Thr Lys
245 250 255

Lys Ile Thr Thr Thr Val Ser Gly Val Lys Ile Ser Glu Leu Leu Ser
260 265 270

Tyr Pro Val Arg Ser Leu Leu Phe Gln Gly Gly Ser Ser Met Gln Glu
275 280 285

047-ELF-PROV.ST25

Leu Ser Asp Thr Val Ser Asp Cys Cys Val Cys Leu Gln Asn Asn Asn
290 295 300

Ile Pro Phe Asn Ile Leu Ile Ser Asp Cys Gly Arg Gln Ile Phe Leu
305 310 315 320

Met Pro Gln Cys Tyr Ala Glu Lys Gln Ala Leu Gly Glu Val Ser Pro
325 330 335

Glu Val Leu Glu Thr Gln Val Asn Pro Ala Val Trp Glu Ile Ser Gly
340 345 350

His Met Val Leu Lys Arg Lys Glu Asp Tyr Glu Gly Ala Ser Glu Asp
355 360 365

Asn Ala Trp Arg Leu Leu Ala Glu Ala Ser Leu Ser Glu Glu Arg Phe
370 375 380

Lys Glu Val Thr Ala Leu Ala Phe Glu Ala Ile Gly Cys Ser Asn Gln
385 390 395 400

Glu Glu Asp Leu Glu Gly Thr Ile Val His Gln Gln Asn Ser Ser Gly
405 410 415

Asn Val Asn Gln Lys Ser Asn Arg Thr His Gly Gly Pro Ile Thr Asn
420 425 430

Gly Thr Ala Ala Glu Cys Leu Val Leu Gln
435 440

<210> 73

<211> 501

<212> PRT

<213> Arabidopsis thaliana

<400> 73

Met Asn Ser Glu Ser Leu Glu Asn Leu His Arg Pro Leu Ile Glu Ser
1 5 10 15

Ser Lys Ser Phe Val Asp Tyr Arg Leu Glu Thr Val Leu Thr Asp Arg
20 25 30

Glu Leu Pro Tyr Phe Arg Arg Ile Tyr Leu Ala Met Met Ile Glu Met
35 40 45

047-E2F-PRQV-ST25

Lys Phe Leu Phe His Leu Ala Ala Pro Ala Ile Phe Val Tyr Val Ile
50 55 60

Asn Asn Gly Met Ser Ile Leu Thr Arg Ile Phe Ala Gly His Val Gly
65 70 75 80

Ser Phe Glu Leu Ala Ala Ala Ser Leu Gly Asn Ser Gly Phe Asn Met
85 90 95

Phe Thr Tyr Gly Leu Leu Leu Gly Met Gly Ser Ala Val Glu Thr Leu
100 105 110

Cys Gly Gln Ala His Gly Ala His Arg Tyr Glu Met Leu Gly Val Tyr
115 120 125

Leu Gln Arg Ser Thr Val Val Leu Ile Leu Thr Cys Leu Pro Met Ser
130 135 140

Phe Leu Phe Leu Phe Ser Asn Pro Ile Leu Thr Ala Leu Gly Glu Pro
145 150 155 160

Glu Gln Val Ala Thr Leu Ala Ser Val Phe Val Tyr Gly Met Ile Pro
165 170 175

Val Ile Phe Ala Tyr Ala Val Asn Phe Pro Ile Gln Lys Phe Leu Gln
180 185 190

Ser Gln Ser Ile Val Thr Pro Ser Ala Tyr Ile Ser Ala Ala Thr Leu
195 200 205

Val Ile His Leu Ile Leu Ser Trp Ile Ala Val Tyr Arg Leu Gly Tyr
210 215 220

Gly Leu Leu Ala Leu Ser Leu Ile His Ser Phe Ser Trp Trp Ile Ile
225 230 235 240

Val Val Ala Gln Ile Val Tyr Ile Lys Met Ser Pro Arg Cys Arg Arg
245 250 255

Thr Trp Glu Gly Phe Ser Trp Lys Ala Phe Glu Gly Leu Trp Asp Phe
260 265 270

Phe Arg Leu Ser Ala Ala Ser Ala Val Met Leu Cys Leu Glu Ser Trp
275 280 285

Tyr Ser Gln Ile Leu Val Leu Leu Ala Gly Leu Leu Lys Asn Pro Glu
290 295 300

047-E2F-PROV.ST25

Leu Ala Leu Asp Ser Leu Ala Ile Cys Met Ser Ile Ser Ala Ile Ser
305 310 315 320

Phe Met Val Ser Val Gly Phe Asn Ala Ala Ala Ser Val Arg Val Ser
325 330 335

Asn Glu Leu Gly Ala Gly Asn Pro Arg Ala Ala Ala Phe Ser Thr Val
340 345 350

Val Thr Thr Gly Val Ser Phe Leu Leu Ser Val Phe Glu Ala Ile Val
355 360 365

Val Leu Ser Trp Arg His Val Ile Ser Tyr Ala Phe Thr Asp Ser Pro
370 375 380

Ala Val Ala Glu Ala Val Ala Asp Leu Ser Pro Phe Leu Ala Ile Thr
385 390 395 400

Ile Val Leu Asn Gly Ile Gln Pro Val Leu Ser Gly Val Ala Val Gly
405 410 415

Cys Gly Trp Gln Ala Phe Val Ala Tyr Val Asn Ile Gly Cys Tyr Tyr
420 425 430

Val Val Gly Ile Pro Val Gly Phe Val Leu Gly Phe Thr Tyr Asp Met
435 440 445

Gly Ala Lys Gly Ile Trp Thr Gly Met Ile Gly Gly Thr Leu Met Gln
450 455 460

Thr Ile Ile Leu Val Ile Val Thr Leu Arg Thr Asp Trp Asp Lys Glu
465 470 475 480

Val Glu Lys Ala Ser Ser Arg Leu Asp Gln Trp Glu Glu Ser Arg Glu
485 490 495

Pro Leu Leu Lys Gln
500

<210> 74

<211> 622

<212> PRT

<213> Arabidopsis thaliana

<400> 74

047-EZF-PROV.ST25

Met Leu Glu Ala Ile Glu Arg Glu Phe Glu Ala Ala His Ala Gly Phe
1 5 10 15

Glu Gln Leu Lys Thr Asp Asp Ser Ala Glu Gly Leu Asp Asp Glu Gln
20 25 30

Ser Ala Lys Arg Gln Ser Met Leu Asp Glu Ile Glu Arg Asp Phe Glu
35 40 45

Ala Ala Thr Lys Gly Leu Glu Gln Leu Lys Ala Asp Asp Leu Thr Gly
50 55 60

Ile Asn Asp Glu Glu His Ala Ala Lys Arg Gln Lys Met Leu Glu Glu
65 70 75 80

Ile Glu Arg Glu Phe Glu Glu Ala Thr Lys Gly Leu Glu Glu Leu Arg
85 90 95

His Ser Thr Ser Ser Thr Asp Asp Glu Ala Gln Ser Ala Lys Arg Gln
100 105 110

Asn Met Leu Asp Glu Ile Glu Arg Glu Phe Glu Ala Ala Thr Ser Gly
115 120 125

Leu Lys Glu Leu Lys Ile Asn Ala His Thr Val Lys Asp Asp Val Asp
130 135 140

Asp Lys Glu Gln Asp Ala Lys Arg Gln Ser Met Leu Asp Ala Ile Glu
145 150 155 160

Arg Glu Phe Glu Ala Val Thr Glu Ser Phe Lys Gln Leu Glu Asp Ile
165 170 175

Ala Asp Asn Lys Ala Glu Gly Asp Asp Glu Ser Ala Lys Arg Gln Ser
180 185 190

Met Leu Asp Glu Ile Glu Arg Glu Phe Glu Ala Ala Thr Asn Ser Leu
195 200 205

Lys Gln Leu Asn Leu Asp Asp Phe Ser Glu Gly Asp Asp Ser Ala Glu
210 215 220

Ser Ala Arg Arg Asn Ser Met Leu Glu Ala Ile Glu Arg Glu Phe Glu
225 230 235 240

Ala Ala Thr Lys Gly Leu Glu Glu Leu Lys Ala Asn Asp Ser Thr Gly
245 250 255

047-52F-PROV. ST25

Asp Lys Asp Asp Asp Glu His Val Ala Arg Arg Lys Ile Met Leu Glu
260 265 270

Ala Ile Glu Arg Glu Phe Glu Ala Ala Thr Lys Gly Leu Glu Glu Leu
275 280 285

Lys Asn Glu Ser Glu Gln Ala Glu Asn Lys Arg Asn Ser Met Leu Glu
290 295 300

Ala Phe Glu Arg Glu Phe Glu Ala Ala Thr Asn Ala Lys Ala Asn Gly
305 310 315 320

Glu Asn Ser Ala Lys Asn Pro Ser Thr Ile Ser Thr Thr Val Gln Lys
325 330 335

Ser Ser Gly Gly Tyr Asn Ala Gly Leu Glu Gly Leu Leu Lys Pro Ala
340 345 350

Asp Gly Val Cys Gly Cys Phe Asn Lys Asp Lys Asp Gly Leu Gln Ala
355 360 365

Asp Thr Asp Ser Ser Ile Asn Ile Ala Glu Ile Leu Ala Glu Glu Ser
370 375 380

Lys Leu Gln Gly Ser Gly Thr Ser Arg Leu Thr Thr Ser Leu Asn Asn
385 390 395 400

Leu Val Asp Thr His Arg Lys Glu Thr Ser Ser Lys Val Gly Ser Val
405 410 415

Leu Gly Ser Ser Ser Ser Val Thr Ser Thr Thr Ser Glu Ser Ala Ala
420 425 430

Thr Ser Glu Ser Ile Glu Ser Leu Lys Gln Thr Leu Arg Lys Leu Arg
435 440 445

Gly Leu Ser Ala Arg Asp Leu Val Asn His Pro Asn Phe Asp Ala Ile
450 455 460

Ile Ala Ala Gly Thr Arg Tyr Glu Val Leu Ser Ser Ala Ser Ile Gly
465 470 475 480

Tyr Ile Ser Leu Leu Ala Lys Tyr Lys Thr Val Ile Lys Glu Gly Leu
485 490 495

Glu Ala Ser Gln Arg Val Gln Ile Ala Gln Thr Arg Ala Lys Leu Leu
500 505 510

047-EZF-PROV.ST25

Lys Glu Thr Ala Met Glu Lys Gln Arg Thr Val Asp Ser Val Phe Ala
515 520 525

Ala Ala Lys Thr Thr Ala Gln Arg Gly Asp Ala Leu His Ile Arg Ile
530 535 540

Val Ala Ile Lys Lys Leu Leu Ala Lys Leu Glu Ala Glu Lys Val Asp
545 550 555 560

Val Asp Ser Lys Phe Thr Ser Leu Thr Thr Ser Leu Ser Glu Leu Leu
565 570 575

Lys Glu Ala Ser Gln Ala Tyr Glu Glu Tyr His Glu Ala Val His Lys
580 585 590

Ala Lys Asp Glu Gln Ala Ala Glu Glu Phe Ala Val Glu Thr Thr Lys
595 600 605

Arg Ala Glu His Ile Trp Val Glu Phe Leu Ser Ser Leu Asn
610 615 620

<210> 75

<211> .86

<212> PRT

<213> Arabidopsis thaliana

<400> 75

Met Glu Ser Ser Leu Gly Phe Met Ala Val Phe Ala Val Ser Gly Ser
1 5 10 15

Val Val Phe Leu Ala Ser Gln Phe His Lys Arg Leu Leu Ser Asp Tyr
20 25 30

Met Asp Lys Phe Glu Phe Glu Ile Arg Ala Gln Lys Lys Met Val Met
35 40 45

Lys Lys Lys Val Arg Phe Ala Ala Asp Val Val Glu Pro Ser Gly Asn
50 55 60

Asn Lys Glu Tyr Arg Arg Arg His Ser Ser Lys Ala Lys Ser Asn Ser
65 70 75 80

Lys Met Ala Ala Thr Ile
85

047-EXP-PROV-ST25

<210> 76

<211> 418

<212> PRT

<213> Arabidopsis thaliana

<400> 76

Met Ile Lys Leu Cys Phe Met Thr Ser His Gly Tyr Ser Ile Pro Gly
 1 5 10 15

Leu Gly Leu Pro Gln Asp Leu Cys Asn Thr Glu Ile Ile Lys Asn Ser
 20 25 30

Arg Ser His Leu Val Asn Pro Gly Ala Arg Gln Glu Ile Ile Pro Ala
 35 40 45

Ser Ser Phe Asn Leu Asn Thr Glu Leu Leu Glu Pro Trp Lys Pro Val
 50 55 60

Ser Ser Phe Ser Gln Phe Val Glu Ile Asp Ser Ala Met Met Lys Pro
 65 70 75 80

Leu Leu Met Asp Val His Glu Thr Ala Pro Glu Ser Leu Ile Leu Ser
 85 90 95

Phe Gly Ile Ala Asp Lys Phe Ala Arg Gln Glu Lys Val Met Glu Phe
 100 105 110

Leu Leu Ser Gln Ser Glu Glu Phe Lys Glu Lys Gly Phe Asp Met Ser
 115 120 125

Leu Leu Asn Glu Leu Met Glu Phe Glu Ser Met Lys Ser Ser Ser Gln
 130 135 140

Leu Arg Pro Tyr Asp Thr Ser Ser Val Leu Tyr Leu Asn Gln Glu Leu
 145 150 155 160

Gly Lys Pro Val Leu Asp Leu Val Arg Asp Met Met Glu Asn Pro Glu
 165 170 175

Phe Ser Val Arg Ser Asn Gly His Val Leu Phe Ser Ser Ser Ser Asn
 180 185 190

Pro Glu Leu Asn Asp Leu Leu Ser Ile Ala Ser Glu Phe Asn Leu Ser
 195 200 205

047-325-PROV ST25
 Arg Asn Ser Thr Thr Lys Trp Arg Gln Leu Ser Pro Leu Ile Pro His
 210 215 220

Phe Gln Arg Phe Glu Ser Asp Val Phe Thr Pro Ala Lys Leu Lys Ala
 225 230 235 240

Val Thr Val Leu Ala Pro Leu Lys Ser Pro Glu Lys Ser Arg Leu Lys
 245 250 255

Ser Pro Arg Lys His Asn Thr Lys Arg Lys Ala Lys Glu Arg Asp Leu
 260 265 270

Tyr Lys Arg Asn His Leu His Ala Tyr Glu Ser Leu Leu Ser Leu Met
 275 280 285

Ile Gly Asn Asp His Arg His Lys His Thr Thr Val Leu Ser Leu Gln
 290 295 300

Lys Ser Cys Gly Glu Leu Ser Glu Leu Leu Thr Gln Phe Ser Ile Thr
 305 310 315 320

Ala Ala Gly Thr Gly Ile Ala Val Leu Phe Ser Val Val Cys Ser Leu
 325 330 335

Ala Ser Arg Arg Val Pro Phe Cys Ala Asn Lys Phe Phe Asp Thr Gly
 340 345 350

Leu Gly Leu Ser Leu Val Ile Leu Ser Trp Ala Val Asn Arg Leu Arg
 355 360 365

Glu Val Ile Val His Val Asn Arg Lys Ala Asn Lys Pro Cys Ser Ser
 370 375 380

Leu Lys Asp Asp Glu Ile Ile Asn Ser Val Glu Arg Ser Met Lys Glu
 385 390 395 400

Val Tyr Tyr Arg Ala Ala Thr Val Ile Ala Val Phe Ala Leu Arg Phe
 405 410 415

Ala Cys

<210> 77

<211> 72

<212> PRT

<213> Arabidopsis thaliana

047-E2F-PROV.ST25

<400> 77

Met Ala Ser Ile Cys Glu Asp Pro Gly Lys Ser Ser Trp Pro Glu Leu
 1 5 10 15

Leu Gly Ala Lys Gly Glu Asp Ala Lys Glu Val Ile Glu Arg Glu Asn
 20 25 30

Pro Lys Met Lys Ala Val Ile Ile Leu Asp Gly Thr Val Val Pro Glu
 35 40 45

Ile Phe Ile Cys Ser Arg Val Tyr Val Trp Val Asn Asp Cys Gly Ile
 50 55 60

Val Val Gln Ile Pro Ile Ile Gly
 65 70

<210> 78

<211> 191

<212> PRT

<213> Arabidopsis thaliana

<400> 78

Met Ser Arg Cys Gly Ser Leu Gly Leu Tyr Ala Pro Asn Ala Leu Pro
 1 5 10 15

Ser Leu Ser Leu Lys Pro Arg Ser Val Lys Ser Pro Phe Cys Ile Thr
 20 25 30

Ser His Thr Lys Pro Asn Asp Thr Leu Leu His Asn Val Asn Lys Met
 35 40 45

Arg Ala Lys Ala Cys Asp Ile Leu Gly Ala Lys Lys Thr Ile Leu Ala
 50 55 60

Ala Gln Leu Gly Ala Val Leu Ala Thr Ile Asp His Pro Ala Leu Ala
 65 70 75 80

Ile Thr Gly Val Asn Asn Gln Gln Glu Leu Ser Ser Val Val Leu Asp
 85 90 95

Ile Gly Ile Ile Ser Val Trp Tyr Phe Leu Val Met Pro Pro Ile Ile
 100 105 110

047-E2F-PROV-ST25

Met Asn Trp Leu Arg Val Arg Trp Tyr Arg Arg Lys Phe Phe Glu Met
115 120 125

Tyr Leu Gln Phe Met Phe Val Phe Met Phe Phe Pro Gly Leu Leu Leu
130 135 140

Trp Ala Pro Phe Leu Asn Phe Arg Lys Phe Pro Arg Asp Pro Asn Met
145 150 155 160

Lys Asn Pro Trp Asp Lys Pro Thr Asp Pro Asp Ser Ile Lys Asn Val
165 170 175

Tyr Leu Lys Tyr Pro Tyr Ala Thr Pro Glu Asp Tyr Asp Leu Asp
180 185 190

<210> 79

<211> 212

<212> PRT

<213> Arabidopsis thaliana

<400> 79

Met Ala Thr Val Thr Ile Leu Ser Pro Lys Ser Ile Pro Lys Val Thr
1 5 10 15

Asp Ser Lys Phe Gly Ala Arg Val Ser Asp Gln Ile Val Asn Val Val
20 25 30

Lys Cys Gly Lys Ser Gly Arg Arg Leu Lys Leu Ala Lys Leu Val Ser
35 40 45

Ala Ala Gly Leu Ser Gln Ile Glu Pro Asp Ile Asn Glu Asp Pro Ile
50 55 60

Gly Gln Phe Glu Thr Asn Ser Ile Glu Met Glu Asp Phe Lys Tyr Gly
65 70 75 80

Tyr Tyr Asp Gly Ala His Thr Tyr Tyr Glu Gly Glu Val Gln Lys Gly
85 90 95

Thr Phe Trp Gly Ala Ile Ala Asp Asp Ile Ala Ala Val Asp Gln Thr
100 105 110

Asn Gly Phe Gln Gly Leu Ile Ser Cys Met Phe Leu Pro Ala Ile Ala
115 120 125

047-E2F-PROV. ST25

Leu Gly Met Tyr Phe Asp Ala Pro Gly Glu Tyr Leu Phe Ile Gly Ala
 130 135 140

Ala Leu Phe Thr Val Val Phe Cys Ile Ile Glu Met Asp Lys Pro Asp
 145 150 155 160

Gln Pro His Asn Phe Glu Pro Gln Ile Tyr Lys Leu Glu Arg Gly Ala
 165 170 175

Arg Asp Lys Leu Ile Asn Asp Tyr Asn Thr Met Ser Ile Trp Asp Phe
 180 185 190

Asn Asp Lys Tyr Gly Asp Val Trp Asp Phe Thr Ile Glu Lys Asp Asp
 195 200 205

Ile Ala Thr Arg
 210

<210> 80

<211> 214

<212> PRT

<213> Arabidopsis thaliana

<400> 80

Met Ala Thr Arg Gly Ala Val Ala Ala Ala Ser Thr Ile Trp Lys
 1 5 10 15

His Arg Arg Asn Pro Ser Leu Arg Ser Leu Ser Arg His Phe Asn Pro
 20 25 30

Asn Phe Asn His Arg Ile Ile Pro Thr Gly Phe Lys Tyr Gln Val Arg
 35 40 45

Ala Ile Gln Gly Thr Ser Thr Asp Pro Val Ile Thr Pro Leu Lys Asn
 50 55 60

Arg Glu Glu Pro Lys Pro Gln Asn Trp Lys Ile Lys Met Leu Tyr Asp
 65 70 75 80

Gly Asp Cys Pro Leu Cys Met Arg Glu Val Asn Met Leu Met Glu Arg
 85 90 95

Asn Glu Lys His Gly Thr Ile Lys Phe Val Asp Ile Ser Ser Asn Asp
 100 105 110

047-EEF-PROV-ST25

Tyr Ser Pro Glu Asp Asn Gln Gly Leu Asp Tyr Lys Thr Val Met Gly
 115 120 125

Gln Ile His Ala Ile Gln Ser Asp Gly Asn Val Val Lys Gly Val Glu
 130 135 140

Ala Phe Arg Arg Leu Tyr Glu Glu Val Gly Leu Gly Trp Val Tyr Thr
 145 150 155 160

Ile Thr Lys Phe Glu Pro Ile Gly Lys Leu Ala Asp Val Val Tyr Asp
 165 170 175

Val Trp Ala Lys Tyr Arg Leu Gln Val Thr Gly Arg Pro Ser Ile Glu
 180 185 190

Ala Ile Leu Glu Ala Arg Lys Lys Asp Lys Val Glu Thr Cys Gly Glu
 195 200 205

Ser Lys Asn Cys Lys Ile
 210

<210> 81

<211> 158

<212> PRT

<213> Arabidopsis thaliana

<400> 81

Met Ala Phe Ser Ala Thr Val Ser Gln Leu Ser Ser Leu Ser Thr Ile
 1 5 10 15

Ser Ser Ser Leu Pro Ile Ser Ser Arg Arg Leu Pro His Arg Ser Leu
 20 25 30

Pro Gln Phe Thr Val Lys Ala Glu Ala Glu Lys Glu Lys Gln Ser Thr
 35 40 45

Gln Gly Lys Ser Asp Gly Glu Ala Ser Pro Ala Ala Thr Lys Thr Pro
 50 55 60

Lys Thr Leu Pro Lys Lys Pro Val Tyr Ser Met Lys Lys Gly Gln Ile
 65 70 75 80

Val Arg Val Glu Lys Glu Lys Tyr Leu Asn Ser Ile Asn Tyr Leu Ser
 85 90 95

047-E2F-PROV-ST25

Val Gly His Pro Pro Phe Tyr Lys Gly Leu Asp Tyr Ile Tyr Glu Asp
100 105 110

Arg Gly Glu Val Leu Asp Leu Arg Val Phe Glu Thr Gly Glu Tyr Ala
115 120 125

Leu Val Gly Trp Val Gly Ile Pro Thr Ala Pro Ala Trp Leu Pro Thr
130 135 140

Asp Met Leu Ile Lys Cys Glu Lys Leu Val Tyr Glu Arg Met
145 150 155

<210> 82

<211> 704

<212> PRT

<213> Arabidopsis thaliana

<400> 82

Met Glu Thr Asn Gln Trp Arg Ser Arg Lys Lys Ile Glu Ser Ala Ala
1 5 10 15

Glu Thr Leu Gln Val Ser Ser Arg Arg Gly Arg Gly Gln Ala Arg Met
20 25 30

Val Pro Pro Val Ser Gly Val Arg Ser Glu Arg Ala Arg Lys Ser Leu
35 40 45

Ser Glu Lys Leu Glu Thr Val Ala Leu Asn Ser Pro Lys Lys Asp Ala
50 55 60

Arg Val Ser Leu Tyr Gly Glu Lys Ser Val Val Asp Glu Ile Phe Leu
65 70 75 80

Glu Asp Glu Glu Met Gly His Glu Thr Gly Leu Lys Asn Gly Glu Ser
85 90 95

Ser Pro Phe Cys Gly Val Ser Asp Lys Leu Leu Gln Arg Ile Glu Leu
100 105 110

Leu Gly Arg Asp His Glu Ala Thr Arg Leu Asp Asn Asn Lys Phe Arg
115 120 125

Ser Ile Glu Ser Met Lys Lys Arg Gln Glu Glu Ser Ala Cys Asp Asp
130 135 140

047-E2F-PROV-ST25

Leu Val Asp Met Lys Thr Lys	Ile Gln Thr Leu Ala Ala Glu Asn Thr
145	150 155 160
Gln Leu Lys Lys Ser Leu Val Ala Lys	Glu Glu Leu Ala Val Ser Leu
165	170 175
Gln Glu Arg Lys Phe Gln Val Glu Ser Glu Phe	Glu Ala Leu Met Thr
180	185 190
Arg Leu Asp Ser Thr Glu Lys Glu Asn Ala Phe	Leu Arg Tyr Glu Tyr
195	200 205
Thr Val Leu Glu Lys Asp Leu Gln Val Lys Thr	Glu Glu Thr Glu His
210	215 220
Thr Arg Arg Ser Met Glu Leu Thr His Lys Gln	Gln Leu Arg Asn Val
225	230 235 240
Asn Lys Ile Val Glu Leu Glu Ala Glu Cys Gln	Arg Leu Arg Leu Leu
245	250 255
Phe Arg Lys Lys Phe Pro Glu Lys Ser Ile Ser	Met Arg Asn Glu Gly
260	265 270
Glu Glu Lys Lys Met Glu Met Arg Arg Arg Asn	Ala Asn Lys Ser Asp
275	280 285
Met Met Met Arg Asp Glu Val Gln Ser Arg Lys	Leu Lys Tyr Asp Leu
290	295 300
Leu Met Glu Gln Ile Gly Asn Val Arg Ala Glu	Asn Lys Asn Leu Met
305	310 315 320
Asp Ile Ile Met Lys Lys Asn Ile Glu Ile Lys	Asp Leu Ser Arg Gly
325	330 335
Gln Lys Pro Leu Glu Ala Ser Ser Phe Asp Ile	Gln Ser Glu Ser Ser
340	345 350
Val Met Ser Pro Cys Gly Ser Lys Glu Met Lys	Leu Leu Met Asp Asp
355	360 365
Phe Asn Glu Met Glu Lys Leu Ala Ile Val Cys	Thr Glu Lys Asp Pro
370	375 380
Arg Val Asp Asp Glu Lys Glu Gly Ser Phe Asp	Trp Ile Gln Val Val
385	390 395 400

047-E2F-PROV-ST25

Leu Ser Ala Ile Thr Lys Gln Glu Arg Ile Ser Lys Arg Gly Val Lys
405 410 415

Glu Leu Leu Gln Asp Ile Lys Ile Ala Leu Gly Cys Met Asp Glu Asn
420 425 430

Asp Asn Val Glu Arg Lys Lys Gly Glu Glu Asp Pro Leu Cys Ile Thr
435 440 445

Trp Lys Ser Asn Asn Glu Ser Gly Pro Met Thr Lys Asp Glu Ile Lys
450 455 460

Arg His Leu Gly Leu Thr Lys Ser Asp Lys Val Glu Lys Ile Glu Ser
465 470 475 480

Asp Glu Lys Gln Glu Leu Arg Lys Lys Leu Glu Glu Ser Val Glu Lys
485 490 495

Ile Arg Asn Leu Glu Ala Glu Met Lys Thr Leu Arg Glu Asn Lys Glu
500 505 510

Lys Val Glu Ala Glu Met Glu Thr Glu Lys Ser Met Lys Glu Asp Leu
515 520 525

Asp Thr Lys Leu Asn Ile Thr Arg Ala Asn Met Asn Glu Thr Gln Lys
530 535 540

Lys Leu Ser Ser Leu Glu Val Glu Phe Asp Tyr Arg Lys Ser Cys Cys
545 550 555 560

Glu Glu Leu Glu Gly Thr Cys Ile Glu Leu Gln Leu Gln Leu Glu Ser
565 570 575

Val Glu Thr Lys Lys Pro Thr Gln Arg Asn Lys Asn Gly Trp Asp Ile
580 585 590

Ala Thr Ala Ser Val Lys Leu Ser Glu Cys Gln Glu Thr Ile Thr Ser
595 600 605

Leu Arg Lys Gln Leu Arg Ala Leu Ser Thr Thr Glu Thr Ser Ser Thr
610 615 620

Ile Lys Phe Leu His Lys Arg Ser Ser Leu Arg Glu Asn Ile Ala Glu
625 630 635 640

Asp Asp Thr Asn Arg Val Ala Gln Asp Asp Asp Gly Asn Arg Tyr Asn
645 650 655

047-E2F-PROV-ST25

Ala Leu Ile Val Tyr Glu Pro Val Lys Ala Arg Gly Glu Lys Met Glu
660 665 670

Met Val Pro Arg Lys Lys Gln Gly Leu Gly Phe Leu Lys Lys Leu Leu
675 680 685

Phe Arg Arg Lys Arg Val Ser Ser Lys Lys Cys Leu Ala Leu Thr Met
690 695 700

<210> 83

<211> 559

<212> PRT

<213> Arabidopsis thaliana

<400> 83

Met Asp Leu Gly Arg Lys Pro Leu Ala Arg Phe Pro Ser Gly Asp Trp
1 5 10 15

Val Ile Ser Glu Gln Pro Val Thr His Gln Asp Leu Glu Leu Ala Val
20 25 30

Ser Lys Val Gly Asp Phe Ser Asp Asn Arg Ser Gly Ile Asp Arg
35 40 45

Ser Leu His Arg Ile Ser Ala Ile Arg Asn Arg Lys Leu Gln Val Ile
50 55 60

Gly Leu Thr Cys Arg Val Gly Arg Val Val Ser Gly Ser Ala Glu Ile
65 70 75 80

Ile Arg Asp Leu Ile Glu Gly Gly Gly Ser Ile Leu Val Ile Gly Ser
85 90 95

Pro Gly Val Gly Lys Thr Thr Leu Ile Arg Glu Ile Ala Arg Met Leu
100 105 110

Ala Asp Glu His Arg Lys Arg Val Val Ile Val Asp Thr Ser Asn Glu
115 120 125

Ile Gly Gly Asp Gly Asp Val Pro His Ser Gly Ile Gly Arg Ala Arg
130 135 140

Arg Met Gln Val Pro Asn Val Asn Leu Gln His Asp Val Met Ile Glu
145 150 155 160

047-E2P PROV BT25

Ala Val Glu Asn His Met Pro Glu Thr Ile Ile Ile Asp Glu Ile Gly
165 170 175

Thr Glu Leu Glu Ala Leu Ala Ala Ser Thr Ile Ala Gln Arg Gly Val
180 185 190

Gln Leu Val Ala Thr Ala His Gly Met Thr Ile Asp Asn Ile Ile Lys
195 200 205

Asn Pro Ser Leu Gln Ile Leu Ile Gly Gly Ile Glu Ser Val Thr Leu
210 215 220

Gly Asp Glu Glu Ala Arg Lys Arg Lys Val Gln Lys Thr Ile Leu Glu
225 230 235 240

Arg Lys Gly Pro Pro Thr Phe Thr Cys Ala Val Glu Met Ile Ser Arg
245 250 255

Thr Glu Cys Arg Val His Gln Arg Leu Asp Val Thr Val Asp Ala Ile
260 265 270

Leu Ala Gly Lys Ser Ala Pro Phe Glu Ile Arg Gln Ile Arg Gly Glu
275 280 285

Asp Asp Val Pro His Lys Leu Val Thr Pro Ile Pro Leu Glu Asn Leu
290 295 300

Glu Glu Glu Pro Ala Pro Leu Leu Asn Arg Asp Phe Val Ser Glu Leu
305 310 315 320

Leu Ser Asp Asp Glu Asp Glu Asp Phe Leu Leu Ile Arg Ser Asn Lys
325 330 335

Ala Arg Ser Asn Thr Tyr Thr Ser Pro Arg Ser Ser Pro Val His Val
340 345 350

Tyr Thr Tyr Asn Val Leu Glu Ala Asp Leu Leu Gln Val Ala Glu Val
355 360 365

Met Gly Leu Asp Asp Glu Ile Glu Val Thr Asp Asp Val Gly Glu Ala
370 375 380

Asp Val Ile Leu Ala Ser Ser Ser Glu Leu Lys Gln Asn Ser Ser Ile
385 390 395 400

Arg Arg Val Ala Lys Leu His Lys Leu Pro Ile Phe Val Ile Lys Ser
405 410 415

047-E2F PROV ST25

Thr Thr Met Ala Gln Met Val Lys Ala Val Arg Met Ile Leu Gly Arg
420 425 430

Glu Ser Phe Gly Ser Ala Pro Lys Ala Ile Glu Lys Ser Ser Val Asp
435 440 445

Asp Ile Glu Ile Lys Asp Asp Ala Pro Glu Ser Lys Pro Ser Leu Glu
450 455 460

Glu Leu Asp Ala Leu Glu Glu Val Arg Leu Ala Ile Glu Tyr Ile Val
465 470 475 480

Ile Pro Gly Gly Glu Pro Val Glu Leu Leu Pro Arg Arg Ser Asp Ile
485 490 495

Ile Val Arg Gln Leu Glu Leu Val Glu Ser Tyr Gln Leu Ala Val Glu
500 505 510

Asn Leu Gly Thr His Leu Asn Pro Arg Leu Gln Ile Leu Pro Arg Arg
515 520 525

Ser Thr Lys Lys Thr Leu Thr Ser Ser Ser Pro Gln Lys Ser Ala Asp
530 535 540

Gly Ser Met Gly Thr Thr Gly Thr Arg Leu Phe Leu Lys Asp
545 550 555

<210> 84

<211> 326

<212> PRT

<213> Arabidopsis thaliana

<400> 84

Met Ala Val Ala Ser Leu Ser Ile Cys Phe Ser Ala Arg Pro His Leu
1 5 10 15

Leu Leu Arg Asn Phe Ser Pro Arg Pro Lys Phe Val Ala Met Ala Ala
20 25 30

Met Ser Glu Asp Pro Ile Arg Glu Trp Ile Leu Thr Glu Gly Lys Ala
35 40 45

Thr Gln Ile Thr Lys Ile Gly Ser Val Gly Gly Gly Cys Ile Asn Leu
50 55 60

047-E2F-PROV-ST25

Ala Ser His Tyr Gln Thr Asp Ala Gly Ser Phe Phe Val Lys Thr Asn
65 70 75 80

Arg Ser Ile Gly Pro Ala Met Phe Glu Gly Glu Ala Leu Gly Leu Glu
85 90 95

Ala Met Tyr Glu Thr Arg Thr Ile Arg Val Pro Asn Pro His Lys Ala
100 105 110

Gly Glu Leu Pro Thr Gly Gly Ser Tyr Ile Ile Met Glu Phe Ile Asp
115 120 125

Phe Gly Gly Ser Arg Gly Asn Gln Ala Glu Leu Gly Arg Lys Leu Ala
130 135 140

Glu Met His Lys Ala Gly Lys Thr Ser Lys Gly Phe Gly Phe Glu Val
145 150 155 160

Asp Asn Thr Ile Gly Ser Thr Pro Gln Ile Asn Thr Trp Ser Ser Asp
165 170 175

Trp Ile Glu Phe Tyr Gly Glu Lys Arg Leu Gly Tyr Gln Leu Lys Leu
180 185 190

Ala Arg Asp Gln Tyr Gly Asp Ser Ala Ile Tyr Gln Lys Gly His Thr
195 200 205

Leu Ile Gln Asn Met Ala Pro Leu Phe Glu Asn Val Val Ile Glu Pro
210 215 220

Cys Leu Leu His Gly Asp Leu Trp Ser Gly Asn Ile Ala Tyr Asp Lys
225 230 235 240

Asn Asn Glu Pro Val Ile Leu Asp Pro Ala Cys Tyr Tyr Gly His Asn
245 250 255

Glu Ala Asp Phe Gly Met Ser Trp Cys Ala Gly Phe Gly Glu Ser Phe
260 265 270

Tyr Asn Ala Tyr Phe Lys Val Met Pro Lys Gln Ala Gly Tyr Glu Lys
275 280 285

Arg Arg Asp Leu Tyr Leu Leu Tyr His Tyr Leu Asn His Tyr Asn Leu
290 295 300

Phe Gly Ser Gly Tyr Arg Ser Ser Ala Met Ser Ile Ile Asp Asp Tyr
305 310 315 320

047-E2F PROV. ST25

Leu Arg Met Leu Lys Ala
325

<210> 85

<211> 78

<212> PRT

<213> Arabidopsis thaliana

<400> 85

Met Leu Asp Thr Leu Ile Gly Gly Ile Val Gly Gly Ile Ala Gly Ala
1 5 10 15Ile Ile Gly Thr Val Asp Gly Phe Ala Arg Gly Ile Gly Ile Cys Pro
20 25 30Asp Ser Tyr Gln Ser Cys Thr Arg Thr Asp Cys Glu Glu His Lys Lys
35 40 45Lys Leu Pro Thr Asn Leu Ser Arg Asn Gly Gly Ala Ala Ala Val Lys
50 55 60Ala Lys Glu Asn Gly Arg Arg Arg Arg Gln Lys Asp Arg Glu
65 70 75

<210> 86

<211> 306

<212> PRT

<213> Arabidopsis thaliana

<400> 86

Met Ala Ala Ala Ser Leu His Thr Ser Ile Ser Pro Arg Ser Phe Leu
1 5 10 15Pro Leu Ser Lys Pro Ser Leu Lys Pro His Arg Ser Gln Ile Leu Leu
20 25 30Arg Asn Lys Gln Arg Asn Cys Val Ser Cys Ala Leu Ile Arg Asp Glu
35 40 45Ile Asp Leu Ile Pro Val Gln Ser Arg Asp Arg Thr Asp His Glu Glu
50 55 60

047-E2F PROV ST25

Gly Ser Val Val Val Met Ser Thr Glu Thr Ala Val Asp Gly Asn Glu
65 70 75 80

Ser Val Val Val Gly Phe Ser Ala Ala Thr Ser Glu Gly Gln Leu Ser
85 90 95

Leu Glu Gly Phe Pro Ser Ser Ser Ser Ser Gly Ala Asp Leu Gly Asp
100 105 110

Glu Lys Arg Arg Glu Asn Glu Glu Met Glu Lys Met Ile Asp Arg Thr
115 120 125

Ile Asn Ala Thr Ile Val Leu Ala Ala Gly Ser Tyr Ala Ile Thr Lys
130 135 140

Leu Leu Thr Ile Asp His Asp Tyr Trp His Gly Trp Thr Leu Phe Glu
145 150 155 160

Ile Leu Arg Tyr Ala Pro Gln His Asn Trp Ile Ala Tyr Glu Glu Ala
165 170 175

Leu Lys Gln Asn Pro Val Leu Ala Lys Met Val Ile Ser Gly Val Val
180 185 190

Tyr Ser Val Gly Asp Trp Ile Ala Gln Cys Tyr Glu Gly Lys Pro Leu
195 200 205

Phe Glu Ile Asp Arg Ala Arg Thr Leu Arg Ser Gly Leu Val Gly Phe
210 215 220

Thr Leu His Gly Ser Leu Ser His Phe Tyr Tyr Gln Phe Cys Glu Glu
225 230 235 240

Leu Phe Pro Phe Gln Asp Trp Trp Val Val Pro Val Lys Val Ala Phe
245 250 255

Asp Gln Thr Val Trp Ser Ala Ile Trp Asn Ser Ile Tyr Phe Thr Val
260 265 270

Leu Gly Phe Leu Arg Phe Glu Ser Pro Ile Ser Ile Phe Lys Glu Leu
275 280 285

Lys Ala Thr Phe Leu Pro Met Leu Thr Val Gly Ser Phe Gly His Leu
290 295 300

Leu Ile
305

047-E2F PROV ST25

<210> 87

<211> 178

<212> PRT

<213> Arabidopsis thaliana

<400> 87

Met Gln Tyr Tyr Glu Asn Arg Glu Lys Asp Tyr Tyr Glu Val Ala Gln
1 5 10 15

Gly Gln Arg Asn Gly Tyr Gly Gln Ser Gln Ser His Asn His Glu Gly
20 25 30

Tyr Gly Gln Ser Gln Ser Arg Gly Gly Tyr Gly Gln Ile His Asn Arg
35 40 45

Glu Gly Tyr Asn Gln Asn Arg Glu Gly Tyr Ser Gln Ser Gln Ser Arg
50 55 60

Pro Val Tyr Gly Leu Ser Pro Thr Leu Asn His Arg Ser His Gly Gly
65 70 75 80

Phe Leu Asp Gly Leu Phe Lys Gly Gln Asn Gly Gln Lys Gly Gln Ser
85 90 95

Gly Leu Gly Thr Phe Leu Gly Gln His Lys Ser Gln Glu Ala Lys Lys
100 105 110

Ser Gln Gly His Gly Lys Leu Leu Gly Gln His Asp Gln Lys Lys Thr
115 120 125

His Glu Thr Asn Ser Gly Leu Asn Gly Leu Gly Met Phe Ile Asn Asn
130 135 140

Gly Glu Lys Lys His Arg Arg Lys Ser Gln His Lys Lys Lys Asn Lys
145 150 155 160

Asp Gly His Gly Ser Gly Asn Glu Ser Gly Ser Ser Ser Gly Ser Asp
165 170 175

Ser Asp

<210> 88

<211> 202

047-E2F PROV ST25

<212> PRT

<213> Arabidopsis thaliana

<400> 88

Met Gly Cys Val Arg Cys Lys Ser Ser Asp Pro Trp Gln Thr Ser Ala
1 5 10 15

Asn Ala Phe Glu Ser Val Asp Glu Ser Gly Ile Asn Glu Ala Trp Val
20 25 30

Glu Ile Ser Ser Arg Arg Ser Phe Val Ala Gly Glu Gly Ser Arg Lys
35 40 45

Lys Leu Glu Arg Lys Lys Ser Gln Val Leu Leu Glu Gly Tyr Val Glu
50 55 60

Thr Ala Ser Ser Ser Ser Val Asp Asp Gln Lys Asp Asp Leu Thr Arg
65 70 75 80

Ser Lys Ser Leu Thr Asp Asp Asp Leu Glu Asp Leu Arg Gly Cys Leu
85 90 95

Asp Leu Gly Phe Gly Phe Ser Tyr Asp Glu Ile Pro Glu Leu Cys Asn
100 105 110

Thr Leu Pro Ala Leu Glu Leu Cys Tyr Ser Met Ser Gln Lys Phe Leu
115 120 125

Asp Asp Lys Gln Asn Lys Ser Pro Glu Thr Ser Ser Val Glu Asp Cys
130 135 140

Pro Ser Pro Pro Leu Val Thr Ala Thr Pro Ile Ala Asn Trp Lys Ile
145 150 155 160

Ser Ser Pro Gly Asp Asn Pro Asp Asp Val Lys Ala Arg Leu Lys Tyr
165 170 175

Trp Ala Gln Ala Val Ala Leu Leu Arg Asp Phe Val Phe Met Arg Ala
180 185 190

Ile Thr Asn Trp Leu Trp Thr Ser Thr Cys
195 200

<210> 89

<211> 638

047-E2F-PROV-EST25

<212> PRT

<213> Arabidopsis thaliana

<400> 89

Met Ala Val Asp Ser Arg Met Asp Leu Leu Ser Glu Arg Ala Val Leu
1 5 10 15

Met Arg Ala Ser Leu Gln Lys Ser Gln Thr Ile Thr Asp Asn Val Val
20 25 30

Ser Ile Leu Gly Ser Phe Asp Ser Arg Leu Ser Ala Leu Glu Thr Ala
35 40 45

Met Arg Pro Thr Gln Ile Arg Thr His Ala Ile Arg Lys Ala His Glu
50 55 60

Asn Ile Asp Arg Thr Leu Lys Ala Ala Glu Val Ile Leu Ser Gln Phe
65 70 75 80

Asp Leu Leu Arg Gln Ala Glu Thr Lys Val Leu Lys Gly Pro His Glu
85 90 95

Asp Leu Glu Ser Tyr Leu Asp Ala Ile Ala Gln Leu Arg Lys Ile Ile
100 105 110

Arg Tyr Phe Met Ser Asn Lys Ser Phe Lys Ser Ser Asp Gly Val Leu
115 120 125

Asn His Ala Asn Ser Leu Leu Ala Lys Ala Gln Ser Lys Leu Glu Glu
130 135 140

Glu Phe Lys Gln Leu Leu Ala Ser Tyr Ser Lys Ala Val Glu Pro Asp
145 150 155 160

Arg Leu Phe Asp Gly Leu Pro Asn Ser Leu Met Pro Ser Ser Asp Gly
165 170 175

Asp Gly Gly Gly Lys Pro His Gly Gly His His Asn Asp Asp Ala Glu
180 185 190

Thr Ala Ala Tyr Thr Leu Pro Ile Leu Ile Pro Ser Arg Val Leu Pro
195 200 205

Leu Leu His Asp Leu Ala Gln Gln Met Val Gln Ala Gly His Gln Gln
210 215 220

047-E2R-PROV BT25

Gln Leu Leu Gln Ile Tyr Arg Asp Thr Arg Ser Phe Val Leu Glu Glu
225 230 235 240

Ser Leu Lys Lys Leu Gly Val Glu Lys Leu Ser Lys Glu Asp Val Gln
245 250 255

Arg Met Gln Trp Glu Val Leu Glu Ala Lys Ile Gly Asn Trp Ile His
260 265 270

Phe Met Arg Ile Ala Val Lys Leu Leu Phe Ala Gly Glu Arg Gln Val
275 280 285

Cys Asp Gln Ile Phe Arg Gly Phe Asp Ser Leu Ser Asp Gln Cys Phe
290 295 300

Ala Glu Val Thr Val Ser Val Ser Met Leu Ser Phe Gly Asp
305 310 315

Ala Ile Ala Arg Ser Lys Arg Ser Pro Glu Lys Leu Phe Val Leu Leu
325 330 335

Asp Met Tyr Glu Ile Met Arg Glu Leu His Thr Glu Ile Glu Thr Ile
340 345 350

Phe Lys Gly Lys Ala Cys Leu Glu Ile Arg Asp Ser Ala Thr Gly Leu
355 360 365

Thr Lys Arg Leu Ala Gln Thr Ala Gln Glu Thr Phe Gly Asp Phe Glu
370 375 380

Glu Ala Val Glu Lys Asp Ala Thr Lys Thr Ala Val Leu Asp Gly Thr
385 390 395 400

Val His Pro Leu Thr Ser Tyr Val Ile Asn Tyr Val Lys Phe Leu Phe
405 410 415

Asp Tyr Gln Thr Thr Leu Lys Gln Leu Phe Leu Glu Phe Gly Asn Gly
420 425 430

Asp Asp Ser Asn Ser Gln Leu Ala Ser Val Thr Met Arg Ile Met Gln
435 440 445

Ala Leu Gln Asn Asn Leu Asp Gly Lys Ser Lys Gln Tyr Lys Asp Pro
450 455 460

Ala Leu Thr His Leu Phe Leu Met Asn Asn Ile His Tyr Met Val Arg
465 470 475 480

047-E2F-PROV-ST25

Ser Val Arg Arg Ser Glu Ala Lys Asp Leu Leu Gly Asp Asp Trp Val
485 490 495

Gln Arg His Arg Arg Ile Val Gln Gln His Ala Asn Gln Tyr Lys Arg
500 505 510

Val Ala Trp Thr Lys Ile Leu Gln Ser Ser Ser Ala Gln Gly Leu Thr
515 520 525

Ser Ser Gly Gly Gly Ser Leu Glu Gly Gly Asn Ser Ser Gly Val Ser
530 535 540

Arg Gly Leu Leu Lys Glu Arg Phe Lys Met Phe Asn Met Gln Phe Asp
545 550 555 560

Glu Leu His Gln Arg Gln Ser Gln Trp Thr Val Pro Asp Thr Glu Leu
565 570 575

Arg Glu Ser Leu Arg Leu Ala Val Ala Glu Val Leu Leu Pro Ala Tyr
580 585 590

Arg Ser Phe Leu Lys Arg Phe Gly Pro Leu Val Glu Ser Gly Lys Asn
595 600 605

Pro Gln Lys Tyr Ile Lys Tyr Thr Ala Glu Asp Leu Glu Arg Leu Leu
610 615 620

Gly Glu Leu Phe Glu Gly Lys Ser Met Asn Glu Pro Arg Arg
625 630 635

<210> 90

<211> 526

<212> PRT

<213> Arabidopsis thaliana

<400> 90

Met Asp Pro Trp Ser Trp Ile Cys Glu Leu Pro Glu Asp Pro Glu Phe
1 5 10 15

Ser Glu Ser Asp Ser His Ala Val Phe Gln Leu Ala Gly Asp Leu Thr
20 25 30

Arg Ser Ile Lys Leu Arg Ala Glu Arg Thr Leu Gly Ser Asp Gln Glu
35 40 45

047-E2F-PROV-ST25

Ser His Ser Leu Thr Phe Thr Val Val Ala Glu Gly Phe Asn Leu Leu
50 55 60

Lys Ser Ser Thr Ile Trp Val Ser Asn Thr Cys Pro Leu Ser Ser Glu
65 70 75 80

Lys Pro Phe Leu Pro Leu Val Leu Gln Leu Leu Gln Glu Leu Ile Thr
85 90 95

Arg Ser Pro Thr Thr His Asp Gly Ala Cys Thr Lys Phe Glu Gln Leu
100 105 110

Glu Ile Lys Pro Ser Pro Val Ser Trp Val Met Asp Ser His Ser Pro
115 120 125

Glu Ser Phe Ser Ser Val Phe Asn Leu Ile Leu Leu Thr Arg Leu Phe
130 135 140

Trp Leu Cys Val Phe Asp Ala Pro Ser Glu Val Gly Ser Phe Phe Phe
145 150 155 160

Gln His Leu Leu Gly Pro His Val Asn Ala Leu Thr Cys Gln His Ala
165 170 175

Pro Val Leu Arg Thr Phe Leu Val Ser Leu Gly Val Asp Ala Glu Leu
180 185 190

Cys Ile Val Arg Ala Ala Ser Tyr Ala Leu Ser Lys Trp Met Ile Ser
195 200 205

Lys Glu Ile Gly Leu Gly Asn Leu Gly Leu Lys Gln Phe Ser Ser Ser
210 215 220

Leu Met Pro Arg His Ser Leu Gly Phe Ser Tyr Ala Thr Glu Ala His
225 230 235 240

Gly Leu Trp Ile Leu Lys Gly Tyr Phe Trp Ile Leu Ser Met Asn Val
245 250 255

Thr Asn Asn Ser Ser Asn Glu Val His Asn Lys Ile Val Lys Phe Pro
260 265 270

Phe Val Glu Pro Lys Glu Ala Val Leu Arg Tyr Ala Leu Ser His Gln
275 280 285

Gln Ala Glu Ile Leu Val Gln Phe Glu Tyr Ser Val Lys Phe Tyr Glu
290 295 300

047-E2F-PROV-ST25

Asn Tyr Ile Lys Val Asn Ala Arg Val Asp Asn Ile Arg Ile His Val
305 310 315 320

Ser Lys Leu Gly Phe His Lys Gly Gly Val Gly Val Glu Asn Gln Ile
325 330 335

Ala Asp Cys Tyr Ser Glu Glu Arg Tyr Phe Pro Ser Arg Val Arg Val
340 345 350

Trp Leu Gly Pro Glu Leu Gly Ser Ser His Val Ser Gly Leu Ser Leu
355 360 365

Gly Arg Ser Thr Lys Asn Glu Glu Arg Asp Ile Glu Val Thr Arg Val
370 375 380

Leu Lys Gly Asn Phe Gly Lys Gly Lys Val Ala Pro Arg Val Lys Ala
385 390 395 400

Arg Ala Arg Met Ala Thr Lys Arg Lys Val Lys Asp Trp Arg Ile Glu
405 410 415

Gln Glu Ser Glu Gly Asn Ala Ala Val Phe Asp Ala Val Leu Tyr Asp
420 425 430

Arg Glu Ser Gly Gln Glu Val Thr Thr Val Lys Pro Lys Pro Asn Gln
435 440 445

Glu Gly Leu Lys Asn Val Phe Thr Lys Ser Gly Gly Met Val Phe Gly
450 455 460

Arg Asp Glu Tyr Gly Asp Glu Val Gly Trp Arg Val Gly Arg Glu Met
465 470 475 480

Glu Gly Ser Val Leu Lys Trp Arg Leu Gly Gly Lys Ile Trp Leu Thr
485 490 495

Tyr Trp Pro Asn Lys Leu Asn Thr Leu Phe Tyr Glu Thr Arg Cys Val
500 505 510

Glu Trp Cys Asp Glu Val Asp Leu Pro Leu Leu Pro Thr Ser
515 520 525

<210> 91

<211> 306

<212> PRT

<213> Arabidopsis thaliana

047-E2F-PROV-ST25

<400> 91

Met Glu Val Pro Val Ile Asn Arg Ile Arg Asp Phe Glu Val Gly Ile
 1 5 10 15

Asn Ser Ile Asn Asp Pro Ser Phe Leu Ser Arg Ser Val Ala Val Ser
 20 25 30

Gly Ile Gly Lys Leu His Gln Ala Tyr Gly Phe Trp Lys Trp Gly Ala
 35 40 45

Leu Ile Ile Ala Phe Leu Ala Tyr Phe Thr Asn Phe Val Ser Lys Leu
 50 55 60

Asn Ser Leu Val Val Arg Leu Arg Lys Ile Asp Val Ser Val Ser Ser
 65 70 75 80

Pro Thr Leu Phe Asp Asp Tyr Asp Ser Asp Ser Asp Val Ser Cys Ser
 85 90 95

Ser Thr Val Ser Ser Asp Asp Glu Lys Asp Glu Glu Asp Glu Ala Asp
 100 105 110

Asp Glu Asp Glu Asp Val Asp Ser Ile Phe Asn Arg Arg Arg Val Asn
 115 120 125

Gly Gly Phe Arg Val Arg Gly Ser Asp Tyr Tyr Asp Asp Asp Asp
 130 135 140

Gln Gly Asp Asn Gly Asn Cys Thr Trp Met Gly Arg Arg Tyr Ser Gly
 145 150 155 160

Ser Phe Gly Asp Leu Phe Ser Trp Pro Asp Leu Gly Gly Ile Gly Ser
 165 170 175

Ser Gly Val Val Lys Leu Trp Asp His Leu Asp Ile Asp Gly Asp Asp
 180 185 190

His Glu Asn Val Val Ala Thr Phe Leu Lys Asn Tyr Asn Ser Thr Ser
 195 200 205

Ser Pro Phe Phe Trp Ala Ala Glu Lys Lys Gly Val Asp Ala Val Lys
 210 215 220

Val Lys Ala Cys Asp Pro Arg Ala Gly Phe Arg Met Pro Ala Leu Leu
 225 230 235 240

Page 101

047-E25 PROVLST25

Ala Glu Trp Arg Gln Pro Gly Arg Leu Leu Gly Asn Ile Ile Gly Val
245 250 255

Asp Thr Gly Gly Val Glu Lys Val Tyr Val Arg Asp Asp Val Ser Gly
260 265 270

Glu Ile Ala Val Gly Asp Leu Arg Lys Phe Asn Gly Val Leu Thr Asp
275 280 285

Leu Thr Glu Cys Glu Ala Glu Thr Trp Trp Asp Ala Asp Val Leu Ile
290 295 300

Ser Gly
305

<210> 92

<211> 332

<212> PRT

<213> Arabidopsis thaliana

<400> 92

Met Ile Ala Leu Ala Ala Ser Ser Leu Gly Asn Thr Pro Ile Ala Ser
1 5 15

Phe Asn Arg His Phe Arg Phe Arg Leu His Pro Arg Asn Pro Leu Ile
20 25 30

Gln Ala Ala Val Ser Pro Ser Ser Ser Ser Ser Pro Thr Ala Ser
35 40 45

Ser Gly Phe Asp Leu Ser Ser Leu Glu Ser Ala Ile Asn Lys Lys Asp
50 55 60

Ser Asn Gly Val Lys Glu Ala Leu Asp Lys Leu Ser Glu Glu Gly Trp
65 70 75 80

Ala Lys Lys Trp Ser Ser Gln Pro Tyr Leu Ser Arg Arg Thr Thr Ser
85 90 95

Leu Arg Glu Leu Thr Thr Leu Gly Ile Lys Asn Ala Glu Thr Leu Ala
100 105 110

Ile Pro Ser Val Arg Asn Asp Ala Ala Phe Leu Phe Thr Val Val Gly
115 120 125

047-E2F-PROV-ST25

Ser Thr Gly Phe Ile Ala Val Leu Ala Gly Gln Leu Pro Gly Asp Trp
 130 135 140

Gly Phe Phe Val Pro Tyr Leu Val Gly Ser Ile Ser Leu Val Val Leu
 145 150 155 160

Ala Val Gly Ser Val Ser Pro Gly Leu Leu Gln Ala Ala Ile Ser Gly
 165 170 175

Phe Ser Thr Phe Phe Pro Asp Tyr Gln Gln Arg Ile Ala Ala His Glu
 180 185 190

Ala Ala His Phe Leu Val Ala Tyr Leu Ile Gly Leu Pro Ile Leu Gly
 195 200 205

Tyr Ser Leu Asp Ile Gly Lys Glu His Val Asn Leu Ile Asp Glu Arg
 210 215 220

Leu Ala Lys Leu Ile Tyr Ser Gly Lys Leu Asp Ser Lys Glu Leu Asp
 225 230 235 240

Arg Leu Ala Ala Val Ala Met Ala Gly Leu Ala Ala Glu Gly Leu Lys
 245 250 255

Tyr Asp Lys Val Ile Gly Gln Ser Ala Asp Leu Phe Ser Leu Gln Arg
 260 265 270

Phe Ile Asn Arg Ser Gln Pro Lys Ile Ser Asn Glu Gln Gln Gln Asn
 275 280 285

Leu Thr Arg Trp Ala Val Leu Tyr Ser Ala Ser Leu Leu Lys Asn Asn
 290 295 300

Lys Thr Ile His Glu Ala Leu Met Ala Ala Met Ser Lys Asn Ala Ser
 305 310 315 320

Val Leu Glu Cys Ile Gln Thr Ile Glu Thr Ala Ser
 325 330

<210> 93

<211> 130

<212> PRT

<213> Arabidopsis thaliana

<400> 93

047-E2F PROV.ST25

Met Ala Ser Pro Lys Ser Pro Thr Arg Pro Thr Gln Gln Asn Pro Gln
1 5 10 15

Pro Asn Phe His Asp Phe Leu Pro Thr Met Ala Gly Asn Leu Gly Gly
20 25 30

Glu Gly Leu Ile Gly Glu Leu Cys Asn Gly Phe Glu Leu Leu Met Asp
35 40 45

Arg Glu Lys Gly Val Ile Thr Phe Glu Ser Leu Arg Arg Asn Ala Ala
50 55 60

Ala Val Leu Gly Leu Gly Asp Leu Thr Asp Glu Asp Val Arg Cys Met
65 70 75 80

Ile Lys Glu Gly Asp Phe Asp Cys Asp Gly Ala Leu Asn Gln Met Glu
85 90 95

Phe Cys Val Leu Met Phe Arg Leu Ser Pro Asp Leu Met Glu Ala Ser
100 105 110

Arg Cys Leu Val Thr Glu Val Ile Glu Gln Gln Phe Gly Phe Thr Arg
115 120 125

Arg His
130

<210> 94

<211> 1088

<212> PRT

<213> Arabidopsis thaliana

<400> 94

Met Gly Leu Leu Lys Thr Ser Trp Leu Leu Leu Leu Phe Trp Val Val
1 5 10 15

Ser Ser Pro Leu Cys Phe Arg Phe His Tyr Cys Tyr Gly Ser Glu Leu
20 25 30

Ser Val Lys Phe Leu Lys Ala Pro Pro Thr Thr Ser Arg Phe Thr Ser
35 40 45

Ala Lys Phe Ser Phe Leu Ala Phe Glu Asp Gly Asn Arg Thr Cys Ser
50 55 60

047-E2F-200V-ET25

Ser Cys Lys Phe Arg Cys Lys Leu Asp Asp Arg Ile Ser Leu Asp Cys
 65 70 75 80
 His Gln Arg Lys Val Ser Tyr Ser Lys Leu Leu Asp Gly Asp His Thr
 85 90 95
 Leu Glu Val Cys Ala Asn Arg Met His Gly Phe Gly Cys Asn His Tyr
 100 105 110
 Asn Trp Thr Val Asp Thr Val Ser Pro Thr Ala Phe Val Thr Ala Ser
 115 120 125
 Met Pro Phe Thr Ser Ala Gln Asn Val Ser Val Asn Ile Thr Phe Thr
 130 135 140
 Glu Pro Cys Val Gly Arg Gly Gly Phe Gly Cys Ser Ser Val Asn Ser
 145 150 155 160
 Cys Asp Leu Leu Val Tyr Gly Ala Gly Gln Val Ile Pro Ser Ser Phe
 165 170 175
 Thr Val Leu Asp Gln Tyr Leu Arg Tyr Ser Leu Leu Val Gly Leu Ser
 180 185 190
 Pro Asp Ala Gln Tyr Gly Arg Ile Val Leu Val Met Asn Lys Ser Val
 195 200 205
 Cys Ser Asp Ile Ala Gly Asn Asn Phe Lys Arg Ala Leu Gly Ser Arg
 210 215 220
 Phe Phe Val His Phe Asp Arg Arg Asn Val Leu Val Asn Leu Arg Thr
 225 230 235 240
 His Val Pro Glu Lys Leu Leu Lys Leu Asp Asn Gln Thr Arg Thr Val
 245 250 255
 Gln Ala Thr Asn Asp Asn Asn Lys Leu Asp Val Tyr Leu Tyr Phe Ser
 260 265 270
 Glu Pro Val Leu Asn Ser Ser Ala Glu Ile Leu Arg Arg Leu Asn Thr
 275 280 285
 Asn Gln Gly Asp Leu Leu Pro Ile Asp Cys Asn Thr Asn Gly Asn Arg
 290 295 300
 Arg Phe Ala Phe Met Val Thr Asn Thr Ser Arg Arg Ala Ile Val Thr
 305 310 315 320

047 E2F-PROV AT25

Val Thr Leu Asp Ser Asn Ser Ile Arg Ser Arg His Gly Thr Pro Ala
325 330 335

Ser Pro Thr Ala Pro Leu Thr Phe Leu Tyr Asp Thr Glu Arg Pro His
340 345 350

Val Ile Leu Asn Thr Thr Ser Gly Met Arg Thr Arg Lys His Thr Ile
355 360 365

Pro Val Trp Ile Lys Phe Met Lys Pro Val Phe Gly Phe Asn Ser Ser
370 375 380

Phe Val Ser Ile Ser Gly Tyr Leu Asp Ser Phe Glu Glu Leu Ser
385 390 395 400

Gly Ser Ile Tyr Ile Val Tyr Val Lys Ala Asn Thr Ser Thr Leu Ser
405 410 415

Ile Lys Ile Pro Glu Asn Val Thr Gln Asp Val Ala Gly Asn Lys Asn
420 425 430

Leu Ala Ser Asn Ile Leu Lys Val Lys His Tyr Ser Val Pro Met Ile
435 440 445

Ser Ser Val Ile Ser Trp Val Thr Thr Tyr Ile Phe Leu Val Thr Ser
450 455 460

Phe Val Ala Gly Leu Leu Thr Leu Ser Thr Thr Ser Leu Tyr Ser Leu
465 470 475 480

Gly Ala Phe Pro Arg Pro Ser Pro Tyr Leu Ile Ser Asp Pro Thr Arg
485 490 495

Asn Leu Phe Arg Thr Ala Cys His Ile Gln Phe Phe Ala Leu Thr Arg
500 505 510

Trp Leu Pro Val Thr Leu Pro Val Asp Tyr Tyr Glu Leu Val Arg Gly
515 520 525

Ile Gln Trp Ile Ile Pro Tyr Phe Pro Leu Pro Trp Glu Thr Lys Ile
530 535 540

Lys Glu Gln Ile Met Val Ala Thr Ser Pro Tyr Ile Gly Pro His Ser
545 550 555 560

Phe Ile Ser Lys Thr His Asn Asn Met Ile Asn Leu Lys Thr Ser Thr
565 570 575

047-E2F-PROV-ST25

Asn Ala Glu Ser Val Phe Gly Leu Pro Leu Thr Ala Met Glu Tyr Arg
 580 585 590
 Leu Phe Phe Glu Thr Ser Asn Leu Lys Pro Glu Ala Glu His Val Leu
 595 600 605
 Gly Leu Pro His Ser Thr Val Trp Arg Asp Phe Asn Arg Ile Met Phe
 610 615 620
 Trp Ile Ala Ile Ile Gly Gly Ser Leu Val Ser Leu His Ile Val Leu
 625 630 635 640
 Ser Leu Ile Leu Lys Phe Lys Lys Ala His Ser Glu Lys Lys Arg Ser
 645 650 655
 Phe Gly Ala Phe Val Phe Pro Arg Phe Glu Leu Phe Leu Leu Ile Leu
 660 665 670
 Ala Leu Pro Ser Ile Cys Lys Ala Ala Arg Ser Leu Ile Gln Gly Tyr
 675 680 685
 Phe Lys His Gln Gly Ala Ala Glu Ala Ser Val Ile Val Gly Ile Leu
 690 695 700
 Val Leu Cys Val Val Ala Ile Leu Leu Leu Ala Leu Phe Leu Phe Leu
 705 710 715 720
 Ser Val Gly Ile Thr Phe Gly Lys Leu Leu Glu Tyr Lys Glu Ile His
 725 730 735
 Gln Glu Gly Gln Thr Phe His Trp Tyr Gln Ser Leu Ile Arg Val Thr
 740 745 750
 Leu Gly Pro Gly Lys Arg Gly Gln Trp Thr Thr Lys Thr Glu Asn Ser
 755 760 765
 Val Tyr Leu Thr Arg Leu Gly Pro Val Phe Glu Asp Leu Arg Gly Pro
 770 775 780
 Pro Lys Tyr Met Leu Thr Gln Ile Ser Gly Ser Asn Pro Leu Lys Gln
 785 790 795 800
 Gln Asp Asp Arg Ile Ile Ala Ser Asp Asp Glu Asn Glu Asp Ala Glu
 805 810 815
 Ala Pro Cys Ile Gln Lys Leu Phe Gly Ile Leu Arg Ile Tyr Tyr Thr
 820 825 830

PAGE 107

047-E2F-FROM-ET25

Phe Leu Glu Thr Val Lys Arg Val Cys Leu Gly Ile Ile Ala Gly Ala
835 840 845

Phe Leu Asp Asn Glu Thr Ala Lys Thr Pro Ile Val Val Leu Leu Ser
850 855 860

Ile Thr Ser Phe Gln Leu Phe Phe Leu Leu Leu Lys Lys Pro Phe Ile
865 870 875 880

Lys Lys Lys Val Gln Leu Val Glu Ile Ile Ser Ile Ala Cys Gln Val
885 890 895

Gly Val Phe Ala Ser Cys Leu Met Leu Leu Ala Lys Asp Phe Pro Glu
900 905 910

Ala Ser Gly Lys Lys Leu Gly Ile Phe Met Val Val Leu Phe Leu Ile
915 920 925

Gly Phe Ile Met Leu Met Cys Asn Glu Trp Tyr Ser Leu Tyr Lys Gln
930 935 940

Thr Lys Arg Leu Asp Gln Ile Asn Arg Ser Phe Leu Ser Gly Leu Lys
945 950 955 960

Met Phe Ile Ile Gly Leu Ala Ala Leu Ile Leu Pro Gln Lys Met Ile
965 970 975

Lys Asn Lys Ile Pro Val Ala Gln Leu Gln Ala Arg Ser Ser Ser Asn
980 985 990

Gly Gly Thr Thr Pro Glu Phe Arg Tyr Arg Asn Ser Ser Gly Ser Arg
995 1000 1005

Ser Ser Gly Ser Leu Asp Lys Pro Trp Leu Lys Gln Ile Arg Glu
1010 1015 1020

Met Ala Lys Ser Ser Phe Thr Arg Asp Arg Ser Asn Ser Lys Val
1025 1030 1035

Pro Ser Asp Pro Ser Cys Ser Lys Ser Gly Trp Ser Ser Ser Ile
1040 1045 1050

Trp Gly Thr Lys Thr Ser Gly Ser Ser Ser Lys Glu Ser Ser Ala
1055 1060 1065

Asp Tyr Lys Ser Arg Pro Lys Gly Leu Tyr Lys Asp Leu Glu Ala
1070 1075 1080

047-E2F-PROVIST25

Ile Phe Ala Ser Lys
1085

<210> 95

<211> 271

<212> PRT

<213> Arabidopsis thaliana

<400> 95

Met Gly Leu Leu Ser Leu Glu Asp Thr Ile Lys Glu Lys Leu Lys Asp
1 5 10 15

Arg Lys Asn Ala His Phe Met Leu Val Asp Gly Met Ser Lys Leu Leu
20 25 30

Thr Glu Lys Val Lys Asn Cys Gln Ser Leu Asp Phe Gln Val Ser Gly
35 40 45

Val Lys Trp Arg Leu Val Ile Arg Leu Ser Arg Gly Arg Lys Asp His
50 55 60

Leu Ser Phe Val Leu Glu Ile Thr Asp Glu Lys Cys Thr Gly Ser Thr
65 70 75 80

Trp Asp Val Lys Phe Asn Phe Lys Ile Gly Ile Val Pro Gln Thr Gly
85 90 95

Pro Asp Tyr Cys Phe Val Leu Val Gly His Gln Asn Glu Lys Lys Arg
100 105 110

Ser Gln Gly Leu Ala Asn Phe Ile Ser His Thr Asp Leu Lys Glu Arg
115 120 125

Phe Leu Val Asn Asp Lys Ala Gly Phe Tyr Ala Glu Ile Ser Asp Val
130 135 140

Gln Pro Asn Phe Pro Val Thr Arg Ile Pro Arg Thr Met Gly Thr Ala
145 150 155 160

Glu Arg Phe Lys Leu Ile Glu Phe Ser Pro Lys Asn Ser Arg Phe Thr
165 170 175

Trp Lys Ile Thr Gln Phe Ser Ser Phe Asp Gly Glu Glu His Ser Ser
180 185 190

047-E28-PRO-1725

Tyr Glu Phe Thr Val Gly Pro Arg Arg Trp Lys Leu Val Met Tyr Pro
 195 200 205

Lys Gly Asn Gly Asp Gly Lys Gly Asn Ser Leu Ser Leu Tyr Leu Phe
 210 215 220

Ala Ser Asp Tyr Val Thr Asn Gly Pro Lys Gly Thr Leu Ala Ile
 225 230 235 240

Tyr Lys Leu Arg Val Leu Asp Gln Leu Asn Arg Asn His Cys Glu Thr
 245 250 255

Gly Met Cys Ile Tyr Thr Leu Asn Ser Leu Tyr Thr Phe Phe
 260 265 270

<210> 96

<211> 137

<212> PRT

<213> Arabidopsis thaliana

<400> 96

Met Glu Asp Val Lys Gly Lys Glu Ile Ile Asp Asp Ala Pro Ile Asp
 1 5 10 15

Asn Lys Val Ser Asp Glu Met Glu Ser Glu Glu Asn Ala Ile Lys Lys
 20 25 30

Lys Tyr Gly Gly Leu Leu Pro Lys Lys Ile Pro Leu Ile Ser Lys Asp
 35 40 45

His Glu Arg Ala Phe Phe Asp Ser Ala Asp Trp Ala Leu Gly Lys Gln
 50 55 60

Lys Gly Gln Lys Pro Lys Gly Pro Leu Glu Ala Leu Arg Pro Lys Leu
 65 70 75 80

Gln Pro Thr Pro Gln Gln Gln Pro Arg Ala Arg Arg Met Ala Tyr Ser
 85 90 95

Ser Gly Glu Thr Glu Asp Thr Glu Ile Asp Ser Asn Glu Ala Pro Asp
 100 105 110

Asp Gln Ala Cys Ala Ser Ala Val Asp Ser Thr Asn Leu Lys Asp Asp
 115 120 125

Page 110

047-E2F-REV ST25

Gly Gly Ala Lys Asp Asn Ile Lys Ser
 130 135

<210> 97

<211> 340

<212> PRT

<213> Arabidopsis thaliana

<400> 97

Met Met Phe Ser Val Thr Val Ala Ile Leu Val Cys Leu Ile Gly Tyr
 1 5 10 15

Ile Tyr Arg Ser Phe Lys Pro Pro Pro Arg Ile Cys Gly His Pro
 20 25 30

Asn Gly Pro Pro Val Thr Ser Pro Arg Ile Lys Leu Ser Asp Gly Arg
 35 40 45

Tyr Leu Ala Tyr Arg Glu Ser Gly Val Asp Arg Asp Asn Ala Asn Tyr
 50 55 60

Lys Ile Ile Val Val His Gly Phe Asn Ser Ser Lys Asp Thr Glu Phe
 65 70 80

Pro Ile Pro Lys Asp Val Ile Glu Glu Leu Gly Ile Tyr Phe Val Phe
 85 90 95

Tyr Asp Arg Ala Gly Tyr Gly Glu Ser Asp Pro His Pro Ser Arg Thr
 100 105 110

Val Lys Ser Glu Ala Tyr Asp Ile Gln Glu Leu Ala Asp Lys Leu Lys
 115 120 125

Ile Gly Pro Lys Phe Tyr Val Leu Gly Ile Ser Leu Gly Ala Tyr Ser
 130 135 140

Val Tyr Ser Cys Leu Lys Tyr Ile Pro His Arg Leu Ala Gly Ala Val
 145 150 155 160

Leu Met Val Pro Phe Val Asn Tyr Trp Trp Trp Lys Val Pro Gln Glu
 165 170 175

Lys Leu Ser Lys Ala Leu Glu Leu Met Pro Lys Lys Asp Gln Trp Thr
 180 185 190

Page 111

047-E2R-PROV-ST25

Phe Lys Val Ala His Tyr Val Pro Trp Leu Leu Tyr Trp Trp Leu Thr
195 200 205

Gln Lys Leu Phe Pro Ser Ser Ser Met Val Thr Gly Asn Asn Ala Leu
210 215 220

Cys Ser Asp Lys Asp Leu Val Val Ile Lys Lys Lys Met Glu Asn Pro
225 230 235 240

Arg Pro Gly Leu Glu Lys Val Arg Gln Gln Gly Asp His Glu Cys Leu
245 250 255

His Arg Asp Met Ile Ala Gly Phe Ala Thr Trp Glu Phe Asp Pro Thr
260 265 270

Glu Leu Glu Asn Pro Phe Ala Glu Gly Glu Gly Ser Val His Val Trp
275 280 285

Gln Gly Met Glu Asp Arg Ile Ile Pro Tyr Glu Ile Asn Arg Tyr Ile
290 295 300

Ser Glu Lys Leu Pro Trp Ile Lys Tyr His Glu Val Leu Gly Tyr Gly
305 310 315 320

His Leu Leu Asn Ala Glu Glu Glu Lys Cys Lys Asp Ile Ile Lys Ala
325 330 335

Leu Leu Val Asn
340

<210> 98

<211> 326

<212> PRT

<213> Arabidopsis thaliana

<400> 98

Met Thr Asn Gly Gly Arg Gly Ser Gly Gly Gly Gly Gly Gly Gly Gly
1 5 10 15

Arg Glu Ser Gly Gly Arg Asp Leu Glu Ile Arg Pro Gly Gly Met Leu
20 25 30

Val Gln Lys Arg Asn Pro Asp Leu Asp Pro Val Gly Pro Pro Pro Pro
35 40 45

047-E2F-PROV-ST25

Pro Met Ile Arg Val Arg Ile Lys Tyr Gly Ala Val Tyr His Glu Ile
50 55 60

Asn Ile Ser Pro Gln Ala Ser Phe Gly Glu Leu Lys Lys Met Leu Thr
65 70 75 80

Gly Pro Thr Gly Ile His His Gln Asn Gln Lys Leu Met Tyr Lys Asp
85 90 95

Lys Glu Arg Asp Ser Lys Ala Phe Leu Asp Val Ser Gly Val Lys Asp
100 105 110

Lys Ser Lys Met Val Leu Ile Glu Asp Pro Leu Ser Gln Glu Lys Arg
115 120 125

Phe Leu Glu Met Arg Lys Ile Ala Lys Thr Glu Lys Ala Ser Lys Ala
130 135 140

Ile Ser Asp Ile Ser Leu Glu Val Asp Arg Leu Gly Gly Arg Val Ser
145 150 155 160

Ala Phe Glu Met Val Thr Lys Lys Gly Gly Lys Ile Ala Glu Lys Asp
165 170 175

Leu Val Thr Val Ile Glu Leu Leu Met Asn Glu Leu Ile Lys Leu Asp
180 185 190

Ala Ile Val Ala Glu Gly Asp Val Lys Leu Gln Arg Lys Met Gln Val
195 200 205

Lys Arg Val Gln Asn Tyr Val Glu Thr Leu Asp Ala Leu Lys Val Lys
210 215 220

Asn Ser Met Ala Asn Gly Gln Gln Lys Gln Ser Ser Thr Ala Gln Arg
225 230 235 240

Leu Ala Pro Ile Gln Glu His Asn Asp Glu Glu Arg Gln Glu Gln Lys
245 250 255

Pro Ile Gln Ser Leu Met Asp Met Pro Ile Gln Tyr Lys Glu Lys Lys
260 265 270

Gln Glu Ile Glu Glu Glu Pro Arg Asn Ser Gly Glu Gly Pro Phe Val
275 280 285

Leu Asp Ser Ser Ala Lys Trp Glu Thr Phe Asp His His Pro Val Thr
290 295 300

047-225-PROV-ST25

Pro Leu Ser Ser Thr Thr Ala Lys Asn Asn Ala Ile Pro Pro Arg Phe
 305 310 315 320

Asn Trp Glu Phe Phe Asp
 325

<210> 99

<211> 189

<212> PRT

<213> Arabidopsis thaliana

<400> 99

Met Ala Lys Ser Pro Val Glu Val Asn Leu Ile Pro Ile Glu Ala Thr
 1 5 10 15

Pro Glu Asn Phe Ala Glu Tyr Gly Gln Val Ile Glu Ala Ser Arg Asp
 20 25 30

Gly Ala Gly Phe Gly Pro His Asp Ala Gln Ser Asp Leu Ser Arg Gly
 35 40 45

Thr Pro Arg Leu Tyr Ile Leu Arg Leu Lys Gln Thr Pro Leu Gly Phe
 50 55 60

Phe Lys Ile Thr His His Ala Lys Val Thr Gln Cys Leu Gly Ser Ile
 65 70 75 80

Gly Gly Asp Val Trp Tyr Met Gly Val Ala Lys Pro Ser Leu Ile Glu
 85 90 95

Asp Asp Asp Asp Asp Gly Arg Ser Val Asp Thr Val Lys Ser Lys Ser
 100 105 110

Gly His Leu Tyr Ile Pro Pro Glu Val Glu Glu Ile Arg Val Phe Arg
 115 120 125

Phe Ser Gly Pro Lys Phe Val Lys Met His Arg Gly Thr Trp His Ala
 130 135 140

Gly Pro Leu Phe Ser Gly Ser Ser Phe Met Asp Phe Tyr Asn Leu Glu
 145 150 155 160

Leu Ser Asn Thr Asn Val Val Asp His Thr Ser His Asp Phe Thr Lys
 165 170 175

Page 104

047: P3F-PROV-ST25

Asn Asn Gly Val Ser Phe Gly Phe Asp Thr Leu Ser Ser
180 185

<210> 100

<211> 182

<212> PRT

<213> Arabidopsis thaliana

<400> 100

Met Ala Ser Ser Leu Gln Ser Ser Gly Met Leu Thr Lys Glu Gln Met
1 5 15

Val Tyr Leu Phe Asp Arg Phe Asp Tyr Leu Thr Ser Gln Ser Asp Val
20 25 30

Lys Lys Arg Ile Ser Asp Ala Val Asp Asp Lys Gln Glu Ala Val Ala
35 40 45

Val Thr Thr Ala Ile Gln Glu Glu Ile Phe Thr Glu Met Gly Ile Asp
50 55 60

Pro Gly Phe Gly Ile Gly Cys Leu Gly Lys Leu Asn Ser Ala Tyr Glu
65 70 75 80

Asn Asp Lys Glu Leu Met Ile Gly Phe Tyr Lys Phe Leu Ala Lys Glu
85 90 95

Glu Met Ala Cys Glu Glu Ala Glu Leu Gly Gln Asp Gly Phe Glu Gln
100 105 110

Lys Met Lys Ala Leu Gln Gln Leu Gln Glu Gln Gln Leu Glu Met Leu
115 120 125

Lys Tyr Met Arg Lys Phe Ser Leu Asp Asp Gln Ser Ala Ile Leu Gln
130 135 140

Lys Leu Gln Lys Gln Leu Glu Asn Ala Gly Phe Glu Pro Glu Ala Ser
145 150 155 160

Leu Leu Ser Gly Glu Glu Met Glu Gln Ala Gly Arg Arg Arg Val Ser
165 170 175

Pro Val Phe Gly Ser Arg
180

047-EXP-PROV-ST25

<210> 101

<211> 108

<212> PRT

<213> Arabidopsis thaliana

<400> 101

Met Ala Ile Ile Ala Ser Thr Phe Gly Thr Gly Leu Ser Tyr Ala Gly
1 5 10 15

Glu Leu Pro Phe Lys Pro Val Thr Gly Gly Gln Val Gly Arg Lys Gln
20 25 30

Gln Arg Met Val Val Val Arg Ala Gln Gly Gly Gly Ile Asn Pro
35 40 45

Glu Ile Arg Lys Asn Glu Asp Lys Val Val Asp Ser Val Val Val Thr
50 55 60

Glu Leu Ser Lys Asn Ile Thr Pro Thr Cys Arg Cys Trp Arg Ser Gly
65 70 75 80

Thr Phe Pro Leu Cys Asp Gly Ser His Val Lys His Asn Lys Ala Asn
85 90 95

Gly Asp Asn Val Gly Pro Leu Leu Leu Lys Lys Gln
100 105

<210> 102

<211> 185

<212> PRT

<213> Arabidopsis thaliana

<400> 102

Met Gly Leu Ile Pro Gln Pro Gln Thr Ser Ile Gln Glu Ser His Tyr
1 5 10 15

Tyr Thr His Lys Leu Phe Leu Thr Thr Asn Tyr Val Leu Leu Gly Ala
20 25 30

Ser Ser Ser Cys Ile Phe Leu Thr Leu Ser Leu Arg Leu Ile Pro Ser
35 40 45

047-527-PROV. ST25

Leu Cys Gly Phe Phe Leu Ile Leu Leu His Ala Thr Thr Ile Ala Ala
50 55 60

Ala Val Ser Gly Cys Ala Ala Ala Ser Tyr Gly Lys Asn Arg Trp Tyr
65 70 75 80

Ala Ala His Met Ile Ala Thr Val Leu Thr Ala Ile Phe Gln Gly Ser
85 90 95

Val Ser Val Leu Ile Phe Thr Asn Thr Ser Asn Phe Leu Glu Ser Leu
100 105 110

Asn Ser Tyr Val Arg Glu Lys Glu Ala Ser Met Ile Leu Lys Leu Ala
115 120 125

Gly Gly Leu Cys Val Val Ile Phe Cys Leu Thr Trp Ile Val Leu Val
130 135 140

Leu Ala Phe Phe Leu Lys Tyr Tyr Ala Tyr Val Asp Gly Asp Asn Asn
145 150 155 160

Gly Val Ala Met Lys Arg Thr Gly Lys Val Gln Ser Glu Glu Thr Leu
165 170 175

Lys Asn Ser Pro Trp Ala Phe Gln Val
180 185

<210> 103

<211> 181

<212> PRT

<213> *Arabidopsis thaliana*

<400> 103

Met Ala Arg Arg Asp Val Leu Leu Pro Phe Leu Leu Leu Ala Thr
1 5 10 15

Val Ser Ala Val Ala Phe Ala Glu Asp Asp Pro Asp Cys Val Tyr Thr
20 25 30

Phe Tyr Leu Arg Thr Gly Ser Ile Thr Lys Ala Gly Thr Asp Ser Ile
35 40 45

Ile Ser Ala Arg Ile Tyr Asp Lys Asp Gly Asp Tyr Ile Gly Ile Lys
50 55 60

047-52F-PROV ST25

Asn Leu Gln Ala Trp Ala Gly Leu Met Gly Pro Asp Tyr Asn Tyr Phe
65 70 75 80

Glu Arg Gly Asn Leu Asp Ile Phe Ser Gly Asp Ala Pro Cys Leu Pro
85 90 95

Ser Pro Ile Cys Ala Leu Asn Leu Thr Ser Asp Gly Ser Gly Asp His
100 105 110

His Gly Trp Tyr Val Asn Tyr Val Glu Ile Thr Thr Ala Gly Val His
115 120 125

Ala Gln Cys Ser Thr Gln Asp Phe Glu Ile Gln Gln Trp Leu Ala Thr
130 135 140

Asp Thr Ser Pro Tyr Glu Leu Thr Ala Val Asp Asn Asn Cys Pro Val
145 150 155 160

Lys Leu Arg Asp Ser Val Ser Arg Val Gly Ser Glu Ile Arg Lys Lys
165 170 175

Leu Ser Trp Val Val
180

<210> 104

<211> 369

<212> PRT

<213> Arabidopsis thaliana

<400> 104

Met Leu Gly Ala Gly Phe Gln Leu Thr Arg Gly Arg His Gly Asp Asp
1 5 10 15

Pro Phe Tyr Thr Ser Ala Lys Thr Arg Arg Ala Asn Gln Arg Ile Asp
20 25 30

Gln Leu Arg Arg Ala Gln Ser Asp Val Ser Asn Val Pro Ser Ser Ala
35 40 45

Pro Ser Pro His Lys Gln Gln Leu Glu Pro Ser Asp Leu Ser Ser Ser
50 55 60

Asn Leu Asp Arg Phe Leu Glu Ser Val Thr Ser Ser Val Pro Ala Gln
65 70 75 80

047-247-PROY ST25

Phe Leu Ser Lys Thr Leu Leu Arg Glu Arg Arg Ala Asp Asp Asp Tyr
 85 90 95
 Asn Lys Leu Val Pro Tyr Phe Val Leu Gly Asp Ile Trp Asp Ser Phe
 100 105 110
 Ala Glu Trp Ser Ala Tyr Gly Thr Gly Val Pro Leu Val Leu Asn Asn
 115 120 125
 Asn Lys Asp Arg Val Ile Gln Tyr Tyr Val Pro Ser Leu Ser Ala Ile
 130 135 140
 Gln Ile Tyr Ala His Ser His Ala Leu Asp Ser Ser Leu Lys Ser Arg
 145 150 155 160
 Arg Pro Gly Asp Ser Ser Asp Ser Asp Phe Arg Asp Ser Ser Ser Asp
 165 170 175
 Val Ser Ser Asp Ser Asp Ser Glu Arg Val Ser Ala Arg Val Asp Cys
 180 185 190
 Ile Ser Leu Arg Asp Gln His Gln Glu Asp Ser Ser Ser Asp Asp Gly
 195 200 205
 Glu Pro Leu Gly Ser Gln Gly Arg Leu Met Phe Glu Tyr Leu Glu Arg
 210 215 220
 Asp Leu Pro Tyr Ile Arg Glu Pro Phe Ala Asp Lys Val Leu Asp Leu
 225 230 235 240
 Ala Ala Gln Phe Pro Glu Leu Met Thr Leu Arg Ser Cys Asp Leu Leu
 245 250 255
 Arg Ser Ser Trp Phe Ser Val Ala Trp Tyr Pro Ile Tyr Arg Ile Pro
 260 265 270
 Thr Gly Pro Thr Leu Lys Asp Leu Asp Ala Cys Phe Leu Thr Tyr His
 275 280 285
 Ser Leu His Thr Ser Phe Gly Gly Glu Gly Ser Glu Gln Ser Met Ser
 290 295 300
 Leu Thr Gln Pro Arg Glu Ser Glu Lys Met Ser Leu Pro Val Phe Gly
 305 310 315 320
 Leu Ala Ser Tyr Lys Phe Arg Gly Ser Leu Trp Thr Pro Ile Gly Gly
 325 330 335

047-E2F-PROV-ST25

Ser Glu His Gln Leu Val Asn Ser Leu Phe Gln Ala Ala Asp Lys Trp
340 345 350

Leu His Ser Cys His Val Ser His Pro Asp Phe Leu Phe Phe Cys Arg
355 360 365

Arg

<210> 105

<211> 64

<212> DNA

<213> Artificial sequence

<220>

<223> oligo-dT + T7 promoter

<400> 105

ggccagtgaa ttgtaatacgt actcactata gggagggcgt tttttttttt tttttttttt 60

ttttt 64

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:**

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.